

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
<b>EAST COAST</b>					
<b>1100 ROUND BAR</b>					
R00-0.500-FCF	1100-F ALUM C.F. RND .500"DIA.	144.0	-	O	
R00-0.750-FCF	1100-F ALUM C.F. RND .750"DIA.	144.0	-	O	
R00-1.000-FCF	1100-F ALUM C.F. RND 1.00"DIA.	144.0	-	O	
R00-1.250-FCF	1100-F ALUM C.F. RND 1.25"DIA.	144.0	-	O	
R00-1.500-FCF	1100-F ALUM C.F. RND 1.50"DIA.	144.0	-	O	
R00-1.750-FCF	1100-F ALUM C.F. RND 1.75"DIA.	144.0	-	O	
R00-2.000-FCF	1100-F ALUM C.F. RND 2.00"DIA.	144.0	-	O	
R00-2.500-FCF	1100-F ALUM C.F. RND 2.50"DIA.	144.0	-	O	
R00-2.500-FCF	1100-F ALUM C.F. RND 2.50"DIA.	108.0	-	O	
R00-3.000-FCF	1100-F ALUM C.F. RND 3.00"DIA.	144.0	-	O	
R00-3.000-FCF	1100-F ALUM C.F. RND 3.00"DIA.	83.0	-	O	
R00-4.000-FCF	1100-F ALUM C.F. RND 4.00"DIA.	144.0	-	O	
<b>1100 ROUND TUBE</b>					
00R-050.035-14	1100-H14 .500 X .035 DRWN-SMLS	144.0	-	O	
<b>1100 SHEET</b>					
S00-016-0	ALUMINUM SHEET 1100-0 .016"	36.0	96.0	O	
S00-016-0	ALUMINUM SHEET 1100-0 .016"	36.0	84.0	O	
S00-020-0	ALUMINUM SHEET 1100-0 .020"	48.0	96.0	O	
S00-020-H18	ALUMINUM SHEET 1100-H18 .020"	48.0	156.0	O	
S00-025-H14	ALUMINUM SHEET 1100-H14 .025"	36.0	144.0	O	
S00-025-H14	ALUMINUM SHEET 1100-H14 .025"	48.0	144.0	O	
S00-032-0	ALUMINUM SHEET 1100-0 .032"	24.5	120.0	P	Feb 17, 12
S00-032-0	ALUMINUM SHEET 1100-0 .032"	48.0	144.0	O	
S00-032-0	ALUMINUM SHEET 1100-0 .032"	24.5	120.0	O	
S00-032-H14	ALUMINUM SHEET 1100-H14 .032"	48.0	144.0	O	
S00-040-0	ALUMINUM SHEET 1100-0 .040"	48.0	72.0	O	
S00-040-0	ALUMINUM SHEET 1100-0 .040"	48.0	144.0	O	
S00-040-0	ALUMINUM SHEET 1100-0 .040"	48.0	11.5	O	
S00-040-0	ALUMINUM SHEET 1100-0 .040"	36.0	96.0	O	
S00-040-H14	ALUMINUM SHEET 1100-H14 .040"	48.0	36.0	O	
S00-040-H14	ALUMINUM SHEET 1100-H14 .040"	48.0	84.0	O	
S00-040-H14	ALUMINUM SHEET 1100-H14 .040"	48.0	96.0	O	
S00-040-H14	ALUMINUM SHEET 1100-H14 .040"	48.0	144.0	O	
S00-050-0	ALUMINUM SHEET 1100-0 .050"	48.0	-	O	
S00-050-0	ALUMINUM SHEET 1100-0 .050"	48.0	96.0	O	
S00-050-0	ALUMINUM SHEET 1100-0 .050"	11.8	-	O	
S00-050-H14	ALUMINUM SHEET 1100-H14 .050"	48.0	144.0	O	
S00-050-H14	ALUMINUM SHEET 1100-H14 .050"	48.0	144.0	P	Feb 17, 12
S00-050-H14	ALUMINUM SHEET 1100-H14 .050"	48.0	48.0	O	
S00-063-0	ALUMINUM SHEET 1100-0 .063"	36.0	96.0	O	
S00-063-H14	ALUMINUM SHEET 1100-H14 .063"	48.0	96.0	O	
S00-063-H14	ALUMINUM SHEET 1100-H14 .063"	48.0	144.0	O	
S00-063-H14	ALUMINUM SHEET 1100-H14 .063"	36.0	96.0	O	
S00-080-0	ALUMINUM SHEET 1100-0 .080"	36.0	96.0	O	
S00-080-0	ALUMINUM SHEET 1100-0 .080"	40.0	40.0	O	
S00-080-0	ALUMINUM SHEET 1100-0 .080"	36.0	90.0	O	
S00-090-0	ALUMINUM SHEET 1100-0 .090"	48.0	144.0	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
S00-090-H14	ALUMINUM SHEET 1100-H14 .090"	48.0	144.0	O	
S00-090-H14	ALUMINUM SHEET 1100-H14 .090"	48.0	144.0	O	
S00-125-0	ALUMINUM SHEET 1100-0 .125"	48.0	24.0	O	
S00-125-0	ALUMINUM SHEET 1100-0 .125"	48.0	144.0	O	
S00-125-0	ALUMINUM SHEET 1100-0 .125"	36.0	96.0	O	
S00-125-H14	ALUMINUM SHEET 1100-H14 .125"	48.0	144.0	O	
S00-125-H14	ALUMINUM SHEET 1100-H14 .125"	48.0	144.0	P	Feb 17, 12
S00-125-H14	ALUMINUM SHEET 1100-H14 .125"	48.0	72.0	O	
S00-190-0	ALUMINUM SHEET 1100-0 .190"	48.0	144.0	O	
S00-190-0	ALUMINUM SHEET 1100-0 .190"	48.0	-	P	Feb 15, 12
<b>2014 ANGLE</b>					
10134-2408-A14	2014-T6511 2.50 X 2.00 X .188	144.0	-	O	
60-245-A14	2014-T6511 1.75 X 1.75 X .125	144.0	-	O	
F14-2000300-6E	2014-T6511 2.00 X 3.00 EXT FB	120.0	-	O	
F14-2000300-6E	2014-T6511 2.00 X 3.00 EXT FB	144.0	-	O	
F14-2000300-6E	2014-T6511 2.00 X 3.00 EXT FB	108.0	-	O	
<b>2014 FLAT</b>					
F14-3000600-6E	2014T6 3.00 X 6.00 EXT FB	144.0	-	O	
F14-3000600-6E	2014T6 3.00 X 6.00 EXT FB	71.5	-	O	
<b>2014 ROUND</b>					
R14-0.750-65EX	2014-T6 EXT RND. BAR .750"DIA	144.0	-	O	
R14-1.250-65CF	2014-T6 CF 1.25"DIA ROUND BAR	144.0	-	O	
R14-2.000-65CF	2014-T6 CF 2.00"DIA ROUND BAR	144.0	-	O	
R14-2.000-65CF	2014-T6 CF 2.00"DIA ROUND BAR	48.0	-	O	
R14-4.000-65EX	2014T6511 EXT RND BAR 4.00"DIA	120.0	-	O	
R14-4.000-65EX	2014T6511 EXT RND BAR 4.00"DIA	124.0	-	O	
R14-4.000-65EX	2014T6511 EXT RND BAR 4.00"DIA	144.0	-	O	
R14-4.000-65EX	2014T6511 EXT RND BAR 4.00"DIA	17.0	-	O	
<b>2014 SQUARES</b>					
Q14-0.500-65EX	2014-T6511 0.500" SQ. BAR	120.0	-	P	Feb 17, 12
Q14-0.500-65EX	2014-T6511 0.500" SQ. BAR	144.0	-	P	Feb 17, 12
Q14-1.625-65EX	2014-T6511 1.625" SQ. BAR	144.0	-	O	
<b>2014 PLATE</b>					
P14-0.250-651	ALUM PLATE 2014-T651 .250"	48.0	96.0	O	
P14-0.500-651	ALUM PLATE 2014-T651 .500"	48.0	96.0	O	
<b>2024 ANGLE</b>					
10133-0501-A24	2024-T3511 .625 X .625 X .063	144.0	-	O	
10133-0601-A24	2024-T3511 .750 X .750 X .063	144.0	-	O	
10133-0702~A24	2024-T8511 .875 X .875 X .094	120.0	-	O	
10133-1001-A24	2024-T3511 1.00 X 1.00 X .062	144.0	-	O	
10133-1001~A24	2024-T8511 1.00 X 1.00 X .062	144.0	-	O	
10133-1001~A24	2024-T8511 1.00 X 1.00 X .062	120.0	-	O	
10133-1003-A24	2024-T3511 1.00 X 1.00 X .125	144.0	-	O	
10133-1201-A24	2024-T3511 1.25 X 1.25 X .063	144.0	-	O	
10133-1203-A24	2024-T3511 1.25 X 1.25 X .125	144.0	-	P	Mar 5, 12
10133-1203-A24	2024-T3511 1.25 X 1.25 X .125	120.0	-	P	Mar 5, 12
10133-1401-A24	2024-T3511 1.50 X 1.50 X .063	144.0	-	P	Feb 17, 12
10133-1401-A24	2024-T3511 1.50 X 1.50 X .063	120.0	-	P	Feb 17, 12

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
10133-1403-A24	2024-T3511 1.50 X 1.50 X .125	144.0	-	O	
10133-2002-A24	2024-T3511 2.00 X 2.00 X .125	144.0	-	O	
10134-0701-A24	2024-T3511 .875 X .625 X .063	120.0	-	O	
10134-0701-A24	2024-T3511 .875 X .625 X .063	144.0	-	O	
10134-1003~A24	2024-T8511 1.00 X .750 X .062	144.0	-	O	
10134-1004-A24	2024-T3511 1.00 X .750 X .125	144.0	-	O	
10134-1204-A24	2024-T3511 1.25 X 1.00 X .063	144.0	-	O	
10134-1206-A24	2024-T3511 1.25 X 1.00 X .125	144.0	-	O	
10134-1403-A24	2024-T3511 1.50 X 1.00 X .094	144.0	-	O	
10134-1403.A24	2024-0 1.50 X 1.00 X .094	144.0	-	P	Feb 17, 12
10134-1404-A24	2024-T3511 1.50 X 1.00 X .125	144.0	-	O	
10134-1406~A24	2024-T8511 1.50 X 1.25 X .094	144.0	-	O	
10134-2001-A24	2024-T3511 2.00 X 1.00 X .125	144.0	-	O	
10134-2006-A24	2024-T3511 2.00 X 1.50 X .125	144.0	-	O	
10134-2404-A24	2024-T3511 2.50 X 1.50 X .188	144.0	-	O	
10134-2404-A24	2024-T3511 2.50 X 1.50 X .188	120.0	-	O	
10134-2407-A24	2024-T3511 2.50 X 2.00 X .156	144.0	-	O	
10134-3001-A24	2024-T3511 3.00 X 1.50 X .188	144.0	-	O	
10135-0501-A24	2024-T3511 .625 X .563 X .050	144.0	-	O	
10135-1201-A24	2024-T3511 1.25 X .875 X .078	144.0	-	O	
60-117-A24	2024-T3511 2.875 X 2.00 X .125	120.0	-	O	
60-117-A24	2024-T3511 2.875 X 2.00 X .125	144.0	-	O	
60-11991-A24	2024-T3511 2.00 X 1.50 X .125	144.0	-	O	
60-12787-A24	2024-T3511 2.188 X .812 X .081	144.0	-	O	
60-12939-A24	2024-T3511 3.50 X 3.50 X .375	144.0	-	O	
60-137-A24	2024-T3511 1.00 X 1.00 X .094	144.0	-	O	
60-149-A24	2024-T3511 .562 X .562 X .040	132.0	-	O	
60-154-A24	2024-T3511 .750 X .750 X .125	144.0	-	O	
60-155-A24	2024-T3511 1.00 X 1.00 X .250	120.0	-	O	
60-155-A24	2024-T3511 1.00 X 1.00 X .250	144.0	-	O	
60-1715-A24	2024-T3511 2.00 X 1.00 X .125	144.0	-	O	
60-1720-A24	2024-T3511 1.50 X 1.25 X .125	144.0	-	O	
60-17447-A24	2024T3511 2.88 X 1 X .125/.25	144.0	-	O	
60-21569-A24	2024-T3511 3.00 X .900 X .080	144.0	-	O	
60-21946-A24	2024-T3511 1.75 X .750 X .063	144.0	-	O	
60-22234-A24	2024-T3511 1.35 X 1.15 X .188	144.0	-	O	
60-2804~A24	2024-T8511 2.00 X 1.625 X .125	144.0	-	O	
60-2804~A24	2024-T8511 2.00 X 1.625 X .125	120.0	-	O	
60-3008-A24	2024-T3511 2.00 X 1.25 X .188	144.0	-	P	Mar 7, 12
60-3114-A24	2024-T3511 2.120 X 1.89 X .070	144.0	-	O	
60-3117-A24	2024-T3511 3.250 X 1.00 X .125	144.0	-	O	
60-346-A24	2024-T3511 .750 X .750 X .050	144.0	-	O	
60-346-A24	2024-T3511 .750 X .750 X .050	72.0	-	O	
60-3838-A24	2024-T3511 3.00 X 3.00 X .250	144.0	-	O	
60-3838-A24	2024-T3511 3.00 X 3.00 X .250	120.0	-	O	
60-3890-A24	2024-T3511 1.00 X 1.00 X .125	144.0	-	O	
60-3890-A24	2024-T3511 1.00 X 1.00 X .125	120.0	-	O	
60-3968-A24	2024-T3511 1.09 X .380 X .062	132.0	-	O	
60-3968-A24	2024-T3511 1.09 X .380 X .062	144.0	-	O	
60-3994-A24	2024-T3511 .750 X .500 X .050	144.0	-	O	
60-4363.A24	2024-0 2.63 X 1.75 X .072	144.0	-	O	
60-4363.A24	2024-0 2.63 X 1.75 X .072	120.0	-	O	
60-4571-A24	2024-T3511 2.00 X 1.25 X .078	144.0	-	O	
60-5566-A24	2024-T3511 2.00 X 2.00 X .062	144.0	-	O	



PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
10137-1011-C24	2024-T3511 1.00 X 1.25 X .078	144.0	-	O	
10137-1601-C24	2024-T3511 1.75 X .750 X .078	144.0	-	O	
60-10180-C24	2024-T3511 2.00 X 1.00 X .063	144.0	-	O	
60-12997-C24	2024-T3511 .700 X 1.00 X .050	120.0	-	P	Feb 24, 12
60-12997-C24	2024-T3511 .700 X 1.00 X .050	144.0	-	P	Feb 24, 12
60-12997-C24	2024-T3511 .700 X 1.00 X .050	47.5	-	O	
60-27184~C24	2024-T8511 .540 X .250 X .040	120.0	-	O	
60-27184~C24	2024-T8511 .540 X .250 X .040	144.0	-	O	
60-3842-C24	2024-T3511 4.00 X 2.00 X .156	144.0	-	O	
60-3842-C24	2024-T3511 4.00 X 2.00 X .156	60.0	-	O	
60-451-C24	2024-T3511 .500 X .500 X .063	144.0	-	O	
<b>2024 STRUCTURAL SECTIONS</b>					
1513-142-CS24	2024T3511 1513-142 .269 X 1.67	192.0	-	P	Feb 11, 12
1513-227.CS24	2024-0 BAC1513-227 .420 X 1.69	144.0	-	O	
1513-395-CS24	2024T3 BAC1513-395 .140 X .500	120.0	-	O	
1520-221-CS24	2024T3 BAC1520-221 .320 X 1.75	144.0	-	O	
60-14480-CS24	2024T3 LS4211 .438 X 0.665	144.0	-	O	
60-15107~CS24	2024T8 K60-310 .250 X 0.900	144.0	-	O	
60-34911-CS24	2024T3 LS33565 .050 X 1.108	144.0	-	O	
LS3890-CS24	2024T4 LS3890 1.045 X 0.625	144.0	-	O	
<b>2024 SQUARE TUBING</b>					
24Q-075.049-3D	2024T3 .75 X.049 X.125"R DRAWN	144.0	-	O	
24Q-075.049-3D	2024T3 .75 X.049 X.125"R DRAWN	136.0	-	O	
24Q-075.062-3D	2024T3 .75X.062 DRAWN SQ TUBE	144.0	-	O	
24Q-100.065-3D	2024T3 1 X .065 X .156"R DRAWN	144.0	-	O	
24Q-100.080-3D	2024T3 1 X .080 X .156"R DRAWN	144.0	-	P	Feb 20, 12
24Q-150.125-3D	2024T3 1.5 X.125X .156"R DRAWN	144.0	-	O	
<b>2024 ROUND TUBING</b>					
24R-038.058-3D	2024-T3 .375 X .058 DRAWN-SMLS	72.0	-	O	
24R-044.095-3D	2024-T3 .438 X .095 DRAWN-SMLS	144.0	-	O	
24R-050.120-3D	2024-T3 .500 X .120 DRAWN-SMLS	144.0	-	O	
24R-075.049-3D	2024-T3 .750 X .049 DRAWN-SMLS	144.0	-	O	
24R-075.065-3D	2024-T3 .750 X .065 DRAWN-SMLS	144.0	-	O	
24R-075.083-3D	2024-T3 .750 X .083 DRAWN-SMLS	144.0	-	O	
24R-075.095-3D	2024-T3 .750 X .095 DRAWN-SMLS	136.0	-	O	
24R-075.095-3D	2024-T3 .750 X .095 DRAWN-SMLS	144.0	-	O	
24R-075.120-3D	2024-T3 .750 X .120 DRAWN-SMLS	144.0	-	O	
24R-088.049-3D	2024-T3 .875 X .049 DRAWN-SMLS	144.0	-	O	
24R-088.049-3D	2024-T3 .875 X .049 DRAWN-SMLS	123.8	-	O	
24R-088.058-3D	2024-T3 .875 X .058 DRAWN-SMLS	144.0	-	O	
24R-088.058-3D	2024-T3 .875 X .058 DRAWN-SMLS	99.9	-	O	
24R-088.120-3D	2024-T3 .875 X .120 DRAWN-SMLS	136.0	-	O	
24R-088.120-3D	2024-T3 .875 X .120 DRAWN-SMLS	144.0	-	O	
24R-088.188-3D	2024-T3 .875 X .188 DRAWN-SMLS	144.0	-	O	
24R-100.035-3D	2024-T3 1.00 X .035 DRAWN-SMLS	144.0	-	O	
24R-100.065-3D	2024-T3 1.00 X .065 DRAWN-SMLS	144.0	-	O	
24R-100.095-3D	2024-T3 1.00 X .095 DRAWN-SMLS	144.0	-	O	
24R-100.095-3D	2024-T3 1.00 X .095 DRAWN-SMLS	136.0	-	O	
24R-100.120-3D	2024-T3 1.00 X .120 DRAWN-SMLS	144.0	-	O	
24R-100.120-3D	2024-T3 1.00 X .120 DRAWN-SMLS	136.0	-	O	
24R-113.035-3D	2024T3 1.125 X .035 DRAWN-SMLS	144.0	-	O	



PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
F24-1000250-3E	2024T3511 EXT FB 1.00 X 2.50	144.0	-	O	
F24-1000300-3E	2024T3511 EXT FB 1.00 X 3.00	144.0	-	O	
F24-1000400-8C	2024-T851 CF FB 1.00 X 4.00	144.0	-	O	
F24-1250150-3E	2024T3511 EXT FB 1.25 X 1.50	98.4	-	O	
F24-1250150-3E	2024T3511 EXT FB 1.25 X 1.50	124.6	-	O	
F24-1250150-3E	2024T3511 EXT FB 1.25 X 1.50	144.0	-	O	
F24-1250225-3E	2024T3511 EXT FB 1.25 X 2.25	144.0	-	O	
F24-1250250-3E	2024T3511 EXT FB 1.25 X 2.50	144.0	-	O	
F24-1250400-3E	2024T3511 EXT FB 1.25 X 4.00	144.0	-	O	
F24-1250500-3E	2024T3511 EXT FB 1.25 X 5.00	144.0	-	O	
F24-1500250-3E	2024T3511 EXT FB 1.50 X 2.50	136.0	-	O	
F24-1500250-3E	2024T3511 EXT FB 1.50 X 2.50	144.0	-	O	
F24-1500300-3E	2024T3511 EXT FB 1.50 X 3.00	144.0	-	O	
F24-2000300-3E	2024T3511 EXT FB 2.00 X 3.00	144.0	-	O	
F24-2000300-3E	2024T3511 EXT FB 2.00 X 3.00	135.8	-	O	
F24-2000300-8C	2024-T851 CF FB 2.00 X 3.00	144.0	-	O	
F24-2000300-8C	2024-T851 CF FB 2.00 X 3.00	108.0	-	O	
F24-2000400-3E	2024T3511 EXT FB 2.00 X 4.00	144.0	-	O	
F24-2000500-3C	2024-T351 CF FB 2.00 X 5.00	144.0	-	O	
F24-2000600-3E	2024T3511 EXT FB 2.00 X 6.00	144.0	-	O	
F24-2000600-3E	2024T3511 EXT FB 2.00 X 6.00	36.0	-	O	
F24-2000600-3E	2024T3511 EXT FB 2.00 X 6.00	144.0	-	O	
F24-2000600-3E	2024T3511 EXT FB 2.00 X 6.00	144.0	-	O	
F24-2000600-3E	2024T3511 EXT FB 2.00 X 6.00	24.0	-	O	
F24-2500300-8C	2024-T851 CF FB 2.50 X 3.00	144.0	-	O	
F24-2500300-8C	2024-T851 CF FB 2.50 X 3.00	48.0	-	O	
F24-2500400-8E	2024T8511 EXT FB 2.50 X 4.00	144.0	-	O	
F24-2750400-8C	2024-T851 CF FB 2.75 X 4.00	144.0	-	P	Feb 10, 12
F24-3000600-3E	2024T3511 EXT FB 3.00 X 6.00	92.0	-	O	
F24-3000600-3E	2024T3511 EXT FB 3.00 X 6.00	144.0	-	O	
F24-3250500-3E	2024T3511 EXT FB 3.25 X 5.00	144.0	-	O	
F24-3250500-3E	2024T3511 EXT FB 3.25 X 5.00	134.5	-	O	
F24-3500800-8E	2024T8511 EXT FB 3.50 X 8.00	144.0	-	O	
<b>2024 HEX BARS</b>					
H24-0.750-35CF	2024-T351 C.F. ALUM HEX .750"	144.0	-	O	
H24-0.750-35EX	2024-T3511 EXT ALUM HEX .750"	144.0	-	O	
H24-1.000-35EX	2024-T3511 EXT ALUM HEX 1.00"	144.0	-	O	
<b>2024 SQUARE BARS</b>					
Q24-1.00-35EX	2024T3511 EXT SQUARE BAR 1.00"	135.6	-	O	
Q24-1.00-35EX	2024T3511 EXT SQUARE BAR 1.00"	136.0	-	O	
Q24-1.00-35EX	2024T3511 EXT SQUARE BAR 1.00"	144.0	-	O	
Q24-1.25-35CF	2024-T351 C.F SQUARE BAR 1.25"	144.0	-	O	
Q24-1.25-35CF	2024-T351 C.F SQUARE BAR 1.25"	127.4	-	O	
Q24-2.00-35CF	2024-T351 C.F SQUARE BAR 2.00"	115.8	-	O	
Q24-2.00-35EX	2024T3511 EXT SQUARE BAR 2.00"	144.0	-	O	
Q24-2.25-35EX	2024T3511 EXT SQUARE BAR 2.25"	108.8	-	O	
Q24-2.25-35EX	2024T3511 EXT SQUARE BAR 2.25"	144.0	-	O	
Q24-2.50-35EX	2024T3511 EXT SQUARE BAR 2.50"	144.0	-	O	
<b>2024 ROUND BARS</b>					
R24-0.375-35EX	2024-T3511 EX RND BAR .375 DIA	144.0	-	O	
R24-0.500-35EX	2024-T3511 EX RND BAR .500 DIA	144.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
R24-0.500-40CF	2024-T4 CF RND BAR .500 DIA	144.0	-	O	
R24-0.563-35EX	2024-T3511 EX RND BAR .563 DIA	144.0	-	P	Feb 6, 12
R24-0.625-35EX	2024-T3511 EX RND BAR .625 DIA	144.0	-	O	
R24-0.625-40CF	2024T4/T351 C.F. ROD .625 DIA	144.0	-	O	
R24-0.625-85CF	2024-T851 CF RND BAR .625 DIA	72.0	-	O	
R24-0.750-35EX	2024-T3511 EX RND BAR .750 DIA	144.0	-	O	
R24-0.750-40CF	2024T4/T351 C.F. ROD .750"DIA	144.0	-	O	
R24-0.750-85CF	2024-T851 CF RND BAR .750 DIA	121.3	-	O	
R24-0.750-85CF	2024-T851 CF RND BAR .750 DIA	144.0	-	O	
R24-0.812-35CF	2024-T351 CF RND BAR .812 DIA	144.0	-	O	
R24-0.875-35EX	2024-T3511 EX RND BAR .875 DIA	144.0	-	O	
R24-0.875-35EX	2024-T3511 EX RND BAR .875 DIA	136.0	-	O	
R24-0.875-40CF	2024-T4 CF RND BAR .875 DIA	144.0	-	O	
R24-1.000-35EX	2024-T3511 EX RND BAR 1.00 DIA	144.0	-	O	
R24-1.000-40CF	2024T4/351 C.F. ROD 1.00" DIA	144.0	-	O	
R24-1.125-35CF	2024-T351 CF RND BAR 1.125DIA	144.0	-	O	
R24-1.250-35CF	2024T351 CF. RND BAR 1.250"DIA	144.0	-	O	
R24-1.250-35EX	2024T3511 EXT RND BAR 1.25"DIA	144.0	-	O	
R24-1.250-35EX	2024T3511 EXT RND BAR 1.25"DIA	131.9	-	O	
R24-1.500-35EX	2024T3511 EXT RND BAR 1.500DIA	144.0	-	O	
R24-1.500-35EX	2024T3511 EXT RND BAR 1.500DIA	136.0	-	O	
R24-1.750-35EX	2024T3511 EXT RND BAR 1.75"DIA	128.0	-	O	
R24-1.750-35EX	2024T3511 EXT RND BAR 1.75"DIA	144.0	-	O	
R24-2.000-35EX	2024T3511 EXT RND BAR 2.00"DIA	144.0	-	O	
R24-2.000-40CF	2024T4/T351 C.F. ROD 2.000"DIA	144.0	-	O	
R24-2.250-40CF	2024T4/T351 C.F. ROD 2.250"DIA	144.0	-	O	
R24-2.250-40CF	2024T4/T351 C.F. ROD 2.250"DIA	131.9	-	O	
R24-2.375-35CF	2024T351 CF. RND BAR 2.375"DIA	144.0	-	O	
R24-2.500-35CF	2024-T351 CF ROUND 2.500"DIA.	144.0	-	O	
R24-2.500-35EX	2024T3511 EXT RND BAR 2.50"DIA	144.0	-	O	
R24-2.750-40CF	2024T4/T351 C.F. ROD 2.750"DIA	72.0	-	O	
R24-2.750-40CF	2024T4/T351 C.F. ROD 2.750"DIA	144.0	-	O	
R24-2.750-40CF	2024T4/T351 C.F. ROD 2.750"DIA	64.0	-	O	
R24-3.000-35EX	2024T3511 EXT RND BAR 3.00"DIA	144.0	-	O	
R24-3.125-35CF	2024T351 CF. RND BAR 3.125"DIA	144.0	-	O	
R24-3.125-35CF	2024T351 CF. RND BAR 3.125"DIA	65.3	-	O	
R24-3.250-40CF	2024T4/T351 C.F. ROD 3.250"DIA.	144.0	-	O	
R24-3.500-35CF	2024-T351 CF. RND BAR 3.50"DIA	71.8	-	O	
R24-3.500-35EX	2024T3511 EXT RND BAR 3.50"DIA	144.0	-	O	
R24-4.000-35CF	2024-T351 CF. RND BAR 4.00"DIA	23.8	-	O	
R24-4.000-35CF	2024-T351 CF. RND BAR 4.00"DIA	144.0	-	O	
R24-4.000-35CF	2024-T351 CF. RND BAR 4.00"DIA	144.0	-	P	May 9, 12
R24-4.000-35EX	2024T3511 EXT RND BAR 4.00"DIA	144.0	-	O	
R24-4.250-35EX	2024T3511 EXT RND BAR 4.25"DIA	144.0	-	O	
R24-4.500-35CF	2024-T351 CF. RND BAR 4.50"DIA	144.0	-	O	
R24-4.500-35CF	2024-T351 CF. RND BAR 4.50"DIA	144.0	-	P	May 9, 12
R24-4.500-35CF	2024-T351 CF. RND BAR 4.50"DIA	83.6	-	O	
R24-5.000-35CF	2024-T351 CF. RND BAR 5.00"DIA	144.0	-	O	
R24-5.000-35EX	2024T3511 EXT RND BAR 5.00"DIA	144.0	-	O	
R24-5.750-35CF	2024-T351 CF. RND BAR 5.75"DIA	112.0	-	O	
R24-6.000-35CF	2024-T351 CF. RND BAR 6.00"DIA	142.0	-	O	
R24-6.000-35CF	2024-T351 CF. RND BAR 6.00"DIA	144.0	-	O	
R24-6.000-35CF	2024-T351 CF. RND BAR 6.00"DIA	72.0	-	O	
R24-6.000-35EX	2024T3511 EXT RND BAR 6.00"DIA	144.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
R24-7.000-30EX	2024-T3 EXT ROUND BAR 7.00"DIA	144.0	-	O	
R24-7.000-30EX	2024-T3 EXT ROUND BAR 7.00"DIA	48.0	-	O	
R24-9.000-30EX	2024-T3 EXT ROUND BAR 9.00"DIA	92.0	-	O	
<b>2024 SHEETS</b>					
S24-012-0A	ALUM SHEET .012" 2024-0 CLAD	48.0	144.0	O	
S24-012-T3A	ALUM SHEET .012" 2024-T3 CLAD	20.0	72.0	O	
S24-012-T3A	ALUM SHEET .012" 2024-T3 CLAD	48.0	72.0	O	
S24-012-T3A	ALUM SHEET .012" 2024-T3 CLAD	48.0	144.0	O	
S24-012-T3B	ALUM SHEET .012" 2024-T3 BARE	48.0	144.0	O	
S24-016-T3A	ALUM SHEET .016" 2024-T3 CLAD	48.0	144.0	O	
S24-016-T3A	ALUM SHEET .016" 2024-T3 CLAD	48.0	72.0	O	
S24-016-T3B	ALUM SHEET .016" 2024-T3 BARE	48.0	144.0	O	
S24-016-T3B	ALUM SHEET .016" 2024-T3 BARE	12.0	144.0	O	
S24-020-0A	ALUM SHEET .020" 2024-0 CLAD	48.0	144.0	O	
S24-020-0B	ALUM SHEET .020" 2024-0 BARE	48.0	144.0	O	
S24-020-T3A	ALUM SHEET .020" 2024-T3 CLAD	48.0	72.0	O	
S24-020-T3A	ALUM SHEET .020" 2024-T3 CLAD	48.0	144.0	O	
S24-020-T3A	ALUM SHEET .020" 2024-T3 CLAD	48.0	48.0	O	
S24-020-T3B	ALUM SHEET .020" 2024-T3 BARE	48.0	144.0	O	
S24-025-0A	ALUM SHEET .025" 2024-0 CLAD	11.8	96.0	O	
S24-025-0A	ALUM SHEET .025" 2024-0 CLAD	48.0	48.0	O	
S24-025-0A	ALUM SHEET .025" 2024-0 CLAD	48.0	144.0	O	
S24-025-T3A	ALUM SHEET .025" 2024-T3 CLAD	48.0	144.0	O	
S24-025-T3A	ALUM SHEET .025" 2024-T3 CLAD	48.0	144.0	O	
S24-025-T3B	ALUM SHEET .025" 2024-T3 BARE	48.0	144.0	O	
S24-032-0A	ALUM SHEET .032" 2024-0 CLAD	48.0	144.0	O	
S24-032-0B	ALUM SHEET .032" 2024-0 BARE	48.0	144.0	O	
S24-032-0B	ALUM SHEET .032" 2024-0 BARE	48.0	65.9	O	
S24-032-T3A	ALUM SHEET .032" 2024-T3 CLAD	48.0	144.0	O	
S24-032-T3A	ALUM SHEET .032" 2024-T3 CLAD	48.0	96.0	O	
S24-032-T3B	ALUM SHEET .032" 2024-T3 BARE	48.0	144.0	O	
S24-040-0A	ALUM SHEET .040" 2024-0 CLAD	48.0	-	O	
S24-040-0A	ALUM SHEET .040" 2024-0 CLAD	48.0	144.0	O	
S24-040-0A	ALUM SHEET .040" 2024-0 CLAD	60.0	180.0	O	
S24-040-0B	ALUM SHEET .040" 2024-0 BARE	48.0	144.0	O	
S24-040-0B	ALUM SHEET .040" 2024-0 BARE	48.0	48.0	O	
S24-040-T3A	ALUM SHEET .040" 2024-T3 CLAD	48.0	144.0	O	
S24-040-T3A	ALUM SHEET .040" 2024-T3 CLAD	36.0	144.0	O	
S24-040-T3B	ALUM SHEET .040" 2024-T3 BARE	48.0	72.0	O	
S24-040-T3B	ALUM SHEET .040" 2024-T3 BARE	48.0	144.0	O	
S24-040-T3B	ALUM SHEET .040" 2024-T3 BARE	48.0	168.0	O	
S24-050-0A	ALUM SHEET .050" 2024-0 CLAD	48.0	144.0	O	
S24-050-0B	ALUM SHEET .050" 2024-0 BARE	48.0	144.0	O	
S24-050-0B	ALUM SHEET .050" 2024-0 BARE	48.0	120.0	O	
S24-050-T3A	ALUM SHEET .050" 2024-T3 CLAD	48.0	144.0	O	
S24-050-T3B	ALUM SHEET .050" 2024-T3 BARE	48.0	144.0	O	
S24-063-0A	ALUM SHEET .063" 2024-0 CLAD	48.0	48.0	O	
S24-063-0A	ALUM SHEET .063" 2024-0 CLAD	48.0	144.0	O	
S24-063-0B	ALUM SHEET .063" 2024-0 BARE	48.0	144.0	O	
S24-063-T3A	ALUM SHEET .063" 2024-T3 CLAD	48.0	144.0	O	
S24-063-T3A	ALUM SHEET .063" 2024-T3 CLAD	48.0	48.0	O	
S24-063-T3B	ALUM SHEET .063" 2024-T3 BARE	48.0	144.0	O	
S24-063-T3B	ALUM SHEET .063" 2024-T3 BARE	36.0	72.0	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
S24-071-0A	ALUM SHEET .071" 2024-0 CLAD	48.0	144.0	O	
S24-071-0B	ALUM SHEET .071" 2024-0 BARE	48.0	144.0	O	
S24-071-T3A	ALUM SHEET .071" 2024-T3 CLAD	48.0	144.0	O	
S24-071-T3B	ALUM SHEET .071" 2024-T3 BARE	48.0	144.0	O	
S24-080-0B	ALUM SHEET .080" 2024-0 BARE	48.0	144.0	O	
S24-080-T3A	ALUM SHEET .080" 2024-T3 CLAD	48.0	96.0	O	
S24-080-T3A	ALUM SHEET .080" 2024-T3 CLAD	48.0	120.0	O	
S24-080-T3A	ALUM SHEET .080" 2024-T3 CLAD	48.0	144.0	O	
S24-080-T3B	ALUM SHEET .080" 2024-T3 BARE	48.0	96.0	O	
S24-090-0A	ALUM SHEET .090" 2024-0 CLAD	48.0	144.0	O	
S24-090-0B	ALUM SHEET .090" 2024-0 BARE	48.0	144.0	O	
S24-090-0B	ALUM SHEET .090" 2024-0 BARE	48.0	120.0	O	
S24-090-T3A	ALUM SHEET .090" 2024-T3 CLAD	48.0	96.0	O	
S24-090-T3A	ALUM SHEET .090" 2024-T3 CLAD	48.0	108.0	O	
S24-090-T3A	ALUM SHEET .090" 2024-T3 CLAD	48.0	120.0	O	
S24-090-T3A	ALUM SHEET .090" 2024-T3 CLAD	48.0	144.0	O	
S24-090-T3A	ALUM SHEET .090" 2024-T3 CLAD	48.0	288.0	O	
S24-090-T3B	ALUM SHEET .090" 2024-T3 BARE	48.0	144.0	O	
S24-100-0A	ALUM SHEET .100" 2024-0 CLAD	48.0	144.0	O	
S24-100-0B	ALUM SHEET .100" 2024-0 BARE	48.0	144.0	O	
S24-100-T3A	ALUM SHEET .100" 2024-T3 CLAD	48.0	144.0	O	
S24-100-T3B	ALUM SHEET .100" 2024-T3 BARE	48.0	144.0	O	
S24-125-0A	ALUM SHEET .125" 2024-0 CLAD	48.0	144.0	O	
S24-125-0B	ALUM SHEET .125" 2024-0 BARE	48.0	144.0	O	
S24-125-0B	ALUM SHEET .125" 2024-0 BARE	48.0	96.0	O	
S24-125-0B	ALUM SHEET .125" 2024-0 BARE	48.0	48.0	O	
S24-125-0B	ALUM SHEET .125" 2024-0 BARE	48.0	-	O	
S24-125-T3A	ALUM SHEET .125" 2024-T3 CLAD	48.0	120.0	O	
S24-125-T3A	ALUM SHEET .125" 2024-T3 CLAD	48.0	144.0	O	
S24-125-T3A	ALUM SHEET .125" 2024-T3 CLAD	48.0	288.0	O	
S24-125-T3A	ALUM SHEET .125" 2024-T3 CLAD	48.0	108.0	O	
S24-125-T3B	ALUM SHEET .125" 2024-T3 BARE	39.0	144.0	O	
S24-125-T3B	ALUM SHEET .125" 2024-T3 BARE	48.0	144.0	O	
S24-160-0A	ALUM SHEET .160" 2024-0 CLAD	48.0	144.0	O	
S24-160-0B	ALUM SHEET .160" 2024-0 BARE	48.0	144.0	O	
S24-160-T3A	ALUM SHEET .160" 2024-T3 CLAD	48.0	120.0	O	
S24-160-T3B	ALUM SHEET .160" 2024-T3 BARE	48.0	119.9	O	
S24-160-T3B	ALUM SHEET .160" 2024-T3 BARE	48.0	36.0	O	
S24-190-0A	ALUM SHEET .190" 2024-0 CLAD	48.0	144.0	O	
S24-190-T3A	ALUM SHEET .190" 2024-T3 CLAD	48.0	144.0	O	
S24-190-T3B	ALUM SHEET .190" 2024-T3 BARE	48.0	144.0	O	
S24-190-T3B	ALUM SHEET .190" 2024-T3 BARE	48.0	136.0	O	
<b>2024 PLATES</b>					
P24-0.250-351	ALUM PLATE 2024T351 BARE .250"	48.5	144.5	O	
P24-0.250-351	ALUM PLATE 2024T351 BARE .250"	48.5	96.5	O	
P24-0.250-35A	ALUM PLATE 2024T351 CLAD .250"	36.5	96.5	O	
P24-0.250-35A	ALUM PLATE 2024T351 CLAD .250"	48.0	144.0	O	
P24-0.250-851	ALUM PLATE 2024T851 BARE .250"	56.0	208.5	O	
P24-0.250-851	ALUM PLATE 2024T851 BARE .250"	56.0	64.0	O	
P24-0.313-351	ALUM PLATE 2024T351 BARE .313"	48.5	144.5	O	
P24-0.313-351	ALUM PLATE 2024T351 BARE .313"	48.5	96.0	O	
P24-0.375-351	ALUM PLATE 2024T351 BARE .375"	48.5	144.5	O	
P24-0.375-351	ALUM PLATE 2024T351 BARE .375"	48.5	72.4	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
P24-0.375-351	ALUM PLATE 2024T351 BARE .375"	18.8	84.6	O	
P24-0.500-351	ALUM PLATE 2024T351 BARE .500"	48.0	24.0	O	
P24-0.500-351	ALUM PLATE 2024T351 BARE .500"	48.5	24.0	O	
P24-0.500-351	ALUM PLATE 2024T351 BARE .500"	48.5	30.0	O	
P24-0.500-351	ALUM PLATE 2024T351 BARE .500"	48.5	72.0	O	
P24-0.500-351	ALUM PLATE 2024T351 BARE .500"	48.5	144.5	O	
P24-0.500-351	ALUM PLATE 2024T351 BARE .500"	48.5	144.5	P	May 31, 12
P24-0.625-351	ALUM PLATE 2024T351 BARE .625"	48.5	144.5	O	
P24-0.625-351	ALUM PLATE 2024T351 BARE .625"	48.5	43.0	O	
P24-0.750-351	ALUM PLATE 2024T351 BARE .750"	48.5	144.5	P	May 31, 12
P24-0.875-351	ALUM PLATE 2024T351 BARE .875"	48.5	144.5	O	
P24-0.875-351	ALUM PLATE 2024T351 BARE .875"	48.5	72.3	O	
P24-1.000-351	ALUM PLATE 2024T351 BARE 1.00"	48.0	96.0	O	
P24-1.000-351	ALUM PLATE 2024T351 BARE 1.00"	48.5	35.4	O	
P24-1.000-351	ALUM PLATE 2024T351 BARE 1.00"	48.5	96.3	O	
P24-1.000-351	ALUM PLATE 2024T351 BARE 1.00"	48.5	144.5	O	
P24-1.000-851	ALUM PLATE 2024T851 BARE 1.00"	48.0	96.0	P	May 31, 12
P24-1.250-351	ALUM PLATE 2024T351 BARE 1.25"	48.5	144.5	P	May 31, 12
P24-1.250-351	ALUM PLATE 2024T351 BARE 1.25"	21.8	59.5	O	
P24-1.250-35A	ALUM PLATE 2024T351 CLAD 1.25"	48.5	144.5	P	Mar 30, 12
P24-1.500-351	ALUM PLATE 2024T351 BARE 1.50"	48.5	72.5	O	
P24-1.500-351	ALUM PLATE 2024T351 BARE 1.50"	48.5	144.5	O	
P24-1.500-351	ALUM PLATE 2024T351 BARE 1.50"	48.5	144.5	P	Jun 15, 12
P24-1.500-35A	ALUM PLATE 2024T351 CLAD 1.50"	48.5	144.5	P	Aug 30, 12
P24-1.750-351	ALUM PLATE 2024T351 BARE 1.75"	48.5	144.5	O	
P24-1.750-351	ALUM PLATE 2024T351 BARE 1.75"	48.5	80.8	O	
P24-2.000-351	ALUM PLATE 2024T351 BARE 2.00"	44.0	122.4	O	
P24-2.000-351	ALUM PLATE 2024T351 BARE 2.00"	48.5	97.4	O	
P24-2.000-351	ALUM PLATE 2024T351 BARE 2.00"	48.5	144.5	O	
P24-2.000-351	ALUM PLATE 2024T351 BARE 2.00"	27.3	112.8	O	
P24-2.250-351	ALUM PLATE 2.25" 2024T351 BARE	48.5	144.5	O	
P24-2.500-351	ALUM PLATE 2024T351 BARE 2.50"	48.5	118.8	O	
P24-2.500-351	ALUM PLATE 2024T351 BARE 2.50"	48.5	144.5	O	
P24-3.000-351	ALUM PLATE 2024T351 BARE 3.00"	40.0	114.5	O	
P24-3.000-351	ALUM PLATE 2024T351 BARE 3.00"	48.5	144.5	O	
P24-3.000-351	ALUM PLATE 2024T351 BARE 3.00"	12.0	23.0	O	
P24-4.000-351	ALUM PLATE 2024T351 BARE 4.00"	48.5	144.5	P	Jun 15, 12
P24-5.000-351	ALUM PLATE 2024T351 BARE 5.00"	6.3	13.3	O	
P24-5.000-351	ALUM PLATE 2024T351 BARE 5.00"	48.5	90.0	O	
P24-5.000-351	ALUM PLATE 2024T351 BARE 5.00"	60.5	144.5	O	
P24-6.000-351	ALUM PLATE 2024T351 BARE 6.00"	46.0	100.0	O	
<b>2219 SHEETS</b>					
S19-040-0B	ALUM SHEET .040" 2219-0 BARE	48.0	144.0	O	
S19-050-0B	ALUM SHEET .050" 2219-0 BARE	48.0	144.0	O	
S19-063-0A	ALUM SHEET .063" 2219-0 CLAD	48.0	144.0	O	
S19-090-0B	ALUM SHEET .090" 2219-0 BARE	24.0	48.0	O	
S19-090-0B	ALUM SHEET .090" 2219-0 BARE	48.0	91.0	O	
S19-090-0B	ALUM SHEET .090" 2219-0 BARE	60.0	48.0	O	
S19-090-0B	ALUM SHEET .090" 2219-0 BARE	60.0	120.0	O	
S19-100-0B	ALUM SHEET .100" 2219-0 BARE	48.0	96.0	O	
<b>2219 PLATES</b>					
P19-4.000-851	ALUMINUM PLATE 2219-T851 4.00"	60.5	144.5	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
P19-4.000-851	ALUMINUM PLATE 2219-T851 4.00"	60.5	115.3	O	
<b>3003 SHEETS</b>					
S03-016-H14	3003-H14 .016" ALUMINUM SHEET	48.0	120.0	O	
S03-020-0	3003-0 .020" ALUMINUM SHEET	36.0	144.0	O	
S03-020-H14	3003-H14 .020" ALUMINUM SHEET	48.0	144.0	O	
S03-020-H14	3003-H14 .020" ALUMINUM SHEET	36.0	96.0	O	
S03-025-H14	3003-H14 .025" ALUMINUM SHEET	36.0	144.0	O	
S03-025-H14	3003-H14 .025" ALUMINUM SHEET	48.0	120.0	O	
S03-025-H14	3003-H14 .025" ALUMINUM SHEET	48.0	144.0	O	
S03-032-H14	3003-H14 .032" ALUMINUM SHEET	48.0	96.0	O	
S03-032-H14	3003-H14 .032" ALUMINUM SHEET	48.0	120.0	O	
S03-032-H14	3003-H14 .032" ALUMINUM SHEET	48.0	144.0	O	
S03-032-H14	3003-H14 .032" ALUMINUM SHEET	36.0	96.0	O	
S03-032-SE	3003H154 .032" AL STUCCO EMB.	48.0	120.0	O	
S03-040-H14	3003-H14 .040" ALUMINUM SHEET	12.0	50.1	O	
S03-040-H14	3003-H14 .040" ALUMINUM SHEET	16.0	69.6	O	
S03-040-H14	3003-H14 .040" ALUMINUM SHEET	16.0	82.0	O	
S03-040-H14	3003-H14 .040" ALUMINUM SHEET	18.0	75.6	O	
S03-040-H14	3003-H14 .040" ALUMINUM SHEET	18.0	99.0	O	
S03-040-H14	3003-H14 .040" ALUMINUM SHEET	18.0	119.4	O	
S03-040-H14	3003-H14 .040" ALUMINUM SHEET	24.0	113.3	O	
S03-040-H14	3003-H14 .040" ALUMINUM SHEET	36.0	110.0	O	
S03-040-H14	3003-H14 .040" ALUMINUM SHEET	36.0	120.0	O	
S03-040-H14	3003-H14 .040" ALUMINUM SHEET	48.0	96.0	O	
S03-040-H14	3003-H14 .040" ALUMINUM SHEET	48.0	144.0	O	
S03-050-H14	3003-H14 .050" ALUMINUM SHEET	48.0	120.0	O	
S03-050-H14	3003-H14 .050" ALUMINUM SHEET	48.0	144.0	O	
S03-050-H14	3003-H14 .050" ALUMINUM SHEET	24.0	113.3	O	
S03-050-H14	3003-H14 .050" ALUMINUM SHEET	24.0	88.1	O	
S03-050-H14	3003-H14 .050" ALUMINUM SHEET	24.0	113.0	O	
S03-050-H14	3003-H14 .050" ALUMINUM SHEET	18.0	75.6	O	
S03-050-H14P	PERFORA. SHEET 3003-H14 .050"	36.0	96.0	O	
S03-063-H14	3003-H14 .063' ALUMINUM SHEET	24.0	96.0	O	
S03-063-H14	3003-H14 .063' ALUMINUM SHEET	36.0	120.0	O	
S03-063-H14	3003-H14 .063' ALUMINUM SHEET	48.0	48.0	O	
S03-063-H14	3003-H14 .063' ALUMINUM SHEET	48.0	96.0	O	
S03-063-H14	3003-H14 .063' ALUMINUM SHEET	48.0	120.0	O	
S03-063-H14	3003-H14 .063' ALUMINUM SHEET	48.0	144.0	O	
S03-063-H14	3003-H14 .063' ALUMINUM SHEET	60.0	96.0	O	
S03-063-H14	3003-H14 .063' ALUMINUM SHEET	60.0	120.0	O	
S03-063-H14	3003-H14 .063' ALUMINUM SHEET	60.0	144.0	O	
S03-080-0	3003-0 .080" ALUMINUM SHEET	48.0	48.0	O	
S03-080-H14	3003-H14 .080" ALUMINUM SHEET	36.0	120.0	O	
S03-080-H14	3003-H14 .080" ALUMINUM SHEET	48.0	96.0	O	
S03-080-H14	3003-H14 .080" ALUMINUM SHEET	48.0	120.0	O	
S03-080-H14	3003-H14 .080" ALUMINUM SHEET	48.0	144.0	O	
S03-080-H14	3003-H14 .080" ALUMINUM SHEET	60.0	120.0	O	
S03-080-H14	3003-H14 .080" ALUMINUM SHEET	36.0	96.0	O	
S03-090-H14	3003-H14 .090" ALUMINUM SHEET	48.0	96.0	O	
S03-090-H14	3003-H14 .090" ALUMINUM SHEET	48.0	144.0	O	
S03-090-H14	3003-H14 .090" ALUMINUM SHEET	60.0	96.0	O	
S03-090-H14	3003-H14 .090" ALUMINUM SHEET	60.0	120.0	O	
S03-090-H14	3003-H14 .090" ALUMINUM SHEET	60.0	144.0	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
S03-100-H14	3003-H14 .100" ALUMINUM SHEET	60.0	144.0	O	
S03-100-H14	3003-H14 .100" ALUMINUM SHEET	48.0	144.0	O	
S03-125-0	3003-0 .125" ALUMINUM SHEET	48.0	144.0	P	Feb 17, 12
S03-125-H14	3003-H14 .125" ALUMINUM SHEET	36.0	96.0	O	
S03-125-H14	3003-H14 .125" ALUMINUM SHEET	36.0	120.0	O	
S03-125-H14	3003-H14 .125" ALUMINUM SHEET	48.0	-	O	
S03-125-H14	3003-H14 .125" ALUMINUM SHEET	48.0	24.0	O	
S03-125-H14	3003-H14 .125" ALUMINUM SHEET	48.0	96.0	O	
S03-125-H14	3003-H14 .125" ALUMINUM SHEET	48.0	120.0	O	
S03-125-H14	3003-H14 .125" ALUMINUM SHEET	48.0	144.0	O	
S03-125-H14	3003-H14 .125" ALUMINUM SHEET	60.0	18.0	O	
S03-125-H14	3003-H14 .125" ALUMINUM SHEET	60.0	27.0	O	
S03-125-H14	3003-H14 .125" ALUMINUM SHEET	60.0	120.0	O	
S03-125-H14	3003-H14 .125" ALUMINUM SHEET	60.0	162.0	O	
S03-190-H14	3003-H14 .190" ALUMINUM SHEET	48.0	144.0	O	
S03-190-H14	3003-H14 .190" ALUMINUM SHEET	60.0	144.0	O	
<b>3003 DIAMOND TREAD PLATES</b>					
P03-0.045-22DT	3003H22 .045" DMND TREADBRITE*	48.0	96.0	O	
P03-0.063-22DT	3003H22 .063" DMND TREADBRITE*	60.0	144.0	O	
P03-0.063-22DT	3003H22 .063" DMND TREADBRITE*	60.0	120.0	O	
P03-0.063-22DT	3003H22 .063" DMND TREADBRITE*	48.0	12.0	O	
P03-0.063-22DT	3003H22 .063" DMND TREADBRITE*	48.0	24.0	O	
P03-0.063-22DT	3003H22 .063" DMND TREADBRITE*	48.0	96.0	O	
P03-0.063-22DT	3003H22 .063" DMND TREADBRITE*	48.0	108.0	O	
P03-0.063-22DT	3003H22 .063" DMND TREADBRITE*	48.0	120.0	O	
P03-0.063-22DT	3003H22 .063" DMND TREADBRITE*	48.0	144.0	O	
P03-0.063-22DT	3003H22 .063" DMND TREADBRITE*	48.0	192.0	O	
P03-0.063-22DT	3003H22 .063" DMND TREADBRITE*	60.0	23.3	O	
P03-0.063-22DT	3003H22 .063" DMND TREADBRITE*	60.0	24.0	O	
P03-0.063-22DT	3003H22 .063" DMND TREADBRITE*	60.0	107.8	O	
P03-0.080-22DT	3003H22 .080" DMND TREADBRITE*	48.0	24.0	O	
P03-0.080-22DT	3003H22 .080" DMND TREADBRITE*	48.0	96.0	O	
P03-0.080-22DT	3003H22 .080" DMND TREADBRITE*	48.0	120.0	O	
P03-0.080-22DT	3003H22 .080" DMND TREADBRITE*	48.0	144.0	O	
P03-0.080-22DT	3003H22 .080" DMND TREADBRITE*	48.0	192.0	O	
P03-0.100-22DT	3003H22 .100" DMND TREADBRITE*	60.0	-	O	
P03-0.100-22DT	3003H22 .100" DMND TREADBRITE*	60.0	120.0	O	
P03-0.100-22DT	3003H22 .100" DMND TREADBRITE*	48.0	120.0	O	
P03-0.125-22DT	3003H22 .125" DMND TREADBRITE*	48.0	24.1	O	
P03-0.125-22DT	3003H22 .125" DMND TREADBRITE*	48.0	96.0	O	
P03-0.125-22DT	3003H22 .125" DMND TREADBRITE*	48.0	120.0	O	
P03-0.125-22DT	3003H22 .125" DMND TREADBRITE*	48.0	144.0	O	
P03-0.125-22DT	3003H22 .125" DMND TREADBRITE*	48.0	192.0	O	
P03-0.125-22DT	3003H22 .125" DMND TREADBRITE*	60.0	80.3	O	
P03-0.125-22DT	3003H22 .125" DMND TREADBRITE*	60.0	120.0	O	
P03-0.125-22DT	3003H22 .125" DMND TREADBRITE*	60.0	144.0	O	
P03-0.125-22DT	3003H22 .125" DMND TREADBRITE*	60.0	192.0	O	
P03-0.188-22DT	3003H22 .188" DMND TREADBRITE*	48.0	144.0	O	
P03-0.188-22DT	3003H22 .188" DMND TREADBRITE*	48.0	192.0	O	
P03-0.188-22DT	3003H22 .188" DMND TREADBRITE*	48.0	288.0	O	
P03-0.188-22DT	3003H22 .188" DMND TREADBRITE*	60.0	104.5	O	
P03-0.188-22DT	3003H22 .188" DMND TREADBRITE*	60.0	192.0	O	
P03-0.188-22DT	3003H22 .188" DMND TREADBRITE*	48.0	96.0	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
P03-0.250-22DT	3003H22 .250" DMND TREADBRITE*	48.0	48.0	O	
P03-0.250-22DT	3003H22 .250" DMND TREADBRITE*	48.0	96.0	O	
P03-0.250-22DT	3003H22 .250" DMND TREADBRITE*	48.0	120.0	O	
P03-0.250-22DT	3003H22 .250" DMND TREADBRITE*	48.0	144.0	O	
P03-0.250-22DT	3003H22 .250" DMND TREADBRITE*	48.0	192.0	O	
P03-0.250-22DT	3003H22 .250" DMND TREADBRITE*	60.0	72.0	O	
P03-0.250-22DT	3003H22 .250" DMND TREADBRITE*	60.0	192.0	O	
P03-0.250-22DT	3003H22 .250" DMND TREADBRITE*	12.0	96.0	O	
P03-0.250-24DT	3003H24 .250" MF DMND TREAD	48.0	144.0	O	
P03-0.250-H14	3003-H14 .250" ALUMINUM PLATE	48.0	23.0	O	
P03-0.250-H14	3003-H14 .250" ALUMINUM PLATE	48.0	120.0	O	
P03-0.250-H14	3003-H14 .250" ALUMINUM PLATE	60.0	120.0	O	
P03-0.250-H14	3003-H14 .250" ALUMINUM PLATE	36.0	96.0	O	
<b>5052 ROUND TUBING</b>					
52R-025.020-0	5052-0 .250 X .020" DRAWN-SMLS	144.0	-	O	
52R-025.035-0	5052-0 .250 X .035" DRAWN-SMLS	144.0	-	O	
52R-025.049-0	5052-0 .250 X .049" DRAWN-SMLS	144.0	-	O	
52R-031.028-0	5052-0 .313 X .028" DRAWN-SMLS	144.0	-	O	
52R-038.028-0	5052-0 .375 X .028" DRAWN-SMLS	144.0	-	O	
52R-038.035-0	5052-0 .375 X .035" DRAWN-SMLS	144.0	-	O	
52R-038.049-0	5052-0 .375 X .049" DRAWN-SMLS	144.0	-	O	
52R-050.028-0	5052-0 .500 X .028" DRAWN-SMLS	144.0	-	O	
52R-050.049-0	5052-0 .500 X .049" DRAWN-SMLS	144.0	-	O	
52R-063.035-0	5052-0 .625 X .035" DRAWN-SMLS	144.0	-	O	
52R-063.065-0	5052-0 .625 X .065" DRAWN-SMLS	144.0	-	O	
52R-075.065-0	5052-0 .750 X .065" DRAWN-SMLS	144.0	-	O	
52R-100.035-0	5052-0 1.00 X .035" DRAWN-SMLS	144.0	-	O	
52R-100.049-0	5052-0 1.00 X .049" DRAWN-SMLS	144.0	-	O	
52R-125.035-0	5052-0 1.25 X .035" DRAWN-SMLS	144.0	-	O	
52R-150.035-0	5052-0 1.50 X .035" DRAWN-SMLS	144.0	-	O	
52R-150.065-0	5052-0 1.50 X .065" DRAWN-SMLS	144.0	-	O	
52R-175.083-32	5052H32 1.75 X .083 DRAWN-SMLS	155.0	-	O	
52R-200.035-0	5052-0 2.00 X .035" DRAWN-SMLS	144.0	-	O	
52R-200.065-0	5052-0 2.00 X .065" DRAWN-SMLS	144.0	-	P	Feb 6, 12
52R-250.065-0	5052-0 2.50 X .065" DRAWN-SMLS	144.0	-	P	Feb 17, 12
52R-400.049-0	5052-0 4.00 X .049" DRAWN-SMLS	144.0	-	O	
<b>5052 ROUND</b>					
R52-0.250-F	5052-F 0.250"DIA. ROUND BAR	144.0	-	O	
<b>5052 SHEETS</b>					
S52-016-H32	ALUMINUM SHEET 5052-H32 .016"	48.5	96.0	O	
S52-020-H32	ALUMINUM SHEET 5052-H32 .020"	36.0	96.0	O	
S52-025-H32	ALUMINUM SHEET 5052-H32 .025"	48.0	120.0	O	
S52-025-H34	ALUMINUM SHEET 5052-H34 .025"	48.0	96.0	O	
S52-025-H34	ALUMINUM SHEET 5052-H34 .025"	48.0	119.8	O	
S52-025-H34	ALUMINUM SHEET 5052-H34 .025"	48.0	120.0	O	
S52-025-H34	ALUMINUM SHEET 5052-H34 .025"	48.0	144.0	O	
S52-032-0	ALUMINUM SHEET 5052-0 .032"	48.0	144.0	O	
S52-032-0	ALUMINUM SHEET 5052-0 .032"	48.0	96.0	O	
S52-032-H32	ALUMINUM SHEET 5052-H32 .032"	36.0	96.0	O	
S52-032-H32	ALUMINUM SHEET 5052-H32 .032"	48.0	48.0	O	
S52-032-H32	ALUMINUM SHEET 5052-H32 .032"	48.0	96.0	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
S52-032-H32	ALUMINUM SHEET 5052-H32 .032"	48.0	120.0	O	
S52-032-H32	ALUMINUM SHEET 5052-H32 .032"	48.0	144.0	O	
S52-032-H34	ALUMINUM SHEET 5052-H34 .032"	48.0	144.0	O	
S52-032-H34	ALUMINUM SHEET 5052-H34 .032"	48.0	120.0	O	
S52-040-1938P	5052-H32 PERF. .040/.188/.375"	48.0	96.0	O	
S52-040-1938P	5052-H32 PERF. .040/.188/.375"	36.0	96.0	O	
S52-040-1938P	5052-H32 PERF. .040/.188/.375"	12.0	96.0	O	
S52-040-H32	ALUMINUM SHEET 5052-H32 .040"	48.0	71.0	O	
S52-040-H32	ALUMINUM SHEET 5052-H32 .040"	48.0	96.0	O	
S52-040-H32	ALUMINUM SHEET 5052-H32 .040"	48.0	120.0	O	
S52-040-H32	ALUMINUM SHEET 5052-H32 .040"	48.0	144.0	O	
S52-040-H32	ALUMINUM SHEET 5052-H32 .040"	48.0	144.0	O	
S52-040-H32	ALUMINUM SHEET 5052-H32 .040"	48.0	144.0	O	
S52-040-H32	ALUMINUM SHEET 5052-H32 .040"	48.0	144.0	P	Feb 17, 12
S52-040-H34	ALUMINUM SHEET 5052-H34 .040"	48.0	144.0	O	
S52-040-H34	ALUMINUM SHEET 5052-H34 .040"	48.0	96.0	O	
S52-050-0	ALUMINUM SHEET 5052-0 .050"	48.0	144.0	O	
S52-050-H32	ALUMINUM SHEET 5052-H32 .050"	36.0	96.0	O	
S52-050-H32	ALUMINUM SHEET 5052-H32 .050"	36.0	120.0	O	
S52-050-H32	ALUMINUM SHEET 5052-H32 .050"	48.0	96.0	O	
S52-050-H32	ALUMINUM SHEET 5052-H32 .050"	48.0	96.0	O	
S52-050-H32	ALUMINUM SHEET 5052-H32 .050"	48.0	96.0	O	
S52-050-H32	ALUMINUM SHEET 5052-H32 .050"	48.0	120.0	O	
S52-050-H32	ALUMINUM SHEET 5052-H32 .050"	48.0	144.0	O	
S52-050-H32	ALUMINUM SHEET 5052-H32 .050"	48.0	144.0	O	
S52-050-H32	ALUMINUM SHEET 5052-H32 .050"	48.0	144.0	O	
S52-050-H32	ALUMINUM SHEET 5052-H32 .050"	48.0	144.0	P	Feb 27, 12
S52-050-H32	ALUMINUM SHEET 5052-H32 .050"	60.0	120.0	O	
S52-050-H34	ALUMINUM SHEET 5052-H34 .050"	48.0	144.0	O	
S52-050-H34	ALUMINUM SHEET 5052-H34 .050"	48.0	48.0	O	
S52-060-H32	ALUMINUM SHEET 5052-H32 .060"	96.0	110.0	O	
S52-063-0	ALUMINUM SHEET 5052-0 .063"	48.0	144.0	O	
S52-063-0	ALUMINUM SHEET 5052-0 .063"	48.0	144.0	O	
S52-063-0613P	5052-H32 PERF. .063/.062/.125"	48.0	96.0	O	
S52-063-H32	ALUMINUM SHEET 5052-H32 .063"	12.0	144.0	O	
S52-063-H32	ALUMINUM SHEET 5052-H32 .063"	36.0	24.0	O	
S52-063-H32	ALUMINUM SHEET 5052-H32 .063"	36.0	71.8	O	
S52-063-H32	ALUMINUM SHEET 5052-H32 .063"	48.0	24.0	O	
S52-063-H32	ALUMINUM SHEET 5052-H32 .063"	48.0	96.0	O	
S52-063-H32	ALUMINUM SHEET 5052-H32 .063"	48.0	96.0	O	
S52-063-H32	ALUMINUM SHEET 5052-H32 .063"	48.0	120.0	O	
S52-063-H32	ALUMINUM SHEET 5052-H32 .063"	48.0	144.0	O	
S52-063-H32	ALUMINUM SHEET 5052-H32 .063"	48.0	144.0	O	
S52-063-H32	ALUMINUM SHEET 5052-H32 .063"	48.0	144.0	O	
S52-063-H34	ALUMINUM SHEET 5052-H34 .063"	36.0	-	O	
S52-063-H34	ALUMINUM SHEET 5052-H34 .063"	36.0	96.0	O	
S52-063-H34	ALUMINUM SHEET 5052-H34 .063"	48.0	96.0	O	
S52-063-H34	ALUMINUM SHEET 5052-H34 .063"	48.0	144.0	O	
S52-071-H34	ALUMINUM SHEET 5052-H34 .071"	48.0	144.0	O	
S52-071-H34	ALUMINUM SHEET 5052-H34 .071"	48.0	144.0	O	
S52-071-H34	ALUMINUM SHEET 5052-H34 .071"	48.0	48.0	O	
S52-080-H32	ALUMINUM SHEET 5052-H32 .080"	36.0	96.0	O	
S52-080-H32	ALUMINUM SHEET 5052-H32 .080"	36.0	96.0	O	
S52-080-H32	ALUMINUM SHEET 5052-H32 .080"	48.0	96.0	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
S52-080-H32	ALUMINUM SHEET 5052-H32 .080"	48.0	96.0	P	Feb 27, 12
S52-080-H32	ALUMINUM SHEET 5052-H32 .080"	48.0	144.0	O	
S52-080-H32	ALUMINUM SHEET 5052-H32 .080"	60.0	144.0	O	
S52-080-H34	ALUMINUM SHEET 5052-H34 .080"	48.0	60.5	O	
S52-080-H34	ALUMINUM SHEET 5052-H34 .080"	48.0	96.0	O	
S52-080-H34	ALUMINUM SHEET 5052-H34 .080"	48.0	120.0	O	
S52-080-H34	ALUMINUM SHEET 5052-H34 .080"	48.0	144.0	O	
S52-080-H34	ALUMINUM SHEET 5052-H34 .080"	48.0	-	O	
S52-090-0	ALUMINUM SHEET 5052-0 .090"	48.0	144.0	O	
S52-090-0	ALUMINUM SHEET 5052-0 .090"	48.0	144.0	O	
S52-090-H32	ALUMINUM SHEET 5052-H32 .090"	36.0	96.0	O	
S52-090-H32	ALUMINUM SHEET 5052-H32 .090"	36.0	120.0	O	
S52-090-H32	ALUMINUM SHEET 5052-H32 .090"	48.0	84.0	O	
S52-090-H32	ALUMINUM SHEET 5052-H32 .090"	48.0	96.0	O	
S52-090-H32	ALUMINUM SHEET 5052-H32 .090"	48.0	120.0	O	
S52-090-H32	ALUMINUM SHEET 5052-H32 .090"	48.0	144.0	O	
S52-090-H32	ALUMINUM SHEET 5052-H32 .090"	48.0	240.0	O	
S52-100-H32	ALUMINUM SHEET 5052-H32 .100"	48.0	96.0	P	Feb 27, 12
S52-100-H32	ALUMINUM SHEET 5052-H32 .100"	48.0	120.0	O	
S52-100-H32	ALUMINUM SHEET 5052-H32 .100"	48.0	96.0	O	
S52-125-0	ALUMINUM SHEET 5052-0 .125"	1.7	-	O	
S52-125-0	ALUMINUM SHEET 5052-0 .125"	3.5	-	O	
S52-125-0	ALUMINUM SHEET 5052-0 .125"	5.2	-	O	
S52-125-0	ALUMINUM SHEET 5052-0 .125"	7.0	-	O	
S52-125-0	ALUMINUM SHEET 5052-0 .125"	19.0	144.0	O	
S52-125-0	ALUMINUM SHEET 5052-0 .125"	48.0	96.0	O	
S52-125-0	ALUMINUM SHEET 5052-0 .125"	48.0	144.0	O	
S52-125-H32	ALUMINUM SHEET 5052-H32 .125"	48.0	24.0	O	
S52-125-H32	ALUMINUM SHEET 5052-H32 .125"	48.0	48.0	O	
S52-125-H32	ALUMINUM SHEET 5052-H32 .125"	48.0	96.0	O	
S52-125-H32	ALUMINUM SHEET 5052-H32 .125"	48.0	120.0	O	
S52-125-H32	ALUMINUM SHEET 5052-H32 .125"	48.0	141.8	O	
S52-125-H32	ALUMINUM SHEET 5052-H32 .125"	48.0	144.0	O	
S52-125-H32	ALUMINUM SHEET 5052-H32 .125"	48.0	144.0	O	
S52-125-H32	ALUMINUM SHEET 5052-H32 .125"	48.0	240.0	O	
S52-125-H32	ALUMINUM SHEET 5052-H32 .125"	50.1	31.1	O	
S52-125-H32	ALUMINUM SHEET 5052-H32 .125"	60.0	120.0	O	
S52-125-H32	ALUMINUM SHEET 5052-H32 .125"	60.0	144.0	O	
S52-125-H32	ALUMINUM SHEET 5052-H32 .125"	60.0	168.0	O	
S52-125-H32	ALUMINUM SHEET 5052-H32 .125"	60.0	240.0	O	
S52-125-H32	ALUMINUM SHEET 5052-H32 .125"	96.0	110.0	O	
S52-125-H32	ALUMINUM SHEET 5052-H32 .125"	96.0	240.0	O	
S52-125-H32	ALUMINUM SHEET 5052-H32 .125"	48.0	-	O	
S52-125-H32	ALUMINUM SHEET 5052-H32 .125"	36.0	96.0	O	
S52-125-H34	ALUMINUM SHEET 5052-H34 .125"	48.0	130.3	O	
S52-125-H34	ALUMINUM SHEET 5052-H34 .125"	48.0	144.0	O	
S52-125-H34	ALUMINUM SHEET 5052-H34 .125"	48.0	96.0	O	
S52-160-0	ALUMINUM SHEET 5052-0 .160"	48.0	144.0	O	
S52-160-H32	ALUMINUM SHEET 5052-H32 .160"	48.0	96.0	O	
S52-160-H32	ALUMINUM SHEET 5052-H32 .160"	60.0	120.0	O	
S52-190-0	ALUMINUM SHEET 5052-0 .190"	48.0	144.0	O	
S52-190-H32	ALUMINUM SHEET 5052-H32 .190"	72.0	96.0	O	
S52-190-H32	ALUMINUM SHEET 5052-H32 .190"	48.0	144.0	O	
S52-190-H32	ALUMINUM SHEET 5052-H32 .190"	36.0	96.0	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
S52-190-H32	ALUMINUM SHEET 5052-H32 .190"	48.0	96.0	O	
S52-190-H32	ALUMINUM SHEET 5052-H32 .190"	48.0	120.0	O	
S52-190-H32	ALUMINUM SHEET 5052-H32 .190"	24.0	96.0	O	
S52-190-H34	ALUMINUM SHEET 5052-H34 .190"	48.0	96.0	O	
S52-190-H34	ALUMINUM SHEET 5052-H34 .190"	48.0	142.0	O	
S52-190-H34	ALUMINUM SHEET 5052-H34 .190"	48.0	144.0	O	
S52-190-H34	ALUMINUM SHEET 5052-H34 .190"	48.0	-	O	
<b>5052 DIAMOND TREAD PLATE</b>					
P52-0.125-32DT	ALUM DIAMOND TRD 5052H32 .125"	48.0	120.0	O	
<b>5052 PLATES</b>					
P52-0.250-H32	ALUMINUM PLATE 5052-H32 .250"	12.0	96.0	O	
P52-0.250-H32	ALUMINUM PLATE 5052-H32 .250"	36.0	96.0	O	
P52-0.250-H32	ALUMINUM PLATE 5052-H32 .250"	41.8	96.0	O	
P52-0.250-H32	ALUMINUM PLATE 5052-H32 .250"	48.0	-	O	
P52-0.250-H32	ALUMINUM PLATE 5052-H32 .250"	48.0	24.0	O	
P52-0.250-H32	ALUMINUM PLATE 5052-H32 .250"	48.0	96.0	O	
P52-0.250-H32	ALUMINUM PLATE 5052-H32 .250"	48.0	144.0	O	
P52-0.250-H32	ALUMINUM PLATE 5052-H32 .250"	60.0	120.0	O	
P52-0.250-H32	ALUMINUM PLATE 5052-H32 .250"	60.0	126.0	O	
P52-0.250-H32	ALUMINUM PLATE 5052-H32 .250"	60.0	144.0	O	
P52-0.250-H34	ALUMINUM PLATE 5052-H34 .250"	48.0	48.0	O	
P52-0.250-H34	ALUMINUM PLATE 5052-H34 .250"	48.0	144.0	O	
P52-0.250-H34	ALUMINUM PLATE 5052-H34 .250"	12.0	96.0	O	
P52-0.375-H32	ALUMINUM PLATE 5052-H32 .375"	48.0	24.0	O	
P52-0.375-H32	ALUMINUM PLATE 5052-H32 .375"	48.0	96.0	O	
P52-0.375-H32	ALUMINUM PLATE 5052-H32 .375"	48.0	144.0	O	
P52-0.375-H32	ALUMINUM PLATE 5052-H32 .375"	60.0	120.0	O	
P52-0.375-H32	ALUMINUM PLATE 5052-H32 .375"	60.0	144.0	O	
P52-0.375-H34	ALUMINUM PLATE 5052-H34 .375"	48.0	96.0	O	
P52-0.375-H34	ALUMINUM PLATE 5052-H34 .375"	12.0	96.0	O	
P52-0.500-H32	ALUMINUM PLATE 5052-H32 .500"	48.0	96.0	O	
P52-0.500-H32	ALUMINUM PLATE 5052-H32 .500"	48.0	18.3	O	
P52-0.750-H32	ALUMINUM PLATE .750" 5052-H32	48.0	148.0	O	
P52-0.750-H32	ALUMINUM PLATE .750" 5052-H32	48.0	160.0	O	
P52-0.750-H32	ALUMINUM PLATE .750" 5052-H32	60.0	95.8	O	
P52-0.750-H32	ALUMINUM PLATE .750" 5052-H32	60.0	144.0	O	
P52-1.000-H32	ALUMINUM PLATE 1.00" 5052-H32	48.0	96.0	O	
P52-1.000-H32	ALUMINUM PLATE 1.00" 5052-H32	48.0	100.0	O	
P52-1.000-H32	ALUMINUM PLATE 1.00" 5052-H32	48.0	120.0	O	
P52-1.000-H32	ALUMINUM PLATE 1.00" 5052-H32	48.0	144.0	O	
P52-1.000-H32	ALUMINUM PLATE 1.00" 5052-H32	60.0	144.0	O	
P52-1.000-H32	ALUMINUM PLATE 1.00" 5052-H32	45.8	61.3	O	
<b>5083 FLAT BARS</b>					
F83-0160236-11	5083H111 FLAT BAR .157 X 2.362	300.0	-	O	
F83-0190300-11	5083H111 FLAT BAR .188 X 3.000	144.0	-	O	
F83-0250050-11	5083H111 FLAT BAR .250 X 0.500	132.0	-	O	
F83-0250100-11	5083H111 FLAT BAR .250 X 1.000	144.0	-	O	
F83-0250125-11	5083H111 FLAT BAR .250 X 1.250	300.0	-	O	
F83-0250150-11	5083H111 FLAT BAR .250 X 1.500	240.0	-	O	
F83-0250175-11	5083H111 FLAT BAR .250 X 1.750	300.0	-	O	
F83-0250200-11	5083H111 FLAT BAR .250 X 2.000	240.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
F83-0250250-11	5083H111 FLAT BAR .250 X 2.500	300.0	-	O	
F83-0250319-11	5083H111 FLAT BAR .250 X 3.188	300.0	-	O	
F83-0250400-11	5083H111 FLAT BAR .250 X 4.000	300.0	-	O	
F83-0250400-11	5083H111 FLAT BAR .250 X 4.000	144.0	-	O	
F83-0380200-11	5083H111 FLAT BAR .375 X 2.000	144.0	-	O	
F83-0380200-11	5083H111 FLAT BAR .375 X 2.000	120.0	-	O	
F83-0500075-11	5083H111 FLAT BAR .500 X .750	144.0	-	O	
F83-0500075-11	5083H111 FLAT BAR .500 X .750	148.0	-	O	
F83-0500075-11	5083H111 FLAT BAR .500 X .750	84.0	-	O	
F83-0500100-11	5083H111 FLAT BAR .500 X 1.000	144.0	-	O	
F83-0500125-11	5083H111 FLAT BAR .500 X 1.250	144.0	-	O	
F83-0500150-11	5083H111 FLAT BAR .500 X 1.500	144.0	-	O	
F83-0500300-11	5083H111 FLAT BAR .500 X 3.000	300.0	-	O	
F83-0630150-11	5083H111 FLAT BAR .625 X 1.500	144.0	-	O	
F83-0630200-11	5083H111 FLAT BAR .625 X 2.000	144.0	-	O	
F83-0630300-11	5083H111 FLAT BAR .625 X 3.000	144.0	-	O	
F83-0750100-11	5083H111 FLAT BAR .750 X 1.000	144.0	-	O	
F83-0750125-11	5083H111 FLAT BAR .750 X 1.250	144.0	-	O	
F83-0750150-11	5083H111 FLAT BAR .750 X 1.500	120.0	-	O	
F83-0750150-11	5083H111 FLAT BAR .750 X 1.500	144.0	-	O	
F83-1000125-11	5083H111 FLAT BAR 1.00 X 1.250	240.0	-	O	
F83-1000125-11	5083H111 FLAT BAR 1.00 X 1.250	144.0	-	O	
F83-1000150-11	5083H111 FLAT BAR 1.00 X 1.500	144.0	-	O	
F83-1000200-11	5083H111 FLAT BAR 1.00 X 2.000	240.0	-	O	
F83-1000200-11	5083H111 FLAT BAR 1.00 X 2.000	144.0	-	O	
F83-1000300-11	5083H111 FLAT BAR 1.00 X 3.000	144.0	-	O	
F83-1000400-11	5083H111 FLAT BAR 1.00 X 4.000	144.0	-	O	
F83-1000400-11	5083H111 FLAT BAR 1.00 X 4.000	132.0	-	O	
F83-1250300-11	5083H111 FLAT BAR 1.25 X 3.000	144.0	-	O	
F83-1500200-11	5083H111 FLAT BAR 1.50 X 2.000	144.0	-	O	
F83-2000400-11	5083H111 FLAT BAR 2.00 X 4.000	144.0	-	O	
F83-2000400-11	5083H111 FLAT BAR 2.00 X 4.000	84.0	-	O	
F83-2500300-11	5083H111 FLAT BAR 2.50 X 3.000	144.0	-	O	
F83-2500300-11	5083H111 FLAT BAR 2.50 X 3.000	108.0	-	O	
<b>5083 SQUARE BARS</b>					
Q83-0.625-H111	5083/5086-H111 0.625"SQ.	144.0	-	O	
Q83-0.750-H111	5083-H111 0.750"SQ. BAR	240.0	-	O	
Q83-0.750-H111	5083-H111 0.750"SQ. BAR	144.0	-	O	
Q83-1.500-H111	5083-H111 1.500"SQ. BAR	144.0	-	O	
Q83-1.500-H111	5083-H111 1.500"SQ. BAR	240.0	-	O	
Q83-2.000-H111	5083-H111 2.000"SQ. BAR	144.0	-	O	
Q83-3.000-H111	5083-H111 3.000"SQ. BAR	144.0	-	O	
Q83-3.000-H111	5083-H111 3.000"SQ. BAR	108.0	-	O	
<b>5083 SQUARE BARS RADIUS CORNERS</b>					
83Q-150.250-1R	5083-H111 1.50" X .250" RC	300.0	-	O	
83Q-150.250-1R	5083-H111 1.50" X .250" RC	240.0	-	O	
83Q-200.250-1R	5083-H111 2.00" X .250" RC	48.0	-	O	
83Q-200.250-1R	5083-H111 2.00" X .250" RC	95.8	-	O	
83Q-200.250-1R	5083-H111 2.00" X .250" RC	144.0	-	O	
83Q-200.250-1R	5083-H111 2.00" X .250" RC	288.0	-	O	
<b>5083 ANGLES</b>					

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
A83-100.250-11	5083-H111 1.00 X 1.00 X .250	300.0	-	O	
A83-150.188-11	5083-H111 1.50 X 1.50 X .188	300.0	-	O	
A83-150.188-11	5083-H111 1.50 X 1.50 X .188	240.0	-	O	
A83-150.250-11	5083-H111 1.50 X 1.50 X .250	300.0	-	O	
A83-150.250-11	5083-H111 1.50 X 1.50 X .250	336.0	-	O	
A83-175.250-11	5083-H111 1.75 X 1.75 X .250	300.0	-	O	
A83-200.125-11	5083-H111 2.00 X 2.00 X .125	300.0	-	O	
A83-200.188-11	5083-H111 2.00 X 2.00 X .188	300.0	-	O	
A83-200.250-11	5083-H111 2.00 X 2.00 X .250	300.0	-	O	
A83-200.250-11	5083-H111 2.00 X 2.00 X .250	108.0	-	O	
A83-2015.25-11	5083-H111 2.00 X 1.50 X .250	300.0	-	O	
A83-2020.25-11	5083-H111 2.50 X 2.00 X .250	300.0	-	O	
A83-250.188-11	5083-H111 2.50 X 2.50 X .188	300.0	-	O	
A83-250.250-11	5083-H111 2.50 X 2.50 X .250	120.0	-	O	
A83-250.250-11	5083-H111 2.50 X 2.50 X .250	240.0	-	O	
A83-250.250-11	5083-H111 2.50 X 2.50 X .250	300.0	-	O	
A83-300.188-11	5083-H111 3.00 X 3.00 X .188	300.0	-	O	
A83-300.250-11	5083-H111 3.00 X 3.00 X .250	300.0	-	O	
A83-300.250-11	5083-H111 3.00 X 3.00 X .250	60.0	-	O	
A83-300.313-11	5083-H111 3.00 X 3.00 X .313	300.0	-	O	
A83-300.375-11	5083-H111 3.00 X 3.00 X .375	300.0	-	O	
A83-3020.19-11	5083-H111 3.00 X 2.00 X .188	300.0	-	O	
A83-3020.25-11	5083-H111 3.00 X 2.00 X .250	240.0	-	O	
A83-3020.25-11	5083-H111 3.00 X 2.00 X .250	300.0	-	O	
A83-350.250-11	5083-H111 3.50 X 3.50 X .250	300.0	-	O	
A83-3525.25-11	5083-H111 3.50 X 2.50 X .250	300.0	-	O	
A83-400.375-11	5083-H111 4.00 X 4.00 X .375	300.0	-	O	
A83-4030.25-11	5083-H111 4.00 X 3.00 X .250	300.0	-	O	
A83-4030.38-11	5083-H111 4.00 X 3.00 X .375	300.0	-	O	
A83-4030.50-11	5083-H111 4.00 X 3.00 X .500	300.0	-	O	
A83-5030.25-11	5083-H111 5.00 X 3.00 X .250	300.0	-	O	
A83-600.375-11	5083-H111 6.00 X 6.00 X .375	300.0	-	O	
A83-6035.38-11	5083-H111 6.00 X 3.50 X .375	300.0	-	O	
A83-6040.38-11	5083-H111 6.00 X 4.00 X .375	300.0	-	P	Feb 17, 12
A83-8060.38-11	5083-H111 8.00 X 6.00 X .375	300.0	-	O	
<b>5083 CHANNELS</b>					
C83-2010.125-1	5083H111 SC 2.00 X 1.00 X .125	240.0	-	O	
C83-2010.125-1	5083H111 SC 2.00 X 1.00 X .125	216.0	-	O	
<b>5083 ROUND BARS</b>					
R83-0.500-111	5083H111 EXT RND BAR 0.50"DIA.	240.0	-	O	
R83-0.500-111	5083H111 EXT RND BAR 0.50"DIA.	168.0	-	O	
R83-0.625-111	5083-H111 0.625"DIA. ROUND BAR	60.0	-	O	
R83-0.625-111	5083-H111 0.625"DIA. ROUND BAR	168.0	-	O	
R83-0.625-111	5083-H111 0.625"DIA. ROUND BAR	240.0	-	O	
R83-0.750-111	5083-H111 0.750"DIA. ROUND BAR	144.0	-	O	
R83-0.750-111	5083-H111 0.750"DIA. ROUND BAR	240.0	-	O	
R83-0.750-111	5083-H111 0.750"DIA. ROUND BAR	72.0	-	O	
R83-0.875-111	5083/5086-H111 0.875"DIA ROD	144.0	-	O	
R83-1.000-111	5083-H111 1.000"DIA. ROUND BAR	72.0	-	O	
R83-1.500-111	5083H111 EXT RND BAR 1.50"DIA.	120.0	-	O	
R83-1.500-111	5083H111 EXT RND BAR 1.50"DIA.	144.0	-	O	
R83-1.500-111	5083H111 EXT RND BAR 1.50"DIA.	168.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
R83-1.500-111	5083H111 EXT RND BAR 1.50"DIA.	240.0	-	O	
R83-2.500-111	5083H111 EXT RND BAR 2.50"DIA.	144.0	-	P	Feb 17, 12
R83-3.000-111	5083H111 EXT RND BAR 3.00"DIA.	144.0	-	O	
R83-3.000-111	5083H111 EXT RND BAR 3.00"DIA.	240.0	-	O	
R83-3.000-111	5083H111 EXT RND BAR 3.00"DIA.	48.0	-	O	
R83-4.000-111	5083H111 EXT RND BAR 4.00"DIA.	72.0	-	O	
R83-4.000-111	5083H111 EXT RND BAR 4.00"DIA.	144.0	-	O	
R83-4.750-111	5083H111 EXT RND BAR 4.75"DIA.	144.0	-	O	
R83-4.750-111	5083H111 EXT RND BAR 4.75"DIA.	12.0	-	O	
R83-8.000-111	5083H111 EXT RND BAR 8.00"DIA.	144.0	-	O	
<b>5083 SHEETS</b>	<b>SOME DUAL SPEC 5086 as noted</b>				
S83-063-H321	ALUM SHEET .063 5083/5086-H321	48.0	144.0	O	
S83-063-H321	ALUM SHEET .063 5083/5086-H321	48.0	118.8	O	
S83-063-H321	ALUM SHEET .063 5083/5086-H321	48.0	96.0	O	
S83-118-H321	5083/5086-H321 .118"(3MM) SHT	48.0	96.0	O	
S83-118-H321	5083/5086-H321 .118"(3MM) SHT	48.0	-	O	
S83-125-H116	ALUMINUM SHEET 5083-H116 .125"	48.0	144.0	O	
S83-125-H116	ALUMINUM SHEET 5083-H116 .125"	96.0	48.0	O	
S83-125-H116	ALUMINUM SHEET 5083-H116 .125"	96.0	240.0	O	
S83-125-H116	ALUMINUM SHEET 5083-H116 .125"	96.0	288.0	O	
S83-125-H116	ALUMINUM SHEET 5083-H116 .125"	96.0	288.0	P	Feb 17, 12
S83-125-H116	ALUMINUM SHEET 5083-H116 .125"	96.0	288.0	P	Feb 17, 12
S83-125-H116	ALUMINUM SHEET 5083-H116 .125"	96.0	360.0	O	
S83-125-H32	ALUM SHEET 5083-H32 .125"	36.0	96.0	O	
S83-125-H32	ALUM SHEET 5083-H32 .125"	48.0	96.0	O	
S83-125-H32	ALUM SHEET 5083-H32 .125"	48.0	120.0	O	
S83-125-H32	ALUM SHEET 5083-H32 .125"	48.0	144.0	O	
S83-125-H32	ALUM SHEET 5083-H32 .125"	60.0	96.0	O	
S83-125-H321	ALUM 5083/5086-H321 .125" SHT	48.0	96.0	O	
S83-125-H321	ALUM 5083/5086-H321 .125" SHT	48.0	144.0	O	
S83-125-H321	ALUM 5083/5086-H321 .125" SHT	48.0	192.0	O	
S83-125-H321	ALUM 5083/5086-H321 .125" SHT	48.0	240.0	O	
S83-125-H321	ALUM 5083/5086-H321 .125" SHT	58.0	126.0	O	
S83-125-H321	ALUM 5083/5086-H321 .125" SHT	60.0	96.0	O	
S83-125-H321	ALUM 5083/5086-H321 .125" SHT	72.0	120.0	O	
S83-125-H321	ALUM 5083/5086-H321 .125" SHT	72.0	126.0	O	
S83-160-H116	ALUM SHT .160"(4MM) 5083-H116	96.0	117.0	O	
S83-160-H116	ALUM SHT .160"(4MM) 5083-H116	96.0	240.0	O	
S83-160-H116	ALUM SHT .160"(4MM) 5083-H116	96.0	48.0	O	
S83-160-H116	ALUM SHT .160"(4MM) 5083-H116	36.0	120.0	O	
S83-160-H116	ALUM SHT .160"(4MM) 5083-H116	33.0	120.0	O	
S83-160-H321	ALUM SHT 5083/5086-H321 .160"	48.0	96.0	O	
S83-190-H321	ALUMINUM SHEET 5083-H321 .190"	30.0	96.0	O	
S83-197-H116	5083-H116 5MM ALUMINUM SHEET	19.5	96.0	O	
S83-197-H116	5083-H116 5MM ALUMINUM SHEET	48.0	96.0	O	
S83-197-H116	5083-H116 5MM ALUMINUM SHEET	48.0	144.0	O	
S83-197-H116	5083-H116 5MM ALUMINUM SHEET	96.0	48.0	O	
S83-197-H116	5083-H116 5MM ALUMINUM SHEET	96.0	144.0	O	
S83-197-H116	5083-H116 5MM ALUMINUM SHEET	96.0	178.0	O	
S83-197-H116	5083-H116 5MM ALUMINUM SHEET	96.0	240.0	O	
S83-197-H116	5083-H116 5MM ALUMINUM SHEET	96.0	288.0	O	
S83-197-H321	5083-H321 5MM ALUMINUM SHEET	72.0	96.0	O	
S83-197-H321	5083-H321 5MM ALUMINUM SHEET	72.0	120.0	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
S83-197-H321	5083-H321 5MM ALUMINUM SHEET	72.0	240.0	O	
S83-236-H116	5083-H116 6MM ALUMINUM SHEET	48.0	96.0	O	
S83-236-H116	5083-H116 6MM ALUMINUM SHEET	96.0	48.0	O	
S83-236-H116	5083-H116 6MM ALUMINUM SHEET	96.0	240.0	P	Feb 27, 12
S83-236-H116	5083-H116 6MM ALUMINUM SHEET	96.0	240.0	P	Mar 12, 12
S83-236-H116	5083-H116 6MM ALUMINUM SHEET	42.0	144.0	O	
S83-236-H321	5083-H321 6MM ALUMINUM SHEET	48.0	-	O	
<b>5083 PLATES</b>					
P83-0.250-H116	ALUMINUM PLATE 5083-H116 .250"	96.0	48.0	O	
P83-0.250-H116	ALUMINUM PLATE 5083-H116 .250"	96.0	96.0	O	
P83-0.250-H116	ALUMINUM PLATE 5083-H116 .250"	96.0	288.0	O	
P83-0.250-H116	ALUMINUM PLATE 5083-H116 .250"	96.0	24.0	O	
P83-0.250-H131	ALUMINUM ARMOR 5083-H131 .250"	48.0	144.0	O	
P83-0.250-H131	ALUMINUM ARMOR 5083-H131 .250"	48.0	96.0	O	
P83-0.250-H32	ALUMINUM PLATE 5083-H32 .250"	48.0	144.0	O	
P83-0.250-H32	ALUMINUM PLATE 5083-H32 .250"	48.0	96.0	O	
P83-0.250-H321	ALUMINUM PLATE 5083-H321 .250"	10.1	14.1	O	
P83-0.250-H321	ALUMINUM PLATE 5083-H321 .250"	20.8	96.0	O	
P83-0.250-H321	ALUMINUM PLATE 5083-H321 .250"	33.0	96.0	O	
P83-0.250-H321	ALUMINUM PLATE 5083-H321 .250"	33.0	144.0	O	
P83-0.276-H116	ALUMINUM PLATE 5083-H116 7MM	96.0	240.0	O	
P83-0.313-H116	ALUMINUM PLATE 5083-H116 .313"	96.0	240.0	O	
P83-0.313-H116	ALUMINUM PLATE 5083-H116 .313"	96.0	288.0	O	
P83-0.313-H116	ALUMINUM PLATE 5083-H116 .313"	72.0	240.0	O	
P83-0.313-H32	ALUMINUM PLATE 5083-H32 .313"	48.0	48.0	O	
P83-0.313-H32	ALUMINUM PLATE 5083-H32 .313"	48.0	96.0	O	
P83-0.313-H32	ALUMINUM PLATE 5083-H32 .313"	48.0	96.0	P	Feb 17, 12
P83-0.313-H32	ALUMINUM PLATE 5083-H32 .313"	48.0	144.0	O	
P83-0.315-H116	ALUMINUM PLATE 5083-H116 8MM	96.0	240.0	P	Apr 30, 12
P83-0.315-H116	ALUMINUM PLATE 5083-H116 8MM	96.0	240.0	O	
P83-0.354-H116	ALUMINUM PLATE 5083-H116 9MM	96.0	240.0	O	
P83-0.375-H112	ALUMINUM PLATE 5083-H112 .375"	48.0	144.0	O	
P83-0.375-H112	ALUMINUM PLATE 5083-H112 .375"	48.0	108.0	O	
P83-0.375-H116	ALUMINUM PLATE 5083-H116 .375"	96.0	240.0	O	
P83-0.375-H116	ALUMINUM PLATE 5083-H116 .375"	48.0	24.0	O	
P83-0.375-H116	ALUMINUM PLATE 5083-H116 .375"	48.0	120.0	O	
P83-0.375-H116	ALUMINUM PLATE 5083-H116 .375"	48.0	120.0	P	Feb 17, 12
P83-0.375-H116	ALUMINUM PLATE 5083-H116 .375"	48.0	240.0	P	Feb 17, 12
P83-0.375-H116	ALUMINUM PLATE 5083-H116 .375"	96.0	132.0	O	
P83-0.375-H131	5083-H131 .375" ALUM ARMOR PLT	48.0	144.0	O	
P83-0.375-H131	5083-H131 .375" ALUM ARMOR PLT	72.0	144.0	P	May 15, 12
P83-0.375-H131	5083-H131 .375" ALUM ARMOR PLT	48.0	120.0	O	
P83-0.375-H32	ALUMINUM PLATE 5083-H32 .375"	12.0	144.0	O	
P83-0.375-H32	ALUMINUM PLATE 5083-H32 .375"	36.0	35.8	O	
P83-0.375-H32	ALUMINUM PLATE 5083-H32 .375"	48.0	144.0	P	May 26, 12
P83-0.375-H32	ALUMINUM PLATE 5083-H32 .375"	49.0	173.0	P	May 26, 12
P83-0.375-H32	ALUMINUM PLATE 5083-H32 .375"	60.0	24.8	O	
P83-0.375-H32	ALUMINUM PLATE 5083-H32 .375"	60.0	28.0	O	
P83-0.375-H32	ALUMINUM PLATE 5083-H32 .375"	60.0	125.0	O	
P83-0.375-H32	ALUMINUM PLATE 5083-H32 .375"	60.0	144.0	O	
P83-0.375-H321	ALUMINUM PLATE 5083-H321 .375"	48.0	31.6	O	
P83-0.375-H321	ALUMINUM PLATE 5083-H321 .375"	48.0	144.0	O	
P83-0.394-H116	5083-H116 10MM ALUMINUM PLATE	35.8	96.0	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
P83-0.394-H116	5083-H116 10MM ALUMINUM PLATE	47.9	96.0	O	
P83-0.394-H116	5083-H116 10MM ALUMINUM PLATE	96.0	120.0	O	
P83-0.394-H116	5083-H116 10MM ALUMINUM PLATE	96.0	240.0	O	
P83-0.394-H116	5083-H116 10MM ALUMINUM PLATE	35.6	96.0	O	
P83-0.433-H116	5083-H116 11MM ALUMINUM PLATE	96.0	120.0	O	
P83-0.433-H116	5083-H116 11MM ALUMINUM PLATE	96.0	240.0	O	
P83-0.433-H116	5083-H116 11MM ALUMINUM PLATE	96.0	240.0	P	Feb 18, 12
P83-0.472-H116	5083-H116 12MM ALUMINUM PLATE	96.0	240.0	O	
P83-0.500-H116	ALUMINUM PLATE 5083-H116 .500"	72.0	70.0	O	
P83-0.500-H116	ALUMINUM PLATE 5083-H116 .500"	96.0	336.0	P	Feb 16, 12
P83-0.500-H116	ALUMINUM PLATE 5083-H116 .500"	24.0	240.0	O	
P83-0.500-H116	ALUMINUM PLATE 5083-H116 .500"	24.0	72.0	O	
P83-0.500-H116	ALUMINUM PLATE 5083-H116 .500"	24.0	96.0	O	
P83-0.500-H116	ALUMINUM PLATE 5083-H116 .500"	11.0	59.5	O	
P83-0.500-H131	ALUMINUM ARMOR 5083-H131 .500"	48.0	288.0	O	
P83-0.500-H131	ALUMINUM ARMOR 5083-H131 .500"	55.0	152.0	O	
P83-0.500-H131	ALUMINUM ARMOR 5083-H131 .500"	72.0	144.0	O	
P83-0.500-H131	ALUMINUM ARMOR 5083-H131 .500"	72.0	144.0	P	Apr 11, 12
P83-0.500-H131	ALUMINUM ARMOR 5083-H131 .500"	72.0	288.0	O	
P83-0.500-H32	ALUMINUM PLATE 5083-H32 .500"	48.0	45.5	O	
P83-0.500-H32	ALUMINUM PLATE 5083-H32 .500"	9.5	24.5	O	
P83-0.500-H321	ALUMINUM PLATE 5083-H321 .500"	48.0	144.0	P	Mar 25, 12
P83-0.500-H321	ALUMINUM PLATE 5083-H321 .500"	16.0	15.8	O	
P83-0.512-H116	5083-H116 13MM ALUMINUM PLATE	96.0	240.0	P	Feb 18, 12
P83-0.591-H116	5083-H116 15MM ALUMINUM PLATE	96.0	240.0	O	
P83-0.591-H116	5083-H116 15MM ALUMINUM PLATE	96.0	240.0	P	Feb 18, 12
P83-0.625-H112	ALUMINUM PLATE 5083-H112 .625"	48.0	96.0	O	
P83-0.625-H116	ALUMINUM PLATE 5083-H116 .625"	8.5	86.0	O	
P83-0.625-H116	ALUMINUM PLATE 5083-H116 .625"	11.8	36.0	O	
P83-0.625-H116	ALUMINUM PLATE 5083-H116 .625"	23.9	31.5	O	
P83-0.625-H116	ALUMINUM PLATE 5083-H116 .625"	48.0	48.0	O	
P83-0.625-H116	ALUMINUM PLATE 5083-H116 .625"	48.0	120.0	O	
P83-0.625-H116	ALUMINUM PLATE 5083-H116 .625"	48.0	144.0	O	
P83-0.625-H116	ALUMINUM PLATE 5083-H116 .625"	60.0	48.0	O	
P83-0.625-H321	ALUMINUM PLATE 5083-H321 .625"	48.0	96.0	O	
P83-0.625-H321	ALUMINUM PLATE 5083-H321 .625"	48.0	144.0	P	Feb 10, 12
P83-0.625-H321	ALUMINUM PLATE 5083-H321 .625"	35.0	144.0	O	
P83-0.750-H112	ALUMINUM PLATE 5083-H112 .750"	48.0	120.0	O	
P83-0.750-H112	ALUMINUM PLATE 5083-H112 .750"	31.0	83.8	O	
P83-0.750-H116	ALUMINUM PLATE 5083-H116 .750"	96.0	98.0	O	
P83-0.750-H116	ALUMINUM PLATE 5083-H116 .750"	96.0	240.0	O	
P83-0.750-H116	ALUMINUM PLATE 5083-H116 .750"	60.7	66.9	O	
P83-0.750-H131	ALUMINUM ARMOR 5083-H131 .750"	16.8	25.0	O	
P83-0.750-H131	ALUMINUM ARMOR 5083-H131 .750"	25.0	25.0	O	
P83-0.750-H131	ALUMINUM ARMOR 5083-H131 .750"	31.8	37.8	O	
P83-0.750-H131	ALUMINUM ARMOR 5083-H131 .750"	48.0	144.0	O	
P83-0.750-H131	ALUMINUM ARMOR 5083-H131 .750"	60.0	96.0	O	
P83-0.750-H131	ALUMINUM ARMOR 5083-H131 .750"	60.0	288.0	O	
P83-0.750-H131	ALUMINUM ARMOR 5083-H131 .750"	60.0	288.0	P	May 15, 12
P83-0.750-H131	ALUMINUM ARMOR 5083-H131 .750"	72.0	144.0	O	
P83-0.750-H32	ALUMINUM PLATE 5083-H32 .750"	48.0	96.0	P	May 19, 12
P83-0.750-H32	ALUMINUM PLATE 5083-H32 .750"	48.0	144.0	P	May 19, 12
P83-0.750-H321	ALUMINUM PLATE 5083-H321 .750"	105.0	115.0	O	
P83-0.750-H321	ALUMINUM PLATE 5083-H321 .750"	7.3	48.0	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
P83-0.750-H321	ALUMINUM PLATE 5083-H321 .750"	8.4	32.3	O	
P83-0.750-H321	ALUMINUM PLATE 5083-H321 .750"	25.0	115.0	O	
P83-0.750-H321	ALUMINUM PLATE 5083-H321 .750"	48.0	96.0	O	
P83-0.750-H321	ALUMINUM PLATE 5083-H321 .750"	48.0	114.5	O	
P83-0.750-H321	ALUMINUM PLATE 5083-H321 .750"	48.0	144.0	O	
P83-0.750-H321	ALUMINUM PLATE 5083-H321 .750"	48.0	144.8	O	
P83-0.750-H321	ALUMINUM PLATE 5083-H321 .750"	48.0	145.0	O	
P83-0.750-H321	ALUMINUM PLATE 5083-H321 .750"	56.0	170.0	O	
P83-0.750-H321	ALUMINUM PLATE 5083-H321 .750"	80.5	77.4	O	
P83-0.750-H321	ALUMINUM PLATE 5083-H321 .750"	80.5	87.5	O	
P83-0.787-H116	5083-H116 20MM ALUMINUM PLATE	96.0	360.0	O	
P83-0.875-H131	5083-H131 .875" ALUM ARMOR PLT	66.0	172.5	O	
P83-0.875-H131	5083-H131 .875" ALUM ARMOR PLT	72.0	144.0	O	
P83-0.875-H131	5083-H131 .875" ALUM ARMOR PLT	10.0	24.0	O	
P83-0.875-H321	ALUM PLATE .875" 5083-H321	60.0	144.0	O	
P83-1.000-H112	ALUMINUM PLATE 5083-H112 1.00"	17.5	144.0	O	
P83-1.000-H116	ALUMINUM PLATE 5083-H116 1.00"	20.5	27.1	O	
P83-1.000-H116	ALUMINUM PLATE 5083-H116 1.00"	20.8	22.8	O	
P83-1.000-H116	ALUMINUM PLATE 5083-H116 1.00"	48.0	96.1	O	
P83-1.000-H116	ALUMINUM PLATE 5083-H116 1.00"	48.0	120.0	O	
P83-1.000-H116	ALUMINUM PLATE 5083-H116 1.00"	48.0	120.0	P	Mar 24, 12
P83-1.000-H116	ALUMINUM PLATE 5083-H116 1.00"	48.0	240.0	P	Mar 30, 12
P83-1.000-H116	ALUMINUM PLATE 5083-H116 1.00"	96.0	48.0	O	
P83-1.000-H116	ALUMINUM PLATE 5083-H116 1.00"	96.0	288.0	O	
P83-1.000-H116	ALUMINUM PLATE 5083-H116 1.00"	96.0	388.0	O	
P83-1.000-H131	5083-H131 1.00" ALUM ARMOR PLT	48.0	114.0	O	
P83-1.000-H131	5083-H131 1.00" ALUM ARMOR PLT	48.0	144.0	O	
P83-1.000-H131	5083-H131 1.00" ALUM ARMOR PLT	54.0	144.0	O	
P83-1.000-H131	5083-H131 1.00" ALUM ARMOR PLT	72.0	144.0	O	
P83-1.000-H131	5083-H131 1.00" ALUM ARMOR PLT	72.0	144.0	P	Apr 11, 12
P83-1.000-H131	5083-H131 1.00" ALUM ARMOR PLT	72.0	144.0	P	May 15, 12
P83-1.000-H32	ALUMINUM PLATE 5083-H32 1.00"	48.0	96.0	P	Mar 16, 12
P83-1.000-H321	ALUMINUM PLATE 5083-H321 1.00"	11.5	18.0	O	
P83-1.000-H321	ALUMINUM PLATE 5083-H321 1.00"	13.5	34.5	O	
P83-1.000-H321	ALUMINUM PLATE 5083-H321 1.00"	14.9	32.3	O	
P83-1.000-H321	ALUMINUM PLATE 5083-H321 1.00"	17.5	38.0	O	
P83-1.000-H321	ALUMINUM PLATE 5083-H321 1.00"	48.0	144.0	P	Apr 6, 12
P83-1.000-H321	ALUMINUM PLATE 5083-H321 1.00"	52.0	152.0	P	Apr 6, 12
P83-1.000-H321	ALUMINUM PLATE 5083-H321 1.00"	72.0	144.0	P	May 15, 12
P83-1.000-H321	ALUMINUM PLATE 5083-H321 1.00"	10.5	96.0	O	
P83-1.000-H321	ALUMINUM PLATE 5083-H321 1.00"	11.3	48.0	O	
P83-1.000-H321	ALUMINUM PLATE 5083-H321 1.00"	9.5	96.0	O	
P83-1.125-H131	5083H131 1.125" ALUM ARMOR PLT	67.7	208.0	P	Feb 10, 12
P83-1.125-H321	ALUMINUM PLATE 5086-H321 1.125	60.0	144.0	O	
P83-1.125-H321	ALUMINUM PLATE 5086-H321 1.125	60.0	106.0	O	
P83-1.181-H116	5083-H116 30MM ALUMINUM PLATE	96.0	240.0	P	Feb 18, 12
P83-1.181-H116	5083-H116 30MM ALUMINUM PLATE	96.0	240.0	O	
P83-1.250-H116	ALUMINUM PLATE 5083-H116 1.25"	48.0	144.0	O	
P83-1.250-H116	ALUMINUM PLATE 5083-H116 1.25"	72.0	96.0	O	
P83-1.250-H116	ALUMINUM PLATE 5083-H116 1.25"	96.0	120.0	O	
P83-1.250-H116	ALUMINUM PLATE 5083-H116 1.25"	96.0	201.0	O	
P83-1.250-H116	ALUMINUM PLATE 5083-H116 1.25"	96.0	300.0	O	
P83-1.250-H131	ALUM ARMOR PLT 5083-H131 1.25"	48.0	144.0	O	
P83-1.250-H131	ALUM ARMOR PLT 5083-H131 1.25"	48.0	288.0	P	Feb 17, 12

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
P83-1.250-H131	ALUM ARMOR PLT 5083-H131 1.25"	72.0	144.0	P	Apr 11, 12
P83-1.250-H131	ALUM ARMOR PLT 5083-H131 1.25"	72.0	144.0	P	Feb 10, 12
P83-1.250-H131	ALUM ARMOR PLT 5083-H131 1.25"	96.0	288.0	P	Feb 17, 12
P83-1.250-H131	ALUM ARMOR PLT 5083-H131 1.25"	96.0	288.0	P	Mar 30, 12
P83-1.250-H131	ALUM ARMOR PLT 5083-H131 1.25"	124.5	248.3	P	Mar 28, 12
P83-1.250-H32	ALUMINUM PLATE 5083-H32 1.25"	48.0	144.0	O	
P83-1.250-H321	ALUMINUM PLATE 5083-H321 1.25"	48.0	144.0	P	Feb 10, 12
P83-1.250-H321	ALUMINUM PLATE 5083-H321 1.25"	48.0	144.0	P	Feb 17, 12
P83-1.250-H321	ALUMINUM PLATE 5083-H321 1.25"	48.0	144.0	O	
P83-1.250-H321	ALUMINUM PLATE 5083-H321 1.25"	3.6	109.6	O	
P83-1.375-H116	ALUMINUM PLATE 5083H116 1.375"	48.0	71.8	O	
P83-1.375-H116	ALUMINUM PLATE 5083H116 1.375"	48.0	96.0	O	
P83-1.375-H131	5083H131 1.375 ARMOR PLATE	72.0	144.0	P	May 15, 12
P83-1.500-H112	ALUMINUM PLATE 5083-H112 1.500	48.0	119.8	O	
P83-1.500-H112	ALUMINUM PLATE 5083-H112 1.500	24.0	23.8	O	
P83-1.500-H116	ALUMINUM PLATE 5083H116 1.500"	96.0	240.0	P	Feb 16, 12
P83-1.500-H131	5083-H131 1.50 ARMOR PLATE	48.0	80.8	O	
P83-1.500-H131	5083-H131 1.50 ARMOR PLATE	48.0	144.0	O	
P83-1.500-H131	5083-H131 1.50 ARMOR PLATE	60.0	144.0	O	
P83-1.500-H131	5083-H131 1.50 ARMOR PLATE	72.0	144.0	O	
P83-1.500-H131	5083-H131 1.50 ARMOR PLATE	72.0	144.0	P	Apr 11, 12
P83-1.500-H131	5083-H131 1.50 ARMOR PLATE	72.0	240.0	O	
P83-1.500-H321	ALUM PLATE 5083-H321 1.50"	5.3	96.0	O	
P83-1.500-H321	ALUM PLATE 5083-H321 1.50"	8.9	48.0	O	
P83-1.500-H321	ALUM PLATE 5083-H321 1.50"	11.9	144.0	O	
P83-1.500-H321	ALUM PLATE 5083-H321 1.50"	42.0	42.3	O	
P83-1.500-H321	ALUM PLATE 5083-H321 1.50"	48.0	96.0	O	
P83-1.500-H321	ALUM PLATE 5083-H321 1.50"	48.0	144.0	O	
P83-1.500-H321	ALUM PLATE 5083-H321 1.50"	48.0	144.0	P	Feb 10, 12
P83-1.500-H321	ALUM PLATE 5083-H321 1.50"	60.0	106.0	O	
P83-1.500-H321	ALUM PLATE 5083-H321 1.50"	72.0	35.5	O	
P83-1.500-H321	ALUM PLATE 5083-H321 1.50"	72.0	36.0	O	
P83-1.500-H321	ALUM PLATE 5083-H321 1.50"	72.0	144.0	O	
P83-1.625-H131	ALUMINUM ARMOR PLATE 1.625"	72.0	240.0	P	Apr 11, 12
P83-1.625-H131	ALUMINUM ARMOR PLATE 1.625"	48.0	144.0	O	
P83-1.750-H131	ALUMINUM ARMOR PLATE 1.750"	48.0	288.0	P	Feb 10, 12
P83-1.750-H131	ALUMINUM ARMOR PLATE 1.750"	48.0	144.0	O	
P83-1.750-H32	ALUM PLATE 5083-H32 1.75"	48.0	144.0	O	
P83-1.750-H321	ALUM PLATE 5083-H321 1.75"	48.0	144.0	O	
P83-1.750-H321	ALUM PLATE 5083-H321 1.75"	48.0	144.0	P	Feb 10, 12
P83-1.750-H321	ALUM PLATE 5083-H321 1.75"	48.0	144.0	P	Feb 20, 12
P83-2.000-H116	ALUMINUM PLATE 5083-H116 2.000	96.0	240.0	P	Feb 24, 12
P83-2.000-H116	ALUMINUM PLATE 5083-H116 2.000	48.0	96.0	O	
P83-2.000-H131	5083-H131 2.00 ARMOR PLATE	6.0	10.5	O	
P83-2.000-H131	5083-H131 2.00 ARMOR PLATE	18.1	82.8	O	
P83-2.000-H131	5083-H131 2.00 ARMOR PLATE	48.0	144.0	O	
P83-2.000-H131	5083-H131 2.00 ARMOR PLATE	48.0	288.0	P	Feb 10, 12
P83-2.000-H131	5083-H131 2.00 ARMOR PLATE	72.0	144.0	P	Apr 11, 12
P83-2.000-H131	5083-H131 2.00 ARMOR PLATE	72.0	240.0	O	
P83-2.000-H32	ALUM PLATE 5083-H32 2.00"	10.5	129.5	O	
P83-2.000-H32	ALUM PLATE 5083-H32 2.00"	48.0	144.0	O	
P83-2.000-H32	ALUM PLATE 5083-H32 2.00"	4.3	144.0	O	
P83-2.250-H131	5083-H131 2.25 ARMOR PLATE	32.5	132.3	O	
P83-2.250-H131	5083-H131 2.25 ARMOR PLATE	48.0	96.0	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
P83-2.250-H131	5083-H131 2.25 ARMOR PLATE	48.0	144.0	O	
P83-2.250-H131	5083-H131 2.25 ARMOR PLATE	48.0	144.0	P	Feb 17, 12
P83-2.250-H32	ALUM PLATE 5083-H32 2.25"	48.0	144.0	O	
P83-2.500-H131	ALUM 5083H131 2.5" ARMOR PLATE	72.0	144.0	P	May 15, 12
P83-2.500-H131	ALUM 5083H131 2.5" ARMOR PLATE	72.0	144.0	O	
P83-2.500-H131	ALUM 5083H131 2.5" ARMOR PLATE	72.0	43.0	O	
P83-2.500-H131	ALUM 5083H131 2.5" ARMOR PLATE	19.9	101.0	O	
P83-2.500-H321	ALUM PLATE 5083-H321 2.50"	35.0	144.0	O	
P83-2.500-H321	ALUM PLATE 5083-H321 2.50"	48.0	96.0	O	
P83-2.500-H321	ALUM PLATE 5083-H321 2.50"	48.0	104.0	O	
P83-2.500-H321	ALUM PLATE 5083-H321 2.50"	48.0	144.0	O	
P83-2.500-H321	ALUM PLATE 5083-H321 2.50"	2.0	12.0	O	
P83-2.750-H321	ALUMINUM PLATE 5083-H321 2.75"	9.5	8.5	O	
P83-2.750-H321	ALUMINUM PLATE 5083-H321 2.75"	9.8	19.0	O	
P83-2.750-H321	ALUMINUM PLATE 5083-H321 2.75"	10.0	19.0	O	
P83-2.750-H321	ALUMINUM PLATE 5083-H321 2.75"	19.5	5.5	O	
P83-2.750-H321	ALUMINUM PLATE 5083-H321 2.75"	19.5	8.8	O	
P83-2.750-H321	ALUMINUM PLATE 5083-H321 2.75"	20.0	7.8	O	
P83-2.750-H321	ALUMINUM PLATE 5083-H321 2.75"	65.0	150.3	O	
P83-3.000-H116	ALUM PLATE 5083-H116 3.00"	96.0	240.0	P	Mar 2, 12
P83-3.000-H131	ALUM 5083H131 3.0" ARMOR PLATE	48.0	144.0	P	Feb 10, 12
P83-3.000-H131	ALUM 5083H131 3.0" ARMOR PLATE	48.0	144.0	O	
P83-3.000-H32	ALUM PLATE 5083-H32 3.00"	8.8	41.3	O	
P83-3.000-H32	ALUM PLATE 5083-H32 3.00"	76.8	135.8	P	Feb 20, 12
P83-3.000-H32	ALUM PLATE 5083-H32 3.00"	3.0	48.4	O	
P83-3.000-H321	ALUM PLATE 5083-H321 3.00"	3.0	43.3	O	
P83-3.000-H321	ALUM PLATE 5083-H321 3.00"	48.0	96.0	P	Feb 20, 12
P83-3.000-H321	ALUM PLATE 5083-H321 3.00"	48.0	144.0	P	Feb 20, 12
P83-3.250-H131	5083-H131 3.25 ARMOR PLATE	48.0	144.0	O	
P83-3.250-H321	ALUM PLATE 5083-H321 3.25"	72.0	240.0	P	Feb 10, 12
P83-3.500-H321	ALUM PLATE 5083-H321 3.50"	48.0	288.0	P	Feb 10, 12
P83-3.500-H321	ALUM PLATE 5083-H321 3.50"	35.4	96.8	O	
P83-3.750-H321	ALUM PLATE 5083-H321 3.75"	74.0	151.0	P	Feb 10, 12
P83-4.000-H116	ALUM PLATE 5083-H116 4.00"	96.0	240.0	P	Feb 25, 12
P83-4.000-H116	ALUM PLATE 5083-H116 4.00"	48.0	144.0	O	
P83-4.000-H131	5083-H131 4.00 ARMOR PLATE	48.0	144.0	O	
P83-4.500-H321	ALUMINUM PLATE 5083-H321 4.50"	48.0	144.0	P	Feb 10, 12
P83-5.000-H321	ALUM PLATE 5083-H321 5.00"	60.0	144.0	P	Feb 10, 12
P83-6.000-H321	ALUM PLATE 5083-H321 6.00"	60.0	144.0	P	Feb 10, 12
<b>5086 RECTANGULAR TUBING</b>					
86F20300250H11	5086H111 2 X 3 X .250 REC TUBE	240.0	-	O	
86F20300250H11	5086H111 2 X 3 X .250 REC TUBE	95.8	-	O	
<b>5086 SQUARE TUBING</b>					
86Q-150.125-3D	5086H32 1.5 X.125 X.156R DRAWN	240.0	-	P	Feb 17, 12
86Q-200.125-3D	5086H32 2.0 X.125 X.156R DRAWN	240.0	-	P	Feb 17, 12
86Q-400.250-1R	5086-H111 4.00" X .250" RC	240.0	-	O	
<b>5086 PIPE</b>					
86P-038.40-H32	5086-H32 .375"SCH.40 DRWN-SMLS	240.0	-	O	
86P-050.40-H32	5086-H32 .500"SCH.40 DRWN-SMLS	144.0	-	O	
86P-050.40-H32	5086-H32 .500"SCH.40 DRWN-SMLS	240.0	-	O	
86P-050.40-H32	5086-H32 .500"SCH.40 DRWN-SMLS	120.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
86P-050.80-H32	5086-H32 .500"SCH.80 DRWN-SMLS	240.0	-	O	
86P-075.40-H32	5086-H32 .750"SCH.40 DRWN-SMLS	240.0	-	O	
86P-075.40-H32	5086-H32 .750"SCH.40 DRWN-SMLS	144.0	-	O	
86P-075.80-H32	5086-H32 .750"SCH.80 DRWN-SMLS	240.0	-	O	
86P-100.40-H32	5086-H32 1.00"SCH.40 DRWN-SMLS	240.0	-	O	
86P-100.80-H32	5086-H32 1.00"SCH.80 DRWN-SMLS	240.0	-	P	May 11, 12
86P-100.80-H32	5086-H32 1.00"SCH.80 DRWN-SMLS	240.0	-	O	
86P-125.40-H32	5086-H32 1.25"SCH.40 DRWN-SMLS	240.0	-	P	May 11, 12
86P-125.40-H32	5086-H32 1.25"SCH.40 DRWN-SMLS	240.0	-	O	
86P-125.80-H32	5086-H32 1.25"SCH.80 DRWN-SMLS	240.0	-	O	
86P-125.80-H32	5086-H32 1.25"SCH.80 DRWN-SMLS	240.0	-	P	May 11, 12
86P-125.80-H32	5086-H32 1.25"SCH.80 DRWN-SMLS	20.0	-	O	
86P-150.40-H32	5086-H32 1.50"SCH.40 DRWN-SMLS	240.0	-	O	
86P-150.40-H32	5086-H32 1.50"SCH.40 DRWN-SMLS	240.0	-	P	May 11, 12
86P-150.80-H32	5086-H32 1.50"SCH.80 DRWN-SMLS	216.3	-	O	
86P-150.80-H32	5086-H32 1.50"SCH.80 DRWN-SMLS	240.0	-	O	
86P-150.80-H32	5086-H32 1.50"SCH.80 DRWN-SMLS	120.0	-	O	
86P-200.160-32	5086-H32 2.0"SCH.160 DRWN-SMLS	240.0	-	O	
86P-200.40-H32	5086-H32 2.00"SCH.40 DRWN-SMLS	144.0	-	O	
86P-200.40-H32	5086-H32 2.00"SCH.40 DRWN-SMLS	203.8	-	O	
86P-200.40-H32	5086-H32 2.00"SCH.40 DRWN-SMLS	240.0	-	O	
86P-200.40-H32	5086-H32 2.00"SCH.40 DRWN-SMLS	240.0	-	O	
86P-200.40-H32	5086-H32 2.00"SCH.40 DRWN-SMLS	240.0	-	P	May 11, 12
86P-200.80-H32	5086-H32 2.00"SCH.80 DRWN-SMLS	240.0	-	O	
86P-200.80-H32	5086-H32 2.00"SCH.80 DRWN-SMLS	240.0	-	P	May 11, 12
86P-200.80-H32	5086-H32 2.00"SCH.80 DRWN-SMLS	131.6	-	O	
86P-250.40-H32	5086-H32 2.50"SCH.40 DRWN-SMLS	240.0	-	P	May 11, 12
86P-250.40-H32	5086-H32 2.50"SCH.40 DRWN-SMLS	240.0	-	O	
86P-250.80-H32	5086-H32 2.50"SCH.80 DRWN-SMLS	240.0	-	O	
86P-250.80-H32	5086-H32 2.50"SCH.80 DRWN-SMLS	240.0	-	P	May 11, 12
86P-300.40-H32	5086-H32 3.00"SCH.40 DRWN-SMLS	146.0	-	O	
86P-300.40-H32	5086-H32 3.00"SCH.40 DRWN-SMLS	240.0	-	O	
86P-300.40-H32	5086-H32 3.00"SCH.40 DRWN-SMLS	240.0	-	P	Feb 17, 12
86P-300.40-H32	5086-H32 3.00"SCH.40 DRWN-SMLS	119.8	-	O	
86P-300.80-H32	5086-H32 3.00"SCH.80 DRWN-SMLS	240.0	-	P	Feb 17, 12
86P-300.80-H32	5086-H32 3.00"SCH.80 DRWN-SMLS	240.0	-	O	
86P-350.40-H32	5086-H32 3.50"SCH.40 DRWN-SMLS	120.0	-	O	
86P-350.40-H32	5086-H32 3.50"SCH.40 DRWN-SMLS	240.0	-	P	Feb 17, 12
86P-350.40-H32	5086-H32 3.50"SCH.40 DRWN-SMLS	96.0	-	O	
86P-350.80-H32	5086-H32 3.50"SCH.80 DRWN-SMLS	240.0	-	P	Feb 17, 12
86P-350.80-H32	5086-H32 3.50"SCH.80 DRWN-SMLS	180.0	-	O	
86P-400.40-H32	5086-H32 4.00"SCH.40 DRWN-SMLS	240.0	-	O	
86P-400.40-H32	5086-H32 4.00"SCH.40 DRWN-SMLS	240.0	-	P	Feb 17, 12
86P-400.80-H32	5086-H32 4.00"SCH.80 DRWN-SMLS	240.0	-	P	Feb 17, 12
86P-500.40-H32	5086-H32 5.00"SCH.40 DRWN-SMLS	240.0	-	O	
86P-500.40-H32	5086-H32 5.00"SCH.40 DRWN-SMLS	168.0	-	O	
86P-500.80-H32	5086-H32 5.00"SCH.80 DRWN-SMLS	240.0	-	P	Feb 17, 12
86P-600.40-H32	5086-H32 6.00"SCH.40 DRWN-SMLS	144.0	-	O	
86P-600.40-H32	5086-H32 6.00"SCH.40 DRWN-SMLS	240.0	-	O	
86P-800.40-H32	5086-H32 8.00"SCH.40 DRWN-SMLS	240.0	-	O	
<b>5086 ROUND TUBING</b>					
86R-100.125-32	5086H32 1.00 X .125 DRAWN-SMLS	144.0	-	O	
86R-100.125-32	5086H32 1.00 X .125 DRAWN-SMLS	144.0	-	P	May 11, 12

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
86R-100.125-32	5086H32 1.00 X .125 DRAWN-SMLS	120.0	-	O	
86R-105.133-32	5086H32 1.05 X .133 DRAWN-SMLS	240.0	-	O	
86R-125.188-32	5086H32 1.25 X .188 DRAWN-SMLS	240.0	-	O	
86R-150.125-32	5086H32 1.50 X .125 DRAWN-SMLS	240.0	-	O	
86R-190.145-32	5086H32 1.90 X .145 DRAWN-SMLS	240.0	-	P	Feb 28, 12
86R-200.125-32	5086H32 2.00 X .125 DRAWN-SMLS	240.0	-	O	
86R-200.250-32	5086H32 2.00 X .250 DRAWN-SMLS	240.0	-	O	
86R-200.250-32	5086H32 2.00 X .250 DRAWN-SMLS	96.0	-	O	
86R-300.250-32	5086H32 3.00 X .250 DRAWN-SMLS	240.0	-	O	
86R-300.375-32	5086H32 3.00 X .375 DRAWN-SMLS	240.0	-	O	
86R-300.375-32	5086H32 3.00 X .375 DRAWN-SMLS	144.0	-	O	
86R-300.500-32	5086H32 3.00 X .500 DRAWN-SMLS	240.0	-	O	
86R-400.250-11	5086-H111 4.00 X .250 EXT-SMLS	240.0	-	O	
86R-400.250-32	5086H32 4.00 X .250 DRAWN-SMLS	240.0	-	P	Feb 17, 12
86R-400.250-32	5086H32 4.00 X .250 DRAWN-SMLS	240.0	-	P	Feb 28, 12
86R-400.375-32	5086H32 4.00 X .375 DRAWN-SMLS	240.0	-	P	Feb 28, 12
86R-400.375-32	5086H32 4.00 X .375 DRAWN-SMLS	240.0	-	P	Feb 17, 12
86R-400.500-32	5086H32 4.00 X .500 DRAWN-SMLS	240.0	-	P	Feb 17, 12
86R-500.250-32	5086H32 5.00 X .250 DRAWN-SMLS	240.0	-	O	
86R-500.500-11	5086-H111 5.00 X .500 EXT-SMLS	240.0	-	O	
86R-500.500-32	5086H32 5.00 X .500 DRAWN-SMLS	240.0	-	P	Feb 17, 12
86R-525.625-32	5086H32 5.25 X .625 DRAWN-SMLS	240.0	-	P	Feb 28, 12
86R-600.250-32	5086H32 6.00 X .250 DRAWN-SMLS	240.0	-	O	
86R-600.375-11	5086-H111 6.00 X .375 EXT-SMLS	240.0	-	O	
86R-600.500-11	5086-H111 6.00 X .500 EXT-SMLS	108.0	-	O	
86R-600.500-11	5086-H111 6.00 X .500 EXT-SMLS	120.0	-	O	
86R-600.500-11	5086-H111 6.00 X .500 EXT-SMLS	38.0	-	O	
86R-700.375-11	5086-H111 7.00 X .375 EXT-SMLS	120.0	-	O	
<b>5086 ANGLES</b>					
10133-0603-A86	5086-H111 .750 X .750 X .125	240.0	-	O	
10133-0603-A86	5086-H111 .750 X .750 X .125	300.0	-	O	
10133-1003-A86	5086-H111 1.00 X 1.00 X .125	300.0	-	O	
10133-1003-A86	5086-H111 1.00 X 1.00 X .125	240.0	-	O	
10133-1203-A86	5086-H111 1.25 X 1.25 X .125	300.0	-	O	
10133-1204-A86	5086-H111 1.25 X 1.25 X .188	300.0	-	P	Mar 1, 12
10133-1204-A86	5086-H111 1.25 X 1.25 X .188	240.0	-	O	
10133-1403-A86	5086-H111 1.50 X 1.50 X .125	300.0	-	O	
10133-1403-A86	5086-H111 1.50 X 1.50 X .125	240.0	-	O	
10133-1404-A86	5086-H111 1.50 X 1.50 X .188	300.0	-	O	
10133-1404-A86	5086-H111 1.50 X 1.50 X .188	240.0	-	O	
10133-2003-A86	5086-H111 2.00 X 2.00 X .188	300.0	-	O	
10133-2003-A86	5086-H111 2.00 X 2.00 X .188	60.0	-	O	
10133-2403-A86	5086-111 2.50 X 2.50 X .250	300.0	-	O	
10133-3002-A86	5086-H111 3.00 X 3.00 X .250	300.0	-	O	
10134-3004-A86	5086-H111 3.00 X 2.00 X .250	300.0	-	O	
60-161-A86	5086-H111 1.00 X 1.00 X .125	300.0	-	O	
60-18317-A86	5086-H111 4.00 X 4.00 X .375	300.0	-	O	
60-205-A86	5086-H111 1.250 X 1.250 X .250	300.0	-	O	
60-237-A86	5086-H111 1.00 X 1.00 X .188	300.0	-	O	
60-3836-A86	5086-H111 4.00 X 4.00 X .250	300.0	-	O	
60-3837-A86	5086-H111 3.00 X 3.00 X .375	300.0	-	O	
60-77-A86	5086-H111 1.50 X 1.50 X .250	240.0	-	P	Feb 17, 12
60-77-A86	5086-H111 1.50 X 1.50 X .250	66.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
60-93-A86	5086-H111 2.50 X 2.00 X .250	300.0	-	O	
A86-100.250-11	5086-H111 1.00 X 1.00 X .250	300.0	-	O	
A86-100.250-11	5086-H111 1.00 X 1.00 X .250	300.0	-	O	
A86-150.250-11	5086-H111 1.50 X 1.50 X .250	240.0	-	O	
A86-150.250-11	5086-H111 1.50 X 1.50 X .250	300.0	-	O	
A86-150.250-11	5086-H111 1.50 X 1.50 X .250	300.0	-	P	Feb 17, 12
A86-175.250-11	5086-H111 1.75 X 1.75 X .250	300.0	-	O	
A86-200.125-11	5086-H111 2.00 X 2.00 X .125	300.0	-	O	
A86-200.125-11	5086-H111 2.00 X 2.00 X .125	240.0	-	O	
A86-200.250-11	5086-H111 2.00 X 2.00 X .250	108.0	-	O	
A86-200.250-11	5086-H111 2.00 X 2.00 X .250	240.0	-	O	
A86-200.250-11	5086-H111 2.00 X 2.00 X .250	300.0	-	O	
A86-200.250-11	5086-H111 2.00 X 2.00 X .250	60.0	-	O	
A86-200.313-11	5086-H111 2.00 X 2.00 X .313	300.0	-	O	
A86-200.375-11	5086-H111 2.00 X 2.00 X .375	300.0	-	O	
A86-2010.13-11	5086-H111 2.00 X 1.00 X .125	300.0	-	O	
A86-250.188-11	5086-H111 2.50 X 2.50 X .188	300.0	-	O	
A86-250.375-11	5086-H111 2.50 X 2.50 X .375	300.0	-	O	
A86-2520.19-11	5086-H111 2.50 X 2.00 X .188	300.0	-	O	
A86-2520.19-11	5086-H111 2.50 X 2.00 X .188	120.0	-	O	
A86-2520.25-11	5086-H111 2.50 X 2.00 X .250	300.0	-	O	
A86-2520.25-11	5086-H111 2.50 X 2.00 X .250	240.0	-	O	
A86-300.188-11	5086-H111 3.00 X 3.00 X .188	300.0	-	O	
A86-300.250-11	5086-H111 3.00 X 3.00 X .250	300.0	-	O	
A86-300.375-11	5086-H111 3.00 X 3.00 X .375	300.0	-	O	
A86-300.500-11	5086-H111 3.00 X 3.00 X .500	300.0	-	O	
A86-300.500-11	5086-H111 3.00 X 3.00 X .500	240.0	-	O	
A86-3020.19-11	5086-H111 3.00 X 2.00 X .188	300.0	-	O	
A86-3020.19-11	5086-H111 3.00 X 2.00 X .188	240.0	-	O	
A86-3020.38-11	5086-H111 3.00 X 2.00 X .375	240.0	-	O	
A86-3020.38-11	5086-H111 3.00 X 2.00 X .375	300.0	-	O	
A86-3025.25-11	5086-H111 3.00 X 2.50 X .250	300.0	-	O	
A86-3025.25-11	5086-H111 3.00 X 2.50 X .250	288.0	-	O	
A86-350.250-11	5086-H111 3.50 X 3.50 X .250	300.0	-	O	
A86-3520.25-11	5086-H111 3.50 X 2.00 X .250	300.0	-	O	
A86-3520.25-11	5086-H111 3.50 X 2.00 X .250	240.0	-	O	
A86-400.500-11	5086-H111 4.00 X 4.00 X .500	300.0	-	O	
A86-400.500-11	5086-H111 4.00 X 4.00 X .500	60.0	-	O	
A86-4020.25-11	5086-H111 4.00 X 2.00 X .250	300.0	-	O	
A86-4030.25-11	5086-H111 4.00 X 3.00 X .250	300.0	-	O	
A86-4030.31-11	5086-H111 4.00 X 3.00 X .313	300.0	-	O	
A86-4030.38-11	5086-H111 4.00 X 3.00 X .375	144.0	-	O	
A86-4030.38-11	5086-H111 4.00 X 3.00 X .375	240.0	-	O	
A86-4030.38-11	5086-H111 4.00 X 3.00 X .375	300.0	-	O	
A86-5030.25-11	5086-H111 5.00 X 3.00 X .250	300.0	-	O	
A86-5030.38-11	5086-H111 5.00 X 3.00 X .375	300.0	-	O	
A86-600.375-11	5086-H111 6.00 X 6.00 X .375	300.0	-	O	
A86-600.375-11	5086-H111 6.00 X 6.00 X .375	240.0	-	O	
<b>5086 BEAMS</b>					
B86-3.251-1AS	5086-H111 3.00 X 2.411 X .251	240.0	-	O	
B86-4.190-1AS	5086-H111 4.00 X 2.660 X .190	300.0	-	O	
<b>5083 CHANNEL</b>					

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
50-16150-C83	5083H111 3 X 2 X .250 X .50"OR	144.0	-	O	
60-12916-C86	5086-H111 4 X 1.580 X .180	300.0	-	O	
60-12916-C86	5086-H111 4 X 1.580 X .180	192.0	-	O	
C86-2010.125-1	5086H111 SC 2.00 X 1.00 X .125	240.0	-	O	
C86-3.258-1AS	5086-H111 A.S 3 X 1.498 X .258	300.0	-	O	
C86-3010.125-1	5086-H111 3.00 X 1.00 X .125	300.0	-	O	
C86-6.314-1AS	5086-H111 6.000 X 2.034 X .314	240.0	-	O	
C86-8.395-1AS	5086H111 8 X 2.435 X .395 CHNL	300.0	-	O	
C86-SP-7325	5086-H111 3 X 2 X .250 SP-7325	144.0	-	O	
<b>5086 FLAT BARS</b>					
F86-0130100-11	5086H111 FLAT BAR .125 X 1.000	144.0	-	O	
F86-0130125-11	5086H111 FLAT BAR .125 X 1.250	144.0	-	O	
F86-0130150-11	5086H111 FLAT BAR .125 X 1.500	144.0	-	O	
F86-0130200-11	5086H111 FLAT BAR .125 X 2.000	144.0	-	O	
F86-0190100-11	5086H111 FLAT BAR .188 X 1.000	144.0	-	O	
F86-0190150-11	5086H111 FLAT BAR .188 X 1.500	240.0	-	O	
F86-0190150-11	5086H111 FLAT BAR .188 X 1.500	144.0	-	O	
F86-0190200-11	5086H111 FLAT BAR .188 X 2.000	240.0	-	O	
F86-0190250-11	5086H111 FLAT BAR .188 X 2.500	240.0	-	O	
F86-0190300-11	5086H111 FLAT BAR .188 X 3.000	240.0	-	O	
F86-0250100-11	5086H111 FLAT BAR .250 X 1.000	240.0	-	O	
F86-0250125-11	5086H111 FLAT BAR .250 X 1.250	144.0	-	O	
F86-0250125-11	5086H111 FLAT BAR .250 X 1.250	48.0	-	O	
F86-0250150-11	5086H111 FLAT BAR .250 X 1.500	240.0	-	O	
F86-0250200-11	5086H111 FLAT BAR .250 X 2.000	144.0	-	O	
F86-0250200-11	5086H111 FLAT BAR .250 X 2.000	240.0	-	O	
F86-0250300-11	5086H111 FLAT BAR .250 X 3.000	240.0	-	O	
F86-0250300-11	5086H111 FLAT BAR .250 X 3.000	144.0	-	O	
F86-0250350-11	5086H111 FLAT BAR .250 X 3.500	144.0	-	O	
F86-0250400-11	5086H111 FLAT BAR .250 X 4.000	240.0	-	O	
F86-0250500-11	5086H111 FLAT BAR .250 X 5.000	144.0	-	O	
F86-0250600-11	5086H111 FLAT BAR .250 X 6.000	240.0	-	O	
F86-0380100-11	5086H111 FLAT BAR .375 X 1.000	119.0	-	O	
F86-0380100-11	5086H111 FLAT BAR .375 X 1.000	144.0	-	O	
F86-0380150-11	5086H111 FLAT BAR .375 X 1.500	144.0	-	O	
F86-0380150-11	5086H111 FLAT BAR .375 X 1.500	100.0	-	O	
F86-0380250-11	5086H111 FLAT BAR .375 X 2.500	144.0	-	O	
F86-0380300-11	5086H111 FLAT BAR .375 X 3.000	144.0	-	O	
F86-0380400-11	5086H111 FLAT BAR .375 X 4.000	240.0	-	O	
F86-0380400-11	5086H111 FLAT BAR .375 X 4.000	144.0	-	O	
F86-0500100-11	5086H111 FLAT BAR .500 X 1.000	144.0	-	O	
F86-0500200-11	5086H111 FLAT BAR .500 X 2.000	102.3	-	O	
F86-0500200-11	5086H111 FLAT BAR .500 X 2.000	120.0	-	O	
F86-0500200-11	5086H111 FLAT BAR .500 X 2.000	144.0	-	O	
F86-0500200-11	5086H111 FLAT BAR .500 X 2.000	240.0	-	O	
F86-0500250-11	5086H111 FLAT BAR .500 X 2.500	240.0	-	O	
F86-0500250-11	5086H111 FLAT BAR .500 X 2.500	144.0	-	O	
F86-0500300-11	5086H111 FLAT BAR .500 X 3.000	240.0	-	O	
F86-0500300-11	5086H111 FLAT BAR .500 X 3.000	144.0	-	O	
F86-0500400-11	5086H111 FLAT BAR .500 X 4.000	240.0	-	O	
F86-0500600-11	5086H111 FLAT BAR .500 X 6.000	96.0	-	O	
F86-0500600-11	5086H111 FLAT BAR .500 X 6.000	144.0	-	O	
F86-0750200-11	5086H111 FLAT BAR .750 X 2.000	240.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
F86-0750200-11	5086H111 FLAT BAR .750 X 2.000	144.0	-	O	
F86-0750300-11	5086H111 FLAT BAR .750 X 3.000	144.0	-	O	
F86-0750300-11	5086H111 FLAT BAR .750 X 3.000	240.0	-	O	
F86-0750300-11	5086H111 FLAT BAR .750 X 3.000	96.0	-	O	
F86-0750400-11	5086H111 FLAT BAR .750 X 4.000	144.0	-	O	
F86-0750400-11	5086H111 FLAT BAR .750 X 4.000	240.0	-	O	
F86-1000150-11	5086H111 FLAT BAR 1.00 X 1.500	240.0	-	O	
F86-1000150-11	5086H111 FLAT BAR 1.00 X 1.500	96.0	-	O	
F86-1750400-12	5086H112 FLAT BAR 1.75 X 4.000	144.0	-	O	
F86-1750400-12	5086H112 FLAT BAR 1.75 X 4.000	60.0	-	O	
<b>5086 SQUARE BARS</b>					
Q86-0.750-H111	5086-H111 0.750"SQ. BAR	168.0	-	O	
Q86-1.000-H111	5086-H111 1.000"SQ. BAR	144.0	-	O	
<b>5086 ROUND BARS</b>					
R86-0.375-111	5083/5086-H111 .375"DIA ROD	144.0	-	O	
R86-0.375-111	5083/5086-H111 .375"DIA ROD	72.0	-	O	
R86-0.500-111	5086H111 EXT RND BAR 0.50"DIA.	144.0	-	O	
R86-0.500-111	5086H111 EXT RND BAR 0.50"DIA.	144.0	-	O	
R86-0.500-111	5086H111 EXT RND BAR 0.50"DIA.	154.5	-	O	
R86-0.500-111	5086H111 EXT RND BAR 0.50"DIA.	240.0	-	O	
R86-0.625-111	5086-H111 0.625"DIA. ROUND BAR	144.0	-	O	
R86-0.625-111	5086-H111 0.625"DIA. ROUND BAR	72.0	-	O	
R86-0.750-111	5086-H111 0.750"DIA. ROUND BAR	144.0	-	O	
R86-0.750-111	5086-H111 0.750"DIA. ROUND BAR	240.0	-	O	
R86-0.750-111	5086-H111 0.750"DIA. ROUND BAR	124.0	-	O	
R86-1.000-111	5086-H111 1.000"DIA. ROUND BAR	15.5	-	O	
R86-1.000-111	5086-H111 1.000"DIA. ROUND BAR	72.0	-	O	
R86-1.000-111	5086-H111 1.000"DIA. ROUND BAR	96.0	-	O	
R86-1.000-111	5086-H111 1.000"DIA. ROUND BAR	144.0	-	O	
R86-1.000-111	5086-H111 1.000"DIA. ROUND BAR	228.0	-	O	
R86-1.000-111	5086-H111 1.000"DIA. ROUND BAR	240.0	-	O	
R86-1.250-111	5086-H111 1.250"DIA. ROUND BAR	101.8	-	O	
R86-1.250-111	5086-H111 1.250"DIA. ROUND BAR	144.0	-	O	
R86-1.250-111	5086-H111 1.250"DIA. ROUND BAR	240.0	-	O	
R86-1.250-111	5086-H111 1.250"DIA. ROUND BAR	65.5	-	O	
R86-1.500-111	5086H111 EXT RND BAR 1.50"DIA.	240.0	-	O	
R86-1.500-111	5086H111 EXT RND BAR 1.50"DIA.	144.0	-	O	
R86-1.750-111	5086H111 EXT RND BAR 1.75"DIA.	144.0	-	O	
R86-1.750-111	5086H111 EXT RND BAR 1.75"DIA.	96.0	-	O	
R86-1.875-111	5086H111 EXT RND BAR 1.875"DIA	144.0	-	O	
R86-2.000-111	5086H111 EXT RND BAR 2.00"DIA.	240.0	-	O	
R86-2.000-111	5086H111 EXT RND BAR 2.00"DIA.	144.0	-	O	
R86-2.250-111	5086H111 EXT RND BAR 2.25"DIA.	144.0	-	O	
R86-2.375-111	5086H111 EXT RND BAR 2.375"DIA	84.0	-	O	
R86-2.375-111	5086H111 EXT RND BAR 2.375"DIA	144.0	-	O	
R86-2.375-111	5086H111 EXT RND BAR 2.375"DIA	240.0	-	O	
R86-2.500-111	5086H111 EXT RND BAR 2.50"DIA.	144.0	-	O	
R86-2.750-111	5086H111 EXT RND BAR 2.75"DIA.	144.0	-	O	
R86-2.750-111	5086H111 EXT RND BAR 2.75"DIA.	141.0	-	O	
R86-3.000-111	5086H111 EXT RND BAR 3.00"DIA.	144.0	-	O	
R86-3.000-111	5086H111 EXT RND BAR 3.00"DIA.	240.0	-	O	
R86-3.000-111	5086H111 EXT RND BAR 3.00"DIA.	60.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
R86-3.250-111	5086H111 EXT RND BAR 3.25"DIA.	144.0	-	O	
R86-3.500-111	5086H111 EXT RND BAR 3.50"DIA.	144.0	-	P	Feb 24, 12
R86-4.000-111	5086H111 EXT RND BAR 4.00"DIA.	144.0	-	O	
R86-5.000-111	5086H111 EXT RND BAR 5.00"DIA.	72.0	-	O	
R86-5.000-111	5086H111 EXT RND BAR 5.00"DIA.	144.0	-	O	
R86-5.000-111	5086H111 EXT RND BAR 5.00"DIA.	24.0	-	O	
R86-6.000-111	5086H111 EXT RND BAR 6.00"DIA.	24.0	-	O	
R86-6.000-111	5086H111 EXT RND BAR 6.00"DIA.	35.6	-	O	
R86-6.000-111	5086H111 EXT RND BAR 6.00"DIA.	144.0	-	O	
R86-6.500-111	5086H111 EXT RND BAR 6.50"DIA.	132.3	-	O	
R86-6.625-111	5086H111 EXT RND BAR 6.625"DIA	144.0	-	P	Feb 24, 12
R86-6.625-111	5086H111 EXT RND BAR 6.625"DIA	120.0	-	P	Feb 24, 12
R86-7.000-111	5086H111 EXT RND BAR 7.00"DIA.	144.0	-	O	
R86-7.000-111	5086H111 EXT RND BAR 7.00"DIA.	72.0	-	O	
R86-7.000-111	5086H111 EXT RND BAR 7.00"DIA.	47.8	-	O	
R86-9.000	5086 BILLET 9.00"DIA.	11.0	-	O	
<b>5086 SHEETS</b>					
S86-032-H32	ALUMINUM SHEET 5086-H32 .032"	48.0	144.0	O	
S86-032-H32	ALUMINUM SHEET 5086-H32 .032"	48.0	96.0	O	
S86-032-H34	ALUMINUM SHEET 5086-H34 .032"	48.0	144.0	O	
S86-050-H32	ALUMINUM SHEET 5086-H32 .050"	48.0	96.0	O	
S86-050-H32	ALUMINUM SHEET 5086-H32 .050"	48.0	144.0	O	
S86-050-H32	ALUMINUM SHEET 5086-H32 .050"	48.0	-	O	
S86-063-H116	ALUMINUM SHEET 5086-H116 .063"	48.0	96.0	O	
S86-063-H116	ALUMINUM SHEET 5086-H116 .063"	48.0	96.0	O	
S86-063-H32	ALUMINUM SHEET 5086-H32 .063"	48.0	-	O	
S86-063-H32	ALUMINUM SHEET 5086-H32 .063"	48.0	96.0	O	
S86-063-H32	ALUMINUM SHEET 5086-H32 .063"	48.0	118.8	O	
S86-063-H32	ALUMINUM SHEET 5086-H32 .063"	48.0	144.0	O	
S86-063-H32	ALUMINUM SHEET 5086-H32 .063"	48.0	144.0	O	
S86-080-H116	ALUMINUM SHEET 5086-H116 .080"	48.0	96.0	O	
S86-080-H116	ALUMINUM SHEET 5086-H116 .080"	48.0	144.0	O	
S86-080-H116	ALUMINUM SHEET 5086-H116 .080"	48.0	-	O	
S86-090-H116	ALUMINUM SHEET 5086-H116 .090"	48.0	120.0	O	
S86-090-H116	ALUMINUM SHEET 5086-H116 .090"	48.0	96.0	O	
S86-090-H32	ALUMINUM SHEET 5086-H32 .090"	48.0	96.0	O	
S86-090-H32	ALUMINUM SHEET 5086-H32 .090"	48.0	120.0	O	
S86-090-H32	ALUMINUM SHEET 5086-H32 .090"	48.0	144.0	O	
S86-100-H116	ALUMINUM SHEET 5086-H116 .100"	48.0	96.0	O	
S86-100-H116	ALUMINUM SHEET 5086-H116 .100"	48.0	48.0	O	
S86-125-H116	ALUMINUM SHEET 5086-H116 .125"	48.0	96.0	O	
S86-125-H116	ALUMINUM SHEET 5086-H116 .125"	48.0	240.0	O	
S86-125-H116	ALUMINUM SHEET 5086-H116 .125"	96.0	48.0	O	
S86-125-H116	ALUMINUM SHEET 5086-H116 .125"	96.0	55.0	O	
S86-125-H116	ALUMINUM SHEET 5086-H116 .125"	48.0	95.8	O	
S86-125-H32	ALUMINUM SHEET 5086-H32 .125"	48.0	-	P	Feb 17, 12
S86-125-H32	ALUMINUM SHEET 5086-H32 .125"	48.0	24.0	O	
S86-125-H32	ALUMINUM SHEET 5086-H32 .125"	48.0	96.0	O	
S86-125-H32	ALUMINUM SHEET 5086-H32 .125"	48.0	144.0	O	
S86-125-H32	ALUMINUM SHEET 5086-H32 .125"	60.0	120.0	O	
S86-125-H32	ALUMINUM SHEET 5086-H32 .125"	60.0	144.0	O	
S86-160-H116	ALUMINUM SHEET 5086-H116 .160"	48.0	216.0	O	
S86-160-H116	ALUMINUM SHEET 5086-H116 .160"	48.0	95.8	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
S86-160-H32	ALUMINUM SHEET 5086-H32 .160"	48.0	-	P	Feb 28, 12
S86-160-H32	ALUMINUM SHEET 5086-H32 .160"	48.0	144.0	O	
S86-160-H32	ALUMINUM SHEET 5086-H32 .160"	48.0	288.0	O	
S86-190-H116	ALUMINUM SHEET 5086-H116 .190"	24.0	120.0	O	
S86-190-H116	ALUMINUM SHEET 5086-H116 .190"	48.0	-	O	
S86-190-H116	ALUMINUM SHEET 5086-H116 .190"	48.0	96.0	O	
S86-190-H116	ALUMINUM SHEET 5086-H116 .190"	48.0	120.0	O	
S86-190-H116	ALUMINUM SHEET 5086-H116 .190"	60.0	48.0	O	
S86-190-H116	ALUMINUM SHEET 5086-H116 .190"	60.0	240.0	O	
S86-190-H116	ALUMINUM SHEET 5086-H116 .190"	60.0	240.0	P	Feb 12, 12
S86-190-H116	ALUMINUM SHEET 5086-H116 .190"	72.0	95.8	O	
S86-190-H116	ALUMINUM SHEET 5086-H116 .190"	72.0	240.0	O	
S86-190-H116	ALUMINUM SHEET 5086-H116 .190"	96.0	240.0	O	
S86-190-H32	ALUMINUM SHEET 5086-H32 .190"	48.0	24.0	O	
S86-190-H32	ALUMINUM SHEET 5086-H32 .190"	48.0	120.0	O	
S86-190-H32	ALUMINUM SHEET 5086-H32 .190"	48.0	144.0	O	
S86-190-H32	ALUMINUM SHEET 5086-H32 .190"	60.0	144.0	O	
S86-190-H32	ALUMINUM SHEET 5086-H32 .190"	48.0	-	P	Feb 17, 12
<b>5086 DIAMOND TREAD PLATES</b>					
P86-0.100-32DT	5086-H32 .100" DIAMOND TREAD	48.0	-	O	
P86-0.100-32DT	5086-H32 .100" DIAMOND TREAD	48.0	192.0	O	
P86-0.100-34DT	5086-H34 .100" DIAMOND TREAD	48.0	144.0	O	
P86-0.125-34DT	5086-H34 .125" DIAMOND TREAD	48.0	192.0	O	
P86-0.125-34DT	5086-H34 .125" DIAMOND TREAD	48.0	96.0	O	
P86-0.188-32DT	5086-H32 .188" DIAMOND TREAD	48.0	96.0	O	
P86-0.250-32DT	5086-H32 .250" DIAMOND TREAD	48.0	26.0	O	
P86-0.250-32DT	5086-H32 .250" DIAMOND TREAD	48.0	96.0	O	
P86-0.250-32DT	5086-H32 .250" DIAMOND TREAD	48.0	144.0	O	
P86-0.250-32DT	5086-H32 .250" DIAMOND TREAD	48.0	240.0	O	
P86-0.250-32DT	5086-H32 .250" DIAMOND TREAD	48.0	240.0	P	Mar 10, 12
<b>5086 PLATES</b>					
P86-0.250-H116	ALUMINUM PLATE 5086-H116 .250"	60.0	120.0	O	
P86-0.250-H116	ALUMINUM PLATE 5086-H116 .250"	72.0	53.3	O	
P86-0.250-H116	ALUMINUM PLATE 5086-H116 .250"	72.0	72.0	O	
P86-0.250-H116	ALUMINUM PLATE 5086-H116 .250"	72.0	113.0	O	
P86-0.250-H116	ALUMINUM PLATE 5086-H116 .250"	72.0	168.0	O	
P86-0.250-H116	ALUMINUM PLATE 5086-H116 .250"	72.0	240.0	O	
P86-0.250-H116	ALUMINUM PLATE 5086-H116 .250"	96.0	48.0	O	
P86-0.250-H116	ALUMINUM PLATE 5086-H116 .250"	96.0	96.0	O	
P86-0.250-H116	ALUMINUM PLATE 5086-H116 .250"	12.0	144.0	O	
P86-0.250-H116	ALUMINUM PLATE 5086-H116 .250"	14.8	144.0	O	
P86-0.250-H116	ALUMINUM PLATE 5086-H116 .250"	24.0	96.0	O	
P86-0.250-H116	ALUMINUM PLATE 5086-H116 .250"	36.0	96.0	O	
P86-0.250-H116	ALUMINUM PLATE 5086-H116 .250"	48.0	48.0	O	
P86-0.250-H116	ALUMINUM PLATE 5086-H116 .250"	48.0	120.0	O	
P86-0.250-H116	ALUMINUM PLATE 5086-H116 .250"	48.0	144.0	O	
P86-0.250-H116	ALUMINUM PLATE 5086-H116 .250"	48.0	144.0	P	Mar 25, 12
P86-0.250-H116	ALUMINUM PLATE 5086-H116 .250"	48.0	240.0	O	
P86-0.250-H116	ALUMINUM PLATE 5086-H116 .250"	60.0	-	O	
P86-0.250-H32	ALUMINUM PLATE 5086-H32 .250"	48.0	144.0	O	
P86-0.250-H32	ALUMINUM PLATE 5086-H32 .250"	48.0	120.0	O	
P86-0.313-H116	ALUMINUM PLATE 5086-H116 .313"	20.0	35.5	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
P86-0.313-H116	ALUMINUM PLATE 5086-H116 .313"	22.0	35.9	O	
P86-0.313-H116	ALUMINUM PLATE 5086-H116 .313"	25.0	47.5	O	
P86-0.313-H116	ALUMINUM PLATE 5086-H116 .313"	25.9	120.0	O	
P86-0.313-H116	ALUMINUM PLATE 5086-H116 .313"	48.0	41.1	O	
P86-0.313-H116	ALUMINUM PLATE 5086-H116 .313"	48.0	96.0	O	
P86-0.313-H116	ALUMINUM PLATE 5086-H116 .313"	48.0	120.0	O	
P86-0.313-H116	ALUMINUM PLATE 5086-H116 .313"	48.0	144.0	O	
P86-0.313-H116	ALUMINUM PLATE 5086-H116 .313"	48.0	240.0	O	
P86-0.313-H116	ALUMINUM PLATE 5086-H116 .313"	48.0	240.0	P	Mar 1, 12
P86-0.313-H116	ALUMINUM PLATE 5086-H116 .313"	60.0	120.0	O	
P86-0.313-H116	ALUMINUM PLATE 5086-H116 .313"	60.0	240.0	P	Mar 1, 12
P86-0.313-H116	ALUMINUM PLATE 5086-H116 .313"	72.0	17.3	O	
P86-0.313-H116	ALUMINUM PLATE 5086-H116 .313"	72.0	144.0	O	
P86-0.313-H32	ALUMINUM PLATE 5086-H32 .313"	48.0	144.0	O	
P86-0.375-H116	ALUMINUM PLATE 5086-H116 .375"	48.0	240.0	O	
P86-0.375-H116	ALUMINUM PLATE 5086-H116 .375"	48.0	240.0	P	Feb 17, 12
P86-0.375-H116	ALUMINUM PLATE 5086-H116 .375"	60.0	96.0	O	
P86-0.375-H116	ALUMINUM PLATE 5086-H116 .375"	60.0	240.0	O	
P86-0.375-H116	ALUMINUM PLATE 5086-H116 .375"	72.0	240.0	O	
P86-0.375-H116	ALUMINUM PLATE 5086-H116 .375"	84.0	240.0	O	
P86-0.375-H116	ALUMINUM PLATE 5086-H116 .375"	48.0	144.0	O	
P86-0.375-H32	ALUMINUM PLATE 5086-H32 .375"	48.0	96.0	O	
P86-0.375-H32	ALUMINUM PLATE 5086-H32 .375"	48.0	144.0	O	
P86-0.375-H32	ALUMINUM PLATE 5086-H32 .375"	96.0	94.3	O	
P86-0.375-H32	ALUMINUM PLATE 5086-H32 .375"	42.6	144.0	O	
P86-0.500-H116	ALUMINUM PLATE 5086-H116 .500"	12.0	108.0	O	
P86-0.500-H116	ALUMINUM PLATE 5086-H116 .500"	24.0	83.8	O	
P86-0.500-H116	ALUMINUM PLATE 5086-H116 .500"	60.0	144.0	O	
P86-0.500-H116	ALUMINUM PLATE 5086-H116 .500"	60.0	240.0	O	
P86-0.500-H116	ALUMINUM PLATE 5086-H116 .500"	72.0	108.0	O	
P86-0.500-H116	ALUMINUM PLATE 5086-H116 .500"	96.0	240.0	P	Feb 15, 12
P86-0.625-H116	ALUMINUM PLATE 5086-H116 .625"	36.0	234.3	O	
P86-0.625-H116	ALUMINUM PLATE 5086-H116 .625"	60.0	154.0	O	
P86-0.625-H116	ALUMINUM PLATE 5086-H116 .625"	60.0	240.0	O	
P86-0.625-H116	ALUMINUM PLATE 5086-H116 .625"	60.0	240.0	P	Feb 17, 12
P86-0.625-H116	ALUMINUM PLATE 5086-H116 .625"	8.5	86.0	O	
P86-0.750-H116	ALUMINUM PLATE 5086-H116 .750"	60.0	216.8	O	
P86-0.750-H116	ALUMINUM PLATE 5086-H116 .750"	60.0	240.0	O	
P86-1.000-H116	ALUMINUM PLATE 5086-H116 1.00"	48.0	288.0	O	
P86-1.000-H116	ALUMINUM PLATE 5086-H116 1.00"	48.0	144.0	P	Feb 20, 12
P86-1.750-H116	ALUMINUM PLATE 5086-H116 1.75"	48.0	144.0	O	
P86-1.750-H32	ALUMINUM PLATE 5086-H32 1.750"	49.0	148.0	O	
P86-1.750-H32	ALUMINUM PLATE 5086-H32 1.750"	49.3	15.3	O	
P86-1.750-H32	ALUMINUM PLATE 5086-H32 1.750"	49.0	95.0	O	
P86-3.500-H32	ALUM PLATE 5086-H32 3.50"	39.5	96.4	O	
<b>5086 TEE BARS</b>					
60-2714-T86	5086H111 3 X 1.5 X .188 SC TEE	240.0	-	O	
60-2714-T86	5086H111 3 X 1.5 X .188 SC TEE	72.0	-	O	
T86-150.188-11	5086H111 1.5 X 1.5 X .188 SC T	300.0	-	O	
T86-200.188-11	5086H111 2 X 2 X .188 SC TEE	300.0	-	O	
T86-230.250-11	5086H111 2 X 3 X .250 SC TEE	300.0	-	O	
T86-240.250-11	5086H111 2 X 4 X .250 SC TEE	300.0	-	O	
T86-300.375-1S	5086H111 3.0 X 3.0 X .375 TEE	240.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
T86-OT-06163	5086H111 3.00 X 2.50 X .313	240.0	-	P	Feb 17, 12
T86-OT-08030	5086H111 4.75 X 8.00 X .277	300.0	-	O	
T86-OT-10102	5086H111 4.75 X 7.00 X .225	300.0	-	O	
T86-OT-7040	5086H111 4.75 X 8.00 X .258	300.0	-	O	
T86-TM-12134	5086H111 5.0 X 10 X .349/.578	300.0	-	O	
T86-TM-12182	5086H111 5.0 X 12 X .391/.645	300.0	-	O	
T86-TM-12200	5086H111 5.0 X 10 X .324/.492	300.0	-	O	
<b>5059 ARMOR PLATES</b>					
P59-0.250-H131	5059-H131 .250 ALUM ARMOR PLT	96.0	144.0	O	
P59-0.250-H136	5059-H136 .250 ALUM ARMOR PLT	48.0	144.0	O	
P59-0.250-H136	5059-H136 .250 ALUM ARMOR PLT	68.1	48.0	O	
P59-0.250-H136	5059-H136 .250 ALUM ARMOR PLT	72.0	240.0	O	
P59-0.375-H136	5059-H136 .375 ALUM ARMOR PLT	72.0	144.0	O	
P59-0.500-H136	5059-H136 .500 ALUM ARMOR PLT	72.0	144.0	O	
P59-0.625-H136	5059-H136 .625 ALUM ARMOR PLT	72.0	144.0	O	
P59-0.625-H136	5059-H136 .625 ALUM ARMOR PLT	49.0	144.0	O	
P59-0.625-H136	5059-H136 .625 ALUM ARMOR PLT	23.0	109.0	O	
P59-0.750-H136	5059-H136 .750 ALUM ARMOR PLT	48.0	192.0	O	
P59-1.000-H136	5059-H136 1.00 ALUM ARMOR PLT	72.0	144.0	O	
P59-1.250-H136	5059-H136 1.25 ALUM ARMOR PLT	48.0	144.0	O	
P59-1.500-H136	5059-H136 1.50 ALUM ARMOR PLT	48.0	144.0	O	
P59-2.000-H136	5059-H136 2.00 ALUM ARMOR PLT	48.0	72.0	O	
P59-2.000-H136	5059-H136 2.00 ALUM ARMOR PLT	72.0	144.0	P	May 15, 12
P59-3.000-H136	5059-H136 3.00 ALUM ARMOR PLT	48.0	144.0	O	
<b>5454 SHEETS</b>					
S54-160-H32	ALUMINUM SHEET 5454-H32 .160"	96.0	240.0	O	
S54-160-H32	ALUMINUM SHEET 5454-H32 .160"	96.0	179.6	O	
S54-197-H32	5454-H32 5MM ALUMINUM SHEET	96.0	240.0	O	
S54-197-H32	5454-H32 5MM ALUMINUM SHEET	96.0	192.0	O	
S54-235-H32	ALUMINUM SHEET 5454-H32 .235"	96.0	144.0	O	
S54-235-H32	ALUMINUM SHEET 5454-H32 .235"	96.0	240.0	O	
S54-235-H32	ALUMINUM SHEET 5454-H32 .235"	96.0	240.0	P	Mar 20, 12
<b>5454- H32 PLATES</b>					
P54-0.250-H32	ALUMINUM PLATE 5454-H32 .250"	36.0	72.0	O	
P54-0.250-H34	ALUMINUM PLATE 5454-H34 .250"	72.0	48.0	O	
P54-0.250-H34	ALUMINUM PLATE 5454-H34 .250"	36.0	96.0	O	
P54-0.315-H32	5454-H32 8MM ALUMINUM PLATE	96.0	240.0	O	
P54-0.354-H32	5454-H32 9MM ALUMINUM PLATE	96.0	240.0	O	
P54-0.375-H32	ALUMINUM PLATE 5454-H32 .375"	36.0	120.0	O	
P54-0.375-H32	ALUMINUM PLATE 5454-H32 .375"	48.0	120.0	O	
P54-0.375-H32	ALUMINUM PLATE 5454-H32 .375"	96.0	120.0	O	
P54-0.375-H32	ALUMINUM PLATE 5454-H32 .375"	96.0	240.0	O	
P54-0.433-H32	5454-H32 11MM ALUMINUM PLATE	96.0	240.0	O	
P54-0.512-H32	5454-H32 13MM ALUMINUM PLATE	96.0	240.0	O	
P54-0.512-H32	5454-H32 13MM ALUMINUM PLATE	96.0	205.9	O	
P54-0.750-H32	ALUMINUM PLATE 5454-H32 .750"	96.0	240.0	O	
P54-1.000-H34	ALUMINUM PLATE 5454-H34 1.00"	48.0	120.0	P	Apr 15, 12
<b>5454-H111 FLAT BARS</b>					
F54-0500400-11	5454H111 FLAT BAR .500 X 4.000	240.0	-	P	Feb 17, 12
F54-0500800-11	5454H111 FLAT BAR .500 X 8.000	240.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
<b>5456-H111 ANGLES</b>					
60-8691-A56	5456-H111 2.00 X 2.00 X .375	360.0	-	O	
A56-100.125-11	5456-H111 1.00 X 1.00 X .125	240.0	-	O	
A56-100.125-11	5456-H111 1.00 X 1.00 X .125	300.0	-	O	
A56-125.125-11	5456-H111 1.25 X 1.25 X .125	300.0	-	O	
A56-125.125-11	5456-H111 1.25 X 1.25 X .125	240.0	-	O	
A56-125.188-11	5456-H111 1.25 X 1.25 X .188	240.0	-	O	
A56-150.125-11	5456-H111 1.50 X 1.50 X .125	240.0	-	O	
A56-150.188-11	5456-H111 1.50 X 1.50 X .188	240.0	-	O	
A56-150.188-11	5456-H111 1.50 X 1.50 X .188	300.0	-	O	
A56-200.250-11	5456-H111 2.00 X 2.00 X .250	300.0	-	O	
A56-200.250-11	5456-H111 2.00 X 2.00 X .250	240.0	-	O	
A56-300.188-11	5456-H111 3.00 X 3.00 X .188	240.0	-	O	
A56-300.188-11	5456-H111 3.00 X 3.00 X .188	96.0	-	O	
A56-400.250-11	5456-H111 4.00 X 4.00 X .250	300.0	-	P	Feb 17, 12
A56-400.500-11	5456-H111 4.00 X 4.00 X .500	300.0	-	O	
A56-8060.38-11	5456-H111 8.00 X 6.00 X .375	240.0	-	P	Feb 17, 12
<b>5456-H111 BEAM</b>					
B56-3.250-1AS	5456-H111 3.00 X 2.00 X .250	480.0	-	O	
<b>5456-H111 STRUCTURAL TEE</b>					
60-22006-T56	5456H111 4 X 4 X.19/.25 STRL T	300.0	-	O	
<b>5456-H111 FLAT BARS</b>					
F56-0190075-11	5456H111 FLAT BAR .188 X 0.750	120.0	-	O	
F56-0190125-11	5456H111 FLAT BAR .188 X 1.250	240.0	-	O	
F56-0190200-11	5456H111 FLAT BAR .188 X 2.000	120.0	-	O	
F56-0250100-11	5456H111 FLAT BAR .250 X 1.000	144.0	-	O	
F56-0250200-11	5456H111 FLAT BAR .250 X 2.000	96.0	-	O	
F56-0250200-11	5456H111 FLAT BAR .250 X 2.000	144.0	-	O	
F56-0250200-11	5456H111 FLAT BAR .250 X 2.000	72.0	-	O	
F56-0750150-11	5456H111 FLAT BAR .750 X 1.500	144.0	-	O	
<b>5456-H111 ROUND BARS</b>					
R56-1.500-111	5456H111 EXT RND BAR 1.50"DIA.	144.0	-	O	
R56-2.000-111	5456H111 EXT RND BAR 2.00"DIA.	144.0	-	O	
<b>5456-H116 SHEETS</b>					
S56-125-H116	ALUMINUM SHEET 5456-H116 .125"	96.0	167.8	O	
S56-125-H116	ALUMINUM SHEET 5456-H116 .125"	96.0	146.0	O	
S56-190-H116	ALUMINUM SHEET 5456-H116 .190"	36.0	192.0	O	
S56-190-H116	ALUMINUM SHEET 5456-H116 .190"	36.0	240.0	O	
S56-190-H116	ALUMINUM SHEET 5456-H116 .190"	48.0	24.0	O	
S56-190-H116	ALUMINUM SHEET 5456-H116 .190"	48.0	144.0	O	
S56-190-H116	ALUMINUM SHEET 5456-H116 .190"	96.0	24.0	O	
S56-190-H116	ALUMINUM SHEET 5456-H116 .190"	96.0	192.0	O	
S56-190-H116	ALUMINUM SHEET 5456-H116 .190"	96.0	240.0	O	
<b>5456-H116 PLATES</b>					
P56-0.250-H116	ALUMINUM PLATE 5456-H116 .250"	48.0	108.0	O	
P56-0.250-H116	ALUMINUM PLATE 5456-H116 .250"	48.0	144.0	O	
P56-0.250-H116	ALUMINUM PLATE 5456-H116 .250"	48.0	180.0	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
P56-0.250-H116	ALUMINUM PLATE 5456-H116 .250"	48.0	240.0	O	
P56-0.250-H116	ALUMINUM PLATE 5456-H116 .250"	60.0	96.0	O	
P56-0.250-H116	ALUMINUM PLATE 5456-H116 .250"	60.0	240.0	O	
P56-0.250-H116	ALUMINUM PLATE 5456-H116 .250"	86.0	300.0	O	
P56-0.250-H116	ALUMINUM PLATE 5456-H116 .250"	96.0	108.0	O	
P56-0.250-H116	ALUMINUM PLATE 5456-H116 .250"	96.0	240.0	O	
P56-0.313-H116	ALUMINUM PLATE 5456-H116 .313"	48.0	132.0	O	
P56-0.313-H116	ALUMINUM PLATE 5456-H116 .313"	48.0	144.0	O	
P56-0.313-H116	ALUMINUM PLATE 5456-H116 .313"	48.0	288.0	O	
P56-0.313-H116	ALUMINUM PLATE 5456-H116 .313"	66.0	180.0	O	
P56-0.313-H116	ALUMINUM PLATE 5456-H116 .313"	66.0	300.0	O	
P56-0.313-H116	ALUMINUM PLATE 5456-H116 .313"	48.0	120.0	O	
P56-0.313-H116	ALUMINUM PLATE 5456-H116 .313"	48.0	24.0	O	
P56-0.375-H116	ALUMINUM PLATE 5456-H116 .375"	45.0	170.0	O	
P56-0.375-H116	ALUMINUM PLATE 5456-H116 .375"	45.0	180.0	O	
P56-0.375-H116	ALUMINUM PLATE 5456-H116 .375"	48.0	144.0	O	
P56-0.375-H116	ALUMINUM PLATE 5456-H116 .375"	60.0	120.0	O	
P56-0.375-H116	ALUMINUM PLATE 5456-H116 .375"	60.0	240.0	O	
P56-0.375-H116	ALUMINUM PLATE 5456-H116 .375"	96.0	240.0	P	May 7, 12
P56-0.375-H116	ALUMINUM PLATE 5456-H116 .375"	96.0	288.0	P	May 7, 12
P56-0.500-H116	ALUMINUM PLATE 5456-H116 .500"	11.0	59.5	O	
P56-0.500-H116	ALUMINUM PLATE 5456-H116 .500"	14.0	120.0	O	
P56-0.500-H116	ALUMINUM PLATE 5456-H116 .500"	33.0	96.0	O	
P56-0.500-H116	ALUMINUM PLATE 5456-H116 .500"	33.5	25.0	O	
P56-0.500-H116	ALUMINUM PLATE 5456-H116 .500"	48.0	120.0	O	
P56-0.500-H116	ALUMINUM PLATE 5456-H116 .500"	48.0	144.0	O	
P56-0.500-H116	ALUMINUM PLATE 5456-H116 .500"	50.0	79.5	O	
P56-0.500-H116	ALUMINUM PLATE 5456-H116 .500"	96.0	240.0	O	
P56-0.500-H321	ALUMINUM PLATE 5456-H321 .500"	48.0	144.0	P	May 7, 12
P56-0.625-H116	ALUMINUM PLATE 5456-H116 .625"	96.0	240.0	P	May 7, 12
P56-0.625-H116	ALUMINUM PLATE 5456-H116 .625"	60.0	12.0	O	
P56-0.625-H116	ALUMINUM PLATE 5456-H116 .625"	96.0	83.9	O	
P56-0.625-H116	ALUMINUM PLATE 5456-H116 .625"	96.0	240.0	O	
P56-0.625-H116	ALUMINUM PLATE 5456-H116 .625"	48.0	120.0	O	
P56-0.750-H116	ALUMINUM PLATE 5456-H116 .750"	48.0	144.0	O	
P56-0.750-H116	ALUMINUM PLATE 5456-H116 .750"	96.0	240.0	P	May 7, 12
P56-0.750-H116	ALUMINUM PLATE 5456-H116 .750"	35.8	89.4	O	
P56-1.000-H116	ALUMINUM PLATE 5456-H116 1.00"	48.0	10.8	O	
P56-1.000-H116	ALUMINUM PLATE 5456-H116 1.00"	48.0	12.0	O	
P56-1.000-H116	ALUMINUM PLATE 5456-H116 1.00"	48.0	53.3	O	
P56-1.000-H116	ALUMINUM PLATE 5456-H116 1.00"	48.0	144.0	O	
P56-1.000-H116	ALUMINUM PLATE 5456-H116 1.00"	60.0	240.0	O	
P56-1.000-H116	ALUMINUM PLATE 5456-H116 1.00"	96.0	149.0	O	
P56-1.000-H116	ALUMINUM PLATE 5456-H116 1.00"	96.0	240.0	O	
P56-1.000-H321	ALUMINUM PLATE 5456-H321 1.00"	72.3	96.0	O	
P56-1.000-H321	ALUMINUM PLATE 5456-H321 1.00"	44.5	96.0	O	
P56-1.250-H116	ALUMINUM PLATE 5456-H116 1.250	96.0	240.0	P	May 7, 12
P56-1.375-H116	ALUMINUM PLATE 5456-H116 1.375	40.0	64.4	O	
P56-1.375-H116	ALUMINUM PLATE 5456-H116 1.375	60.0	52.0	O	
P56-1.375-H116	ALUMINUM PLATE 5456-H116 1.375	40.0	34.0	O	
P56-1.500-H116	ALUMINUM PLATE 5456-H116 1.50"	96.0	158.5	O	
P56-1.500-H116	ALUMINUM PLATE 5456-H116 1.50"	96.0	240.0	O	
P56-1.500-H116	ALUMINUM PLATE 5456-H116 1.50"	24.0	47.5	O	
P56-1.500-H321	ALUMINUM PLATE 5456-H321 1.50"	48.0	144.0	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
P56-2.000-H116	ALUMINUM PLATE 5456-H116 2.00"	96.0	144.8	O	
P56-2.125-H116	ALUMINUM PLATE 5456-H116 2.125	60.0	48.0	O	
P56-2.500-H116	ALUMINUM PLATE 5456-H116 2.50"	68.0	125.9	O	
P56-4.000-H116	ALUMINUM PLATE 5456-H116 4.00"	48.0	144.8	O	
P56-4.000-H116	ALUMINUM PLATE 5456-H116 4.00"	48.0	144.0	P	May 7, 12
<b>6061 RECTANGULAR TUBING</b>					
61F05100065T6	6061-T6511 .500 X 1.00 X .065	144.0	-	O	
61F06163050T4D	6061T4.625X1.625X.050 D S OVL	144.0	-	O	
61F101501256D	6061T6 1.0 X 1.5 X .125 DRAWN	144.0	-	O	
61F102001256D	6061T6 1.0 X 2.0 X .125 DRAWN	144.0	-	O	
61F10200125T6	6061-T6 1 X 2 X .125 REC TUBE	144.0	-	O	
61F10200125T6	6061-T6 1 X 2 X .125 REC TUBE	288.0	-	O	
61F10300125T6	6061-T6 1 X 3 X .125 REC TUBE	240.0	-	P	Feb 22, 12
61F10300125T6	6061-T6 1 X 3 X .125 REC TUBE	240.0	-	O	
61F13200125T6	6061T6 1.25 X 2 X .125 REC TUBE	252.0	-	O	
61F15200125T6	6061T6 1.5 X 2 X .125 REC TUBE	288.0	-	O	
61F20300125T6	6061-T6 2 X 3 X .125 REC TUBE	240.0	-	O	
61F20300125T6R	6061T6 2 X 3 X .125W/.125R TUBE	240.0	-	O	
61F20300250T6	6061T6 2 X 3 X .250WA REC TUBE	288.0	-	O	
61F20500125T6	6061-T6 2 X 5 X .125WA REC TUBE	240.0	-	O	
61F40600250T6	6061-T6 4 X 6 X .250 REC TUBE	360.0	-	O	
61F40600250T6	6061-T6 4 X 6 X .250 REC TUBE	288.0	-	O	
61F40600375T6	6061-T6 4 X 6 X .375 REC TUBE	240.0	-	O	
61F40800500T6	6061-T6 4 X 8 X .500 REC TUBE	240.0	-	O	
61F40800500T6	6061-T6 4 X 8 X .500 REC TUBE	96.0	-	O	
<b>6061 PIPE</b>					
61P-050.40-T6	6061-T6 .500"SCH.40 STRUCTURAL	240.0	-	O	
61P-075.40-T6	6061-T6 .750"SCH.40 STRUCTURAL	240.0	-	O	
61P-075.80-T6	6061-T6 .750"SCH.80 STRUCTURAL	240.0	-	O	
61P-100.10-T6	6061-T6 1.00"SCH.10 STRUCTURAL	288.0	-	O	
61P-100.10-T6	6061-T6 1.00"SCH.10 STRUCTURAL	240.0	-	O	
61P-100.40-6S	6061-T6 1.00"SCH.40 SMLS-EXTRD	240.0	-	O	
61P-100.40-T6	6061-T6 1.00"SCH.40 STRUCTURAL	240.0	-	O	
61P-100.80-T6	6061-T6 1.00"SCH.80 STRUCTURAL	240.0	-	O	
61P-1000.40-6S	6061-T6 10.0"SCH.40 SMLS-EXTRD	240.0	-	O	
61P-125.40-T6	6061-T6 1.25"SCH.40 STRUCTURAL	240.0	-	O	
61P-125.80-T6	6061-T6 1.25"SCH.80 STRUCTURAL	240.0	-	O	
61P-150.40-6S	6061-T6 1.50"SCH.40 SMLS-EXTRD	240.0	-	P	Feb 6, 12
61P-150.40-T6	6061-T6 1.50"SCH.40 STRUCTURAL	240.0	-	O	
61P-150.80-T6	6061-T6 1.50"SCH.80 STRUCTURAL	240.0	-	O	
61P-200.40-6S	6061-T6 2.00"SCH.40 SMLS-EXTRD	240.0	-	O	
61P-200.40-T6	6061-T6 2.00"SCH.40 STRUCTURAL	240.0	-	O	
61P-200.40-T6	6061-T6 2.00"SCH.40 STRUCTURAL	252.0	-	O	
61P-200.40-T6	6061-T6 2.00"SCH.40 STRUCTURAL	72.0	-	O	
61P-200.80-T6	6061-T6 2.00"SCH.80 STRUCTURAL	240.0	-	O	
61P-250.40-6S	6061-T6 2.50"SCH.40 SMLS-EXTRD	240.0	-	O	
61P-250.40-6S	6061-T6 2.50"SCH.40 SMLS-EXTRD	240.0	-	O	
61P-250.40-T6	6061-T6 2.50"SCH.40 STRCL PIPE	240.0	-	O	
61P-250.80-T6	6061-T6 2.50"SCH.80 STRCL PIPE	240.0	-	O	
61P-300.40-T6	6061-T6 3.00"SCH.40 STRCL PIPE	240.0	-	P	Mar 6, 12
61P-300.40-T6	6061-T6 3.00"SCH.40 STRCL PIPE	240.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
61P-300.80-T6	6061-T6 3.00"SCH.80 STRCL PIPE	222.0	-	O	
61P-300.80-T6	6061-T6 3.00"SCH.80 STRCL PIPE	240.0	-	O	
61P-350.40-T6	6061-T6 3.50"SCH.40 STRCL PIPE	240.0	-	O	
61P-350.40-T6	6061-T6 3.50"SCH.40 STRCL PIPE	194.5	-	O	
61P-400.40-6S	6061-T6 4.00"SCH.40 SMLS-EXTRD	240.0	-	P	Feb 6, 12
61P-400.40-6S	6061-T6 4.00"SCH.40 SMLS-EXTRD	240.0	-	O	
61P-400.40-T6	6061-T6 4.00"SCH.40 STRCL PIPE	240.0	-	O	
61P-400.80-T6	6061-T6 4.00"SCH.80 STRCL PIPE	240.0	-	O	
61P-400.80-T6	6061-T6 4.00"SCH.80 STRCL PIPE	180.0	-	O	
61P-500.80-T6	6061-T6 5.00"SCH.80 STRCL PIPE	240.0	-	O	
61P-600.40-T6	6061-T6 6.00"SCH.40 STRCL PIPE	300.0	-	O	
61P-600.40-T6	6061-T6 6.00"SCH.40 STRCL PIPE	240.0	-	O	
61P-800.40-T6	6061-T6 8.00"SCH.40 STRCL PIPE	78.8	-	O	
61P-800.40-T6	6061-T6 8.00"SCH.40 STRCL PIPE	240.0	-	O	
<b>6061 SQUARE TUBING</b>					
61Q-075.125-T6	6061-T6 .750"SQ X .125 SQ TUBE	288.0	-	O	
61Q-100.065-6D	6061T6 1.0 X .065 X .156R DRWN	144.0	-	O	
61Q-100.065-6R	6061T6 1.00"SQ X.065W X.125"OR	144.0	-	O	
61Q-100.095-6D	6061T6 1.0X.095X.156R DRAWN SQ	144.0	-	O	
61Q-100.125-6D	6061T6 1.0X.125X.156R DRAWN SQ	72.0	-	O	
61Q-100.125-6D	6061T6 1.0X.125X.156R DRAWN SQ	136.0	-	O	
61Q-100.125-6D	6061T6 1.0X.125X.156R DRAWN SQ	144.0	-	O	
61Q-100.125-T6	6061-T6 1.00"SQ X .125 SQ TUBE	240.0	-	P	Feb 22, 12
61Q-100.125-T6	6061-T6 1.00"SQ X .125 SQ TUBE	288.0	-	O	
61Q-100.125-T6	6061-T6 1.00"SQ X .125 SQ TUBE	240.0	-	O	
61Q-125.125-T6	6061-T6 1.25"SQ X .125 SQ TUBE	288.0	-	O	
61Q-150.125-T6	6061-T6 1.50"SQ X .125 SQ TUBE	240.0	-	O	
61Q-150.125-T6	6061-T6 1.50"SQ X .125 SQ TUBE	108.0	-	O	
61Q-150.250-T6	6061-T6 1.50"SQ X .250 SQ TUBE	96.0	-	O	
61Q-150.250-T6	6061-T6 1.50"SQ X .250 SQ TUBE	144.0	-	O	
61Q-150.250-T6	6061-T6 1.50"SQ X .250 SQ TUBE	252.0	-	O	
61Q-150.250-T6	6061-T6 1.50"SQ X .250 SQ TUBE	288.0	-	O	
61Q-200.125-6D	6061T6 2 X .125X.156R DRAWN SQ	144.0	-	O	
61Q-200.125-6R	6061T6 2.00"SQ X.125W X.125"OR	252.0	-	O	
61Q-200.125-6R	6061T6 2.00"SQ X.125W X.125"OR	240.0	-	O	
61Q-200.125-T6	6061-T6 2.00"SQ X .125 SQ TUBE	240.0	-	P	Feb 22, 12
61Q-200.125-T6	6061-T6 2.00"SQ X .125 SQ TUBE	300.0	-	O	
61Q-200.125-T6	6061-T6 2.00"SQ X .125 SQ TUBE	240.0	-	O	
61Q-200.156-T6	6061-T6 2.00"SQ X .156 SQ TUBE	240.0	-	O	
61Q-200.188-T6	6061-T6 2.00"SQ X .188 SQ TUBE	240.0	-	O	
61Q-200.188-T6	6061-T6 2.00"SQ X .188 SQ TUBE	288.0	-	O	
61Q-200.250-T6	6061-T6 2.00"SQ X .250 SQ TUBE	288.0	-	O	
61Q-200.250-T6	6061-T6 2.00"SQ X .250 SQ TUBE	48.0	-	O	
61Q-300.125-6R	6061T6 3.00"SQ X.125W X.094"OR	240.0	-	O	
61Q-300.250-T6	6061-T6 3.00"SQ X .250 SQ TUBE	288.0	-	O	
61Q-400.188-T6	6061-T6 4.00"SQ X .188 SQ TUBE	288.0	-	O	
61Q-400.188-T6	6061-T6 4.00"SQ X .188 SQ TUBE	80.1	-	O	
61Q-400.250-T6	6061-T6 4.00"SQ X .250 SQ TUBE	288.0	-	O	
61Q-400.500-T6	6061-T6 4.00"SQ X .500 SQ TUBE	288.0	-	P	Feb 17, 12
61Q-400.500-T6	6061-T6 4.00"SQ X .500 SQ TUBE	288.0	-	O	
61Q-600.125-T6	6061-T6 6.00"SQ X .125 SQ TUBE	288.0	-	O	
61Q-600.250-T6	6061-T6 6.00"SQ X .250 SQ TUBE	240.0	-	O	
61Q-800.250-T6	6061-T6 8.00"SQ X .250 SQ TUBE	288.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
<b>6061 ROUND TUBING</b>					
61R-019.025-6D	6061-T6 .188 X .025 DRAWN-SMLS	144.0	-	O	
61R-025.022-6D	6061-T6 .250 X .022 DRAWN-SMLS	144.0	-	O	
61R-025.028-6D	6061-T6 .250 X .028 DRAWN-SMLS	144.0	-	O	
61R-025.035-4D	6061-T4 .250 X .035 DRAWN-SMLS	144.0	-	O	
61R-025.035-6D	6061-T6 .250 X .035 DRAWN-SMLS	144.0	-	O	
61R-038.028-0D	6061-0 .375 X .028 DRAWN-SMLS	144.0	-	O	
61R-038.028-4D	6061-T4 .375 X .028 DRAWN-SMLS	144.0	-	O	
61R-038.028-6D	6061-T6 .375 X .028 DRAWN SMLS	144.0	-	O	
61R-038.035-6D	6061-T6 .375 X .035 DRAWN SMLS	144.0	-	O	
61R-038.058-6D	6061-T6 .375 X .058 DRAWN SMLS	144.0	-	P	Mar 11, 12
61R-050.020-4D	6061-T4 .500 X .020 DRAWN-SMLS	144.0	-	O	
61R-050.028-6D	6061-T6 .500 X .028 DRAWN-SMLS	144.0	-	O	
61R-050.035-6D	6061-T6 .500 X .035 DRAWN-SMLS	144.0	-	O	
61R-050.049-6D	6061-T6 .500 X .049 DRAWN-SMLS	144.0	-	O	
61R-050.065-6D	6061-T6 .500 X .065 DRAWN-SMLS	144.0	-	O	
61R-063.035-6D	6061-T6 .625 X .035 DRAWN-SMLS	144.0	-	P	Mar 11, 12
61R-063.035-6D	6061-T6 .625 X .035 DRAWN-SMLS	144.0	-	O	
61R-063.049-6D	6061-T6 .625 X .049 DRAWN-SMLS	144.0	-	O	
61R-063.049-6D	6061-T6 .625 X .049 DRAWN-SMLS	136.0	-	O	
61R-063.058-6D	6061-T6 .625 X .058 DRAWN-SMLS	144.0	-	O	
61R-063.065-6D	6061-T6 .625 X .065 DRAWN-SMLS	144.0	-	O	
61R-075.035-4D	6061-T4 .750 X .035 DRAWN-SMLS	144.0	-	O	
61R-075.035-4D	6061-T4 .750 X .035 DRAWN-SMLS	120.0	-	O	
61R-075.042-6D	6061-T6 .750 X .042 DRAWN-SMLS	144.0	-	O	
61R-075.049-6D	6061-T6 .750 X .049 DRAWN-SMLS	144.0	-	O	
61R-075.058-6D	6061-T6 .750 X .058 DRAWN-SMLS	136.0	-	O	
61R-075.058-6D	6061-T6 .750 X .058 DRAWN-SMLS	138.0	-	O	
61R-075.058-6D	6061-T6 .750 X .058 DRAWN-SMLS	144.0	-	O	
61R-075.065-65	6061-T6 .750 X .065 EXTRUDED	180.0	-	O	
61R-075.065-6D	6061-T6 .750 X .065 DRAWN-SMLS	144.0	-	O	
61R-075.083-65	6061-T6 .750 X .083 EXTRUDED	144.0	-	O	
61R-075.125-65	6061-T6 .750 X .125 EXTRUDED	288.0	-	O	
61R-075.125-6D	6061-T6 .750 X .125 DRAWN-SMLS	144.0	-	O	
61R-076.208-6D	6061-T6 .759 X .343 DRAWN-SMLS	144.0	-	O	
61R-100.028-6D	6061-T6 1.00 X .028 DRAWN-SMLS	144.0	-	O	
61R-100.035-6D	6061-T6 1.00 X .035 DRAWN-SMLS	144.0	-	O	
61R-100.042-6D	6061-T6 1.00 X .042 DRAWN-SMLS	144.0	-	O	
61R-100.049-6D	6061-T6 1.00 X .049 DRAWN-SMLS	96.0	-	O	
61R-100.049-6D	6061-T6 1.00 X .049 DRAWN-SMLS	144.0	-	O	
61R-100.049-6D	6061-T6 1.00 X .049 DRAWN-SMLS	168.0	-	O	
61R-100.058-6D	6061-T6 1.00 X .058 DRAWN-SMLS	144.0	-	P	Mar 11, 12
61R-100.083-6D	6061-T6 1.00 X .083 DRAWN-SMLS	144.0	-	O	
61R-100.120-6D	6061-T6 1.00 X .120 DRAWN-SMLS	144.0	-	O	
61R-100.125-0D	6061-0 1.00 X .125 DRAWN-SMLS	144.0	-	O	
61R-100.125-65	6061-T6 1.00 X .125 EXTRUDED	96.0	-	O	
61R-100.125-65	6061-T6 1.00 X .125 EXTRUDED	216.0	-	O	
61R-100.125-65	6061-T6 1.00 X .125 EXTRUDED	240.0	-	O	
61R-100.125-65	6061-T6 1.00 X .125 EXTRUDED	288.0	-	O	
61R-100.250-65	6061-T6 1.00 X .250 EXTRUDED	288.0	-	O	
61R-100.250-65	6061-T6 1.00 X .250 EXTRUDED	144.0	-	O	
61R-1000.25-65	6061-T6 10.0 X .250 EXTRUDED	144.0	-	O	
61R-1000.50-6S	6061-T6 10.0 X .500 SEAMLESS	24.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
61R-1000.50-6S	6061-T6 10.0 X .500 SEAMLESS	116.2	-	O	
61R-1000.50-6S	6061-T6 10.0 X .500 SEAMLESS	144.0	-	O	
61R-1001.00-6S	6061-T6 10.0 X 1.00 SEAMLESS	144.0	-	O	
61R-1001.00-6S	6061-T6 10.0 X 1.00 SEAMLESS	72.0	-	O	
61R-1002.00-6S	6061-T6 10.0 X 2.00 SEAMLESS	85.0	-	O	
61R-1200.50-6S	6061-T6 12.0 X .500 SEAMLESS	144.0	-	O	
61R-1200.50-6S	6061-T6 12.0 X .500 SEAMLESS	126.0	-	O	
61R-1200.50-6S	6061-T6 12.0 X .500 SEAMLESS	96.0	-	O	
61R-125.049-6D	6061-T6 1.25 X .049 DRAWN-SMLS	72.0	-	O	
61R-125.065-6D	6061-T6 1.25 X .065 DRAWN-SMLS	144.0	-	O	
61R-125.065-6D	6061-T6 1.25 X .065 DRAWN-SMLS	120.0	-	O	
61R-131-6S	6061-T6 13.0 X 1.00 EXT-SMLS	144.0	-	O	
61R-131.5-6S	6061-T6 13.0 X 1.50 EXT-SMLS	120.0	-	P	Feb 12, 12
61R-141-6S	6061-T6 14.0 X 1.00 EXT-SMLS	144.0	-	O	
61R-150.049-6D	6061-T6 1.50 X .049 DRAWN-SMLS	144.0	-	O	
61R-150.049-6D	6061-T6 1.50 X .049 DRAWN-SMLS	120.0	-	O	
61R-150.065-65	6061-T6 1.50 X .065 EXTRUDED	240.0	-	O	
61R-150.065-65	6061-T6 1.50 X .065 EXTRUDED	96.0	-	O	
61R-150.120-6D	6061-T6 1.50 X .120 DRAWN-SMLS	120.0	-	O	
61R-150.125-65	6061-T6 1.50 X .125 EXTRUDED	144.0	-	O	
61R-150.250-65	6061-T6 1.50 X .250 EXTRUDED	240.0	-	O	
61R-150.250-65	6061-T6 1.50 X .250 EXTRUDED	288.0	-	O	
61R-175.035-6D	6061-T6 1.75 X .035 DRAWN-SMLS	144.0	-	O	
61R-175.049-6D	6061-T6 1.75 X .049 DRAWN-SMLS	144.0	-	O	
61R-175.065-0D	6061-0 1.75 X .065 DRAWN-SMLS	144.0	-	O	
61R-175.125-6D	6061-T6 1.75 X .125 DRAWN-SMLS	144.0	-	O	
61R-175.250-65	6061-T6 1.75 X .250 EXTRUDED	288.0	-	O	
61R-200.049-6D	6061-T6 2.00 X .049 DRAWN-SMLS	144.0	-	O	
61R-200.125-65	6061-T6511 2.00 X .125 EXTRUDE	180.0	-	O	
61R-200.125-65	6061-T6511 2.00 X .125 EXTRUDE	240.0	-	O	
61R-200.125-65	6061-T6511 2.00 X .125 EXTRUDE	288.0	-	O	
61R-200.125-65	6061-T6511 2.00 X .125 EXTRUDE	120.0	-	O	
61R-200.125-6D	6061-T6 2.00 X .125 DRAWN-SMLS	144.0	-	P	Feb 17, 12
61R-200.250-65	6061-T6511 2.00 X .250 EXTRUDE	288.0	-	O	
61R-225.125-65	6061-T6511 2.25 X .125 EXTRUDE	360.0	-	O	
61R-225.375-65	6061-T6511 2.25 X .375 EXTRUDE	288.0	-	O	
61R-225.375-65	6061-T6511 2.25 X .375 EXTRUDE	144.0	-	O	
61R-250.049-6D	6061-T6 2.50 X .049 DRAWN-SMLS	72.0	-	O	
61R-250.125-65	6061-T6511 2.50 X .125 EXTRUDE	144.0	-	O	
61R-250.125-65	6061-T6511 2.50 X .125 EXTRUDE	288.0	-	O	
61R-250.250-65	6061-T6511 2.50 X .250 EXTRUDE	360.0	-	O	
61R-250.250-65	6061-T6511 2.50 X .250 EXTRUDE	288.0	-	O	
61R-250.500-65	6061-T6511 2.50 X .500 EXTRUDE	216.0	-	O	
61R-250.500-65	6061-T6511 2.50 X .500 EXTRUDE	288.0	-	O	
61R-250.500-65	6061-T6511 2.50 X .500 EXTRUDE	144.0	-	O	
61R-275.125-65	6061-T6511 2.75 X .125 EXTRUDE	288.0	-	O	
61R-300.065-6D	6061-T6 3.00 X .065 DRAWN-SMLS	11.8	-	O	
61R-300.065-6D	6061-T6 3.00 X .065 DRAWN-SMLS	144.0	-	O	
61R-300.125-65	6061-T6511 3.00 X .125 EXTRUDE	288.0	-	O	
61R-300.250-65	6061-T6511 3.0 X .250 EXTRUDE	288.0	-	O	
61R-300.250-65	6061-T6511 3.0 X .250 EXTRUDE	192.0	-	O	
61R-300.250-6D	6061-T6 3.00 X .250 DRAWN-SMLS	144.0	-	O	
61R-300.250-6D	6061-T6 3.00 X .250 DRAWN-SMLS	60.0	-	O	
61R-300.375-65	6061-T6511 3.00 X .375 EXTRUDE	288.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
61R-300.500-65	6061-T6511 3.00 X .500 EXTRUDE	216.3	-	O	
61R-300.500-65	6061-T6511 3.00 X .500 EXTRUDE	48.0	-	O	
61R-300.750-65	6061-T6511 3.00 X .750 EXTRUDE	288.0	-	O	
61R-325.065-6D	6061-T6 3.25 X .065 DRAWN-SMLS	144.0	-	O	
61R-350.188-65	6061-T6511 3.50 X .188 EXTRUDE	288.0	-	O	
61R-350.375-65	6061-T6511 3.50 X .375 EXTRUDE	144.0	-	O	
61R-400.125-65	6061-T6511 4.00 X .125 EXTRUDE	288.0	-	O	
61R-400.125-65	6061-T6511 4.00 X .125 EXTRUDE	168.0	-	O	
61R-400.188-65	6061-T6511 4.00 X .188 EXTRUDE	288.0	-	O	
61R-400.250-65	6061-T6511 4.0 X .250 EXTRUDED	288.0	-	O	
61R-400.500-65	6061T6511 4.00 X .500 EXTRUDED	28.5	-	O	
61R-401.000-6S	6061-T6511 4.00 X 1.00 SMLS-EX	96.0	-	O	
61R-425.250-65	6061-T6511 4.250 X .250 EXT.	288.0	-	O	
61R-450.375-65	6061-T6511 4.500 X .375 EXT.	288.0	-	O	
61R-500.125-65	6061-T6511 5.000 X .125 EXT.	288.0	-	O	
61R-500.375-65	6061-T6511 5.000 X .375 EXT.	360.0	-	O	
61R-550.250-65	6061-T6511 5.50 X .250 EXTRUDE	288.0	-	O	
61R-550.250-65	6061-T6511 5.50 X .250 EXTRUDE	227.6	-	O	
61R-600.250-65	6061-T6511 6.00 X .250 EXTRUDE	107.5	-	O	
61R-600.250-65	6061-T6511 6.00 X .250 EXTRUDE	288.0	-	O	
61R-601.000-65	6061-T6511 6.00 X 1.00 EXTRUDE	144.0	-	O	
61R-601.000-65	6061-T6511 6.00 X 1.00 EXTRUDE	111.1	-	O	
61R-602.000-6S	6061T6511 6.00 X 2.00 EXT-SMLS	144.0	-	O	
61R-800.125-6S	6061-T6511 8.0 X .125 SEAMLESS	240.0	-	O	
61R-801.000-6S	6061-T6511 8.0 X 1.00 SEAMLESS	144.0	-	O	
61R-850.500-65	6061T6511 8.50 X .500 EXTRUDED	167.8	-	O	
<b>6061 ANGLES</b>					
10133-0702-A61	6061-T6511 .875 X .875 X .094	240.0	-	P	Feb 17, 12
10133-1001-A61	6061-T6 1.00 X 1.00 X .062	144.0	-	O	
10133-1002-A61	6061-T6511 1.00 X 1.00 X .094	144.0	-	O	
10133-1003-A61	6061-T6511 1.00 X 1.00 X .125	155.9	-	O	
10133-1003-A61	6061-T6511 1.00 X 1.00 X .125	144.0	-	O	
10133-1203-A61	6061-T6 1.25 X 1.25 X .125	300.0	-	O	
10133-1203-A61	6061-T6 1.25 X 1.25 X .125	216.0	-	O	
10133-1403-A61	6061-T6 1.50 X 1.50 X .125	300.0	-	O	
10133-2001-A61	6061-T6511 2.00 X 2.00 X .094	144.0	-	O	
10134-1204-A61	6061-T6 1.25 X 1.00 X .063	144.0	-	O	
10134-1403-A61	6061-T6511 1.50 X 1.00 X .094	144.0	-	O	
10134-3006-A61	6061-T6 3.00 X 2.50 X .313	240.0	-	O	
60-136-A61	6061-T6511 1.50 X 1.00 X .062	144.0	-	O	
60-155-A61	6061-T6 1.00 X 1.00 X .250	300.0	-	O	
60-159-A61	6061-T6 SC 1.50 X 1.50 X .250	300.0	-	O	
60-209-A61	6061-T6 SC .500 X .500 X .062	240.0	-	O	
60-223-A61	6061-T6 2.00 X 1.50 X .250	300.0	-	O	
60-223-A61	6061-T6 2.00 X 1.50 X .250	60.0	-	O	
60-2250-A61	6061-T6511 1.00 X .875 X .125	120.0	-	O	
60-3837-A61	6061-T6 3.00 X 3.00 X .375	300.0	-	O	
60-3837-A61	6061-T6 3.00 X 3.00 X .375	240.0	-	O	
60-72-A61	6061-T6 1.00 X 1.00 X .125	300.0	-	O	
60-72-A61	6061-T6 1.00 X 1.00 X .125	144.0	-	O	
60-77-A61	6061-T6 1.50 X 1.50 X .250	252.0	-	O	
60-77-A61	6061-T6 1.50 X 1.50 X .250	240.0	-	O	
60-8250-A61	6061-T6 1.25 X .750 X .063	144.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
60-88-A61	6061-T6 1.50 X 1.25 X .188	300.0	-	O	
60-956-A61	6061-T6 2.00 X 2.00 X .250	240.0	-	O	
A61-075.125-6S	6061-T6 .750 X .750 X .125	300.0	-	O	
A61-100.125-6S	6061-T6 1.00 X 1.00 X .125	300.0	-	O	
A61-100.125-6S	6061-T6 1.00 X 1.00 X .125	300.0	-	P	Feb 20, 12
A61-100.125-6S	6061-T6 1.00 X 1.00 X .125	295.9	-	O	
A61-100.125-6S	6061-T6 1.00 X 1.00 X .125	150.0	-	O	
A61-100.125-6S	6061-T6 1.00 X 1.00 X .125	144.0	-	O	
A61-100.188-6S	6061-T6 1.00 X 1.00 X .188	300.0	-	P	Feb 21, 12
A61-100.188-6S	6061-T6 1.00 X 1.00 X .188	300.0	-	O	
A61-100.250-6S	6061-T6 1.00 X 1.00 X .250	144.0	-	O	
A61-100.250-6S	6061-T6 1.00 X 1.00 X .250	240.0	-	O	
A61-100.250-6S	6061-T6 1.00 X 1.00 X .250	300.0	-	O	
A61-125.125-6S	6061-T6 1.25 X 1.25 X .125	300.0	-	O	
A61-125.125-6S	6061-T6 1.25 X 1.25 X .125	144.0	-	O	
A61-125.188-6S	6061-T6 1.25 X 1.25 X .188	300.0	-	O	
A61-150.125-6S	6061-T6 1.50 X 1.50 X .125	12.0	-	O	
A61-150.125-6S	6061-T6 1.50 X 1.50 X .125	144.0	-	O	
A61-150.125-6S	6061-T6 1.50 X 1.50 X .125	240.0	-	O	
A61-150.125-6S	6061-T6 1.50 X 1.50 X .125	300.0	-	O	
A61-150.188-6S	6061-T6 A.S 1.50 X 1.50 X .188	240.0	-	O	
A61-150.188-6S	6061-T6 A.S 1.50 X 1.50 X .188	300.0	-	O	
A61-150.188-6S	6061-T6 A.S 1.50 X 1.50 X .188	108.0	-	O	
A61-150.250-6S	6061-T6 1.50 X 1.50 X .250	48.0	-	O	
A61-150.250-6S	6061-T6 1.50 X 1.50 X .250	240.0	-	O	
A61-150.250-6S	6061-T6 1.50 X 1.50 X .250	300.0	-	O	
A61-1510.25-6S	6061-T6 1.50 X 1.00 X .250	300.0	-	O	
A61-175.188-6S	6061-T6 1.75 X 1.75 X .188	300.0	-	O	
A61-175.188-6S	6061-T6 1.75 X 1.75 X .188	150.0	-	O	
A61-175.250-6S	6061-T6 1.75 X 1.75 X .250	144.0	-	O	
A61-200.125-6S	6061-T6 2.00 X 2.00 X .125	156.0	-	O	
A61-200.125-6S	6061-T6 2.00 X 2.00 X .125	240.0	-	O	
A61-200.125-6S	6061-T6 2.00 X 2.00 X .125	300.0	-	O	
A61-200.125-6S	6061-T6 2.00 X 2.00 X .125	144.0	-	P	Mar 6, 12
A61-200.125-6S	6061-T6 2.00 X 2.00 X .125	144.0	-	O	
A61-200.188-6S	6061-T6 2.00 X 2.00 X .188	48.0	-	O	
A61-200.188-6S	6061-T6 2.00 X 2.00 X .188	60.0	-	O	
A61-200.188-6S	6061-T6 2.00 X 2.00 X .188	144.0	-	O	
A61-200.188-6S	6061-T6 2.00 X 2.00 X .188	240.0	-	O	
A61-200.188-6S	6061-T6 2.00 X 2.00 X .188	300.0	-	O	
A61-200.250-6S	6061-T6 2.00 X 2.00 X .250	240.0	-	O	
A61-200.250-6S	6061-T6 2.00 X 2.00 X .250	240.0	-	P	Mar 6, 12
A61-200.250-6S	6061-T6 2.00 X 2.00 X .250	300.0	-	O	
A61-200.250-6S	6061-T6 2.00 X 2.00 X .250	192.0	-	O	
A61-200.375-6S	6061-T6 2.00 X 2.00 X .375	192.0	-	O	
A61-200.375-6S	6061-T6 2.00 X 2.00 X .375	300.0	-	O	
A61-2015.25-6S	6061-T6 2.00 X 1.50 X .250	60.0	-	O	
A61-250.188-6S	6061-T6 2.50 X 2.50 X .188	180.1	-	O	
A61-250.188-6S	6061-T6 2.50 X 2.50 X .188	300.0	-	O	
A61-250.188-6S	6061-T6 2.50 X 2.50 X .188	108.0	-	O	
A61-250.250-6S	6061-T6 2.50 X 2.50 X .250	60.0	-	O	
A61-250.250-6S	6061-T6 2.50 X 2.50 X .250	240.0	-	O	
A61-250.250-6S	6061-T6 2.50 X 2.50 X .250	264.0	-	O	
A61-250.250-6S	6061-T6 2.50 X 2.50 X .250	300.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
A61-2515.25-6S	6061-T6 2.50 X 1.50 X .250	300.0	-	O	
A61-300.188-6S	6061-T6 3.00 X 3.00 X .188	300.0	-	O	
A61-300.188-6S	6061-T6 3.00 X 3.00 X .188	204.0	-	O	
A61-300.250-6S	6061-T6 3.00 X 3.00 X .250	257.0	-	O	
A61-300.250-6S	6061-T6 3.00 X 3.00 X .250	300.0	-	O	
A61-300.250-6S	6061-T6 3.00 X 3.00 X .250	240.0	-	O	
A61-300.375-6S	6061-T6 3.00 X 3.00 X .375	240.0	-	P	Mar 6, 12
A61-300.375-6S	6061-T6 3.00 X 3.00 X .375	240.0	-	O	
A61-300.500-6S	6061-T6 3.00 X 3.00 X .500	59.8	-	O	
A61-300.500-6S	6061-T6 3.00 X 3.00 X .500	204.0	-	O	
A61-3015.19-6S	6061-T6 3.00 X 1.50 X .188	300.0	-	O	
A61-3020.19-6S	6061-T6 3.00 X 2.00 X .188	300.0	-	O	
A61-3020.25-6S	6061-T6 3.00 X 2.00 X .250	240.0	-	P	Feb 22, 12
A61-3020.25-6S	6061-T6 3.00 X 2.00 X .250	300.0	-	P	Feb 22, 12
A61-3020.25-6S	6061-T6 3.00 X 2.00 X .250	144.0	-	P	Feb 17, 12
A61-3020.38-6S	6061-T6 3.00 X 2.00 X .375	60.0	-	O	
A61-3020.38-6S	6061-T6 3.00 X 2.00 X .375	240.0	-	O	
A61-3020.38-6S	6061-T6 3.00 X 2.00 X .375	300.0	-	O	
A61-400.250-6S	6061-T6 4.00 X 4.00 X .250	300.0	-	O	
A61-400.250-6S	6061-T6 4.00 X 4.00 X .250	240.0	-	O	
A61-400.375-6S	6061-T6 4.00 X 4.00 X .375	300.0	-	O	
A61-400.375-6S	6061-T6 4.00 X 4.00 X .375	240.0	-	O	
A61-400.500-6S	6061-T6 4.00 X 4.00 X .500	203.5	-	O	
A61-400.500-6S	6061-T6 4.00 X 4.00 X .500	300.0	-	O	
A61-4030.25-6S	6061-T6 4.00 X 3.00 X .250	144.0	-	O	
A61-4030.25-6S	6061-T6 4.00 X 3.00 X .250	240.0	-	O	
A61-4030.25-6S	6061-T6 4.00 X 3.00 X .250	300.0	-	O	
A61-4030.25-6S	6061-T6 4.00 X 3.00 X .250	480.0	-	O	
A61-4030.25-6S	6061-T6 4.00 X 3.00 X .250	96.0	-	O	
A61-4030.38-6S	6061-T6 4.00 X 3.00 X .375	300.0	-	O	
A61-4030.38-6S	6061-T6 4.00 X 3.00 X .375	60.0	-	O	
A61-4030.50-6S	6061-T6 4.00 X 3.00 X .500	480.0	-	O	
A61-500.500-6S	6061-T6 5.00 X 5.00 X .500	240.0	-	O	
A61-5030.25-6S	6061-T6 5.00 X 3.00 X .250	78.0	-	O	
A61-5030.25-6S	6061-T6 5.00 X 3.00 X .250	228.0	-	O	
A61-5030.25-6S	6061-T6 5.00 X 3.00 X .250	234.0	-	O	
A61-5030.25-6S	6061-T6 5.00 X 3.00 X .250	240.0	-	O	
A61-5030.25-6S	6061-T6 5.00 X 3.00 X .250	480.0	-	O	
A61-5030.38-6S	6061-T6 5.00 X 3.00 X .375	300.0	-	O	
A61-6040.50-6S	6061-T6 6.00 X 4.00 X .500	240.0	-	O	
A61-9030.25-6S	6061-T6 9.00 X 3.00 X .250	480.0	-	O	
A61-9040.25-6S	6061-T6 9.00 X 4.00 X .250	480.0	-	O	
<b>6061 CHANNELS</b>					
10137-1601-C61	6061-T6511 1.75 X .750 X .078	144.0	-	O	
60-113-C61	6061-T6511 1.63 X 1.25 X .125	144.0	-	O	
60-113-C61	6061-T6511 1.63 X 1.25 X .125	120.0	-	O	
60-11579-C61	6061T6 1 X .625 X .125 CHANNEL	144.0	-	O	
60-24868-C61	6061-T6 SC 5.00 X 1.50 X .250	192.0	-	O	
60-7629-C61	6061T6 1.25 X 1.25 X .094 CHAN	144.0	-	O	
C61-12.387-6AS	6061-T6 CHNL. 12 X 3.047 X .387	300.0	-	O	
C61-15.400-6AS	6061-T6 CHNL. 15 X 3.400 X .400	300.0	-	O	
C61-2.170-6AA	6061-T6 CHNL. 2 X 1.250 X .170	300.0	-	O	
C61-21.188-T6	6061-T6 SC 2.0 X 1.0 X .188	300.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
C61-21.188-T6	6061-T6 SC 2.0 X 1.0 X .188	60.0	-	O	
C61-2506.19-T6	6061-T6 CHNL 2.5 X .625 X .188	240.0	-	O	
C61-2515.13-T6	6061-T6 SC 2.5 X 1.50 X .125	240.0	-	O	
C61-3.130-6AA	6061-T6 CHNL. 3 X 1.500 X .130	300.0	-	O	
C61-3.170-6AA	6061-T6 CHNL. 3 X 1.750 X .170	300.0	-	O	
C61-3.170-6AA	6061-T6 CHNL. 3 X 1.750 X .170	156.0	-	O	
C61-3.170-6AS	6061-T6 CHNL. 3 X 1.410 X .170	300.0	-	O	
C61-3.258-6AS	6061-T6 CHNL. 3 X 1.498 X .258	300.0	-	O	
C61-3.356-6AS	6061-T6 CHNL. 3 X 1.596 X .356	300.0	-	O	
C61-31.250-T6	6061-T6 SC 3.0 X 1.0 X .250	360.0	-	O	
C61-4.150-6AA	6061-T6 CHNL. 4 X 2.000 X .150	300.0	-	O	
C61-4.180-6AS	6061-T6 CHNL. 4 X 1.580 X .180	300.0	-	O	
C61-4.247-6AS	6061-T6 CHNL. 4 X 1.647 X .247	300.0	-	O	
C61-4.320-6AS	6061-T6 CHNL. 4 X 1.720 X .320	300.0	-	O	
C61-4822	6061-T6 CHNL 2.48 X 1.13 X .125	144.0	-	O	
C61-5.190-6AA	6061-T6 CHNL. 5 X 2.750 X .190	267.0	-	O	
C61-5.190-6AS	6061-T6 CHNL. 5 X 1.750 X .190	288.0	-	O	
C61-5.190-6AS	6061-T6 CHNL. 5 X 1.750 X .190	300.0	-	O	
C61-5.325-6AS	6061-T6 CHNL. 5 X 1.885 X .325	300.0	-	O	
C61-5.325-6AS	6061-T6 CHNL. 5 X 1.885 X .325	168.0	-	O	
C61-6.170-6AA	6061-T6 CHNL. 6 X 2.500 X .170	300.0	-	O	
C61-6.170-6AA	6061-T6 CHNL. 6 X 2.500 X .170	168.0	-	O	
C61-6.200-6AS	6061-T6 CHNL. 6 X 1.920 X .200	300.0	-	O	
C61-6.210-6AA	6061-T6 CHNL. 6 X 3.250 X .210	300.0	-	O	
C61-6.225-6AS	6061-T6 CHNL. 6 X 1.945 X .225	300.0	-	O	
C61-6.314-6AS	6061-T6 6.00 X 2.03 X .314	300.0	-	O	
C61-6.438-6AS	6061-T6 CHNL. 6 X 2.157 X .438	300.0	-	O	
C61-7.170-6AA	6061-T6 CHNL. 7 X 2.750 X .170	300.0	-	O	
C61-7.170-6AA	6061-T6 CHNL. 7 X 2.750 X .170	168.0	-	O	
C61-7.230-6AS	6061-T6 CHNL. 7 X 2.110 X .230	300.0	-	O	
C61-8.250-6AS	6061-T6 CHNL. 8 X 2.290 X .250	240.0	-	O	
C61-8.250-6AS	6061-T6 CHNL. 8 X 2.290 X .250	120.0	-	O	
C61-9.448-6AS	6061-T6 CHNL. 9 X 2.648 X .448	300.0	-	O	
<b>6061 FLAT BARS</b>					
F61-0130050-6E	6061T6511 AL FLAT .125 X .500	144.0	-	O	
F61-0130075-6E	6061T6511 AL FLAT .125 X .750	144.0	-	O	
F61-0130100-6E	6061T6511 AL FLAT .125 X 1.000	144.0	-	O	
F61-0130100-6E	6061T6511 AL FLAT .125 X 1.000	77.9	-	O	
F61-0130125-6E	6061T6511 AL FLAT .125 X 1.250	144.0	-	O	
F61-0130150-6E	6061T6511 AL FLAT .125 X 1.500	144.0	-	O	
F61-0130200-6E	6061T6511 AL FLAT .125 X 2.000	144.0	-	O	
F61-0130250-6E	6061T6511 AL FLAT .125 X 2.500	144.0	-	O	
F61-0130300-6E	6061T6511 AL FLAT .125 X 3.000	144.0	-	O	
F61-0130400-6E	6061T6511 AL FLAT .125 X 4.000	144.0	-	O	
F61-0130600-6E	6061T6511 AL FLAT .125 X 6.000	144.0	-	O	
F61-0190100-6E	6061T6511 AL FLAT .188 X 1.000	144.0	-	O	
F61-0190125-6E	6061T6511 AL FLAT .188 X 1.250	288.0	-	O	
F61-0190125-6E	6061T6511 AL FLAT .188 X 1.250	144.0	-	O	
F61-0190150-6E	6061T6511 AL FLAT .188 X 1.500	144.0	-	O	
F61-0190200-6E	6061T6511 AL FLAT .188 X 2.000	96.0	-	O	
F61-0190200-6E	6061T6511 AL FLAT .188 X 2.000	144.0	-	O	
F61-0190250-6E	6061T6511 AL FLAT .188 X 2.500	144.0	-	O	
F61-0190400-6E	6061T6511 AL FLAT .188 X 4.000	144.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
F61-0250050-6E	6061T6511 AL FLAT .250 X 0.500	144.0	-	O	
F61-0250075-6E	6061T6511 AL FLAT .250 X 0.750	144.0	-	O	
F61-0250100-6E	6061T6511 AL FLAT .250 X 1.000	144.0	-	P	Feb 20, 12
F61-0250100-6E	6061T6511 AL FLAT .250 X 1.000	240.0	-	O	
F61-0250100-6E	6061T6511 AL FLAT .250 X 1.000	240.0	-	P	Feb 21, 12
F61-0250100-6E	6061T6511 AL FLAT .250 X 1.000	144.0	-	O	
F61-0250125-6E	6061T6511 AL FLAT .250 X 1.250	240.0	-	O	
F61-0250125-6E	6061T6511 AL FLAT .250 X 1.250	144.0	-	O	
F61-0250150-6E	6061T6511 AL FLAT .250 X 1.500	144.0	-	O	
F61-0250200-6E	6061T6511 AL FLAT .250 X 2.000	144.0	-	O	
F61-0250250-6E	6061T6511 AL FLAT .250 X 2.500	144.0	-	O	
F61-0250300-6E	6061T6511 AL FLAT .250 X 3.000	144.0	-	O	
F61-0250300-6E	6061T6511 AL FLAT .250 X 3.000	192.0	-	O	
F61-0250300-6E	6061T6511 AL FLAT .250 X 3.000	480.0	-	O	
F61-0250300-6E	6061T6511 AL FLAT .250 X 3.000	48.0	-	O	
F61-0250350-6E	6061T6511 AL FLAT .250 X 3.500	480.0	-	O	
F61-0250400-6E	6061T6511 AL FLAT .250 X 4.000	144.0	-	O	
F61-0250400-6E	6061T6511 AL FLAT .250 X 4.000	192.0	-	O	
F61-0250400-6E	6061T6511 AL FLAT .250 X 4.000	336.0	-	O	
F61-0250400-6E	6061T6511 AL FLAT .250 X 4.000	480.0	-	O	
F61-0250400-6E	6061T6511 AL FLAT .250 X 4.000	48.8	-	O	
F61-0250500-6E	6061T6511 AL FLAT .250 X 5.000	144.0	-	O	
F61-0250500-6E	6061T6511 AL FLAT .250 X 5.000	480.0	-	O	
F61-0250600-6E	6061T6511 AL FLAT .250 X 6.000	145.3	-	O	
F61-0250600-6E	6061T6511 AL FLAT .250 X 6.000	144.0	-	O	
F61-0250800-6E	6061T6511 AL FLAT .250 X 8.000	146.0	-	O	
F61-0250800-6E	6061T6511 AL FLAT .250 X 8.000	144.0	-	O	
F61-0250800-6E	6061T6511 AL FLAT .250 X 8.000	65.0	-	O	
F61-0250800-6E	6061T6511 AL FLAT .250 X 8.000	97.0	-	O	
F61-0250800-6E	6061T6511 AL FLAT .250 X 8.000	8.0	-	O	
F61-0251000-6E	6061T6511 AL FLAT .250 X 10.00	144.0	-	O	
F61-0251000-6E	6061T6511 AL FLAT .250 X 10.00	336.0	-	O	
F61-0251000-6E	6061T6511 AL FLAT .250 X 10.00	480.0	-	O	
F61-0251000-6E	6061T6511 AL FLAT .250 X 10.00	48.0	-	O	
F61-0251200-6E	6061T6511 AL FLAT .250 X 12.00	23.0	-	O	
F61-0251200-6E	6061T6511 AL FLAT .250 X 12.00	24.3	-	O	
F61-0251200-6E	6061T6511 AL FLAT .250 X 12.00	34.5	-	O	
F61-0251200-6E	6061T6511 AL FLAT .250 X 12.00	47.5	-	O	
F61-0251200-6E	6061T6511 AL FLAT .250 X 12.00	72.0	-	O	
F61-0251200-6E	6061T6511 AL FLAT .250 X 12.00	72.5	-	O	
F61-0251200-6E	6061T6511 AL FLAT .250 X 12.00	72.8	-	O	
F61-0251200-6E	6061T6511 AL FLAT .250 X 12.00	73.0	-	O	
F61-0251200-6E	6061T6511 AL FLAT .250 X 12.00	144.0	-	O	
F61-0251200-6E	6061T6511 AL FLAT .250 X 12.00	145.3	-	O	
F61-0251200-6E	6061T6511 AL FLAT .250 X 12.00	145.3	-	P	Feb 14, 12
F61-0251200-6E	6061T6511 AL FLAT .250 X 12.00	145.5	-	O	
F61-0310400-6E	6061T6511 AL FLAT .313 X 4.000	108.0	-	O	
F61-0380075-6E	6061T6511 AL FLAT .375 X 0.750	144.0	-	O	
F61-0380100-6E	6061T6511 AL FLAT .375 X 1.000	144.0	-	O	
F61-0380100-6E	6061T6511 AL FLAT .375 X 1.000	83.9	-	O	
F61-0380125-6E	6061T6511 AL FLAT .375 X 1.250	144.0	-	O	
F61-0380125-6E	6061T6511 AL FLAT .375 X 1.250	108.1	-	O	
F61-0380150-6E	6061T6511 AL FLAT .375 X 1.500	144.0	-	O	
F61-0380150-6E	6061T6511 AL FLAT .375 X 1.500	27.7	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
F61-0380200-6E	6061T6511 AL FLAT .375 X 2.000	144.0	-	O	
F61-0380200-6E	6061T6511 AL FLAT .375 X 2.000	96.0	-	O	
F61-0380250-6E	6061T6511 AL FLAT .375 X 2.500	144.0	-	O	
F61-0380300-6E	6061T6511 AL FLAT .375 X 3.000	480.0	-	O	
F61-0380300-6E	6061T6511 AL FLAT .375 X 3.000	144.0	-	O	
F61-0380400-6E	6061T6511 AL FLAT .375 X 4.000	144.0	-	O	
F61-0380400-6E	6061T6511 AL FLAT .375 X 4.000	192.0	-	O	
F61-0380400-6E	6061T6511 AL FLAT .375 X 4.000	378.0	-	O	
F61-0380400-6E	6061T6511 AL FLAT .375 X 4.000	480.0	-	O	
F61-0380450-6E	6061T6511 AL FLAT .375 X 4.500	144.0	-	O	
F61-0380500-6E	6061T6511 AL FLAT .375 X 5.000	72.0	-	O	
F61-0380500-6E	6061T6511 AL FLAT .375 X 5.000	116.5	-	O	
F61-0380500-6E	6061T6511 AL FLAT .375 X 5.000	144.0	-	O	
F61-0380500-6E	6061T6511 AL FLAT .375 X 5.000	360.0	-	O	
F61-0380500-6E	6061T6511 AL FLAT .375 X 5.000	480.0	-	O	
F61-0380600-6E	6061T6511 AL FLAT .375 X 6.000	144.0	-	P	Feb 7, 12
F61-0380600-6E	6061T6511 AL FLAT .375 X 6.000	144.0	-	O	
F61-0380800-6E	6061T6511 AL FLAT .375 X 8.000	144.0	-	O	
F61-0380800-6E	6061T6511 AL FLAT .375 X 8.000	145.0	-	O	
F61-0380800-6E	6061T6511 AL FLAT .375 X 8.000	146.0	-	O	
F61-0380800-6E	6061T6511 AL FLAT .375 X 8.000	480.0	-	O	
F61-0380900-6E	6061T6511 AL FLAT .375 X 9.000	480.0	-	O	
F61-0381000-6E	6061T6511 AL FLAT .375 X 10.00	144.0	-	O	
F61-0381200-6E	6061T6511 AL FLAT .375 X 12.00	73.5	-	O	
F61-0381200-6E	6061T6511 AL FLAT .375 X 12.00	74.4	-	O	
F61-0381200-6E	6061T6511 AL FLAT .375 X 12.00	108.0	-	O	
F61-0381200-6E	6061T6511 AL FLAT .375 X 12.00	109.1	-	O	
F61-0381200-6E	6061T6511 AL FLAT .375 X 12.00	144.0	-	O	
F61-0381200-6E	6061T6511 AL FLAT .375 X 12.00	145.3	-	O	
F61-0381200-6E	6061T6511 AL FLAT .375 X 12.00	145.3	-	P	Feb 14, 12
F61-0381200-6E	6061T6511 AL FLAT .375 X 12.00	12.0	-	O	
F61-0381200-6E	6061T6511 AL FLAT .375 X 12.00	36.0	-	O	
F61-0381200-6E	6061T6511 AL FLAT .375 X 12.00	11.5	-	O	
F61-0381400-6E	6061T6511 AL FLAT .375 X 14.00	144.0	-	O	
F61-0500100-6E	6061T6511 AL FLAT .500 X 1.000	144.0	-	O	
F61-0500100-6E	6061T6511 AL FLAT .500 X 1.000	96.0	-	O	
F61-0500125-6E	6061T6511 AL FLAT .500 X 1.250	144.0	-	O	
F61-0500125-6E	6061T6511 AL FLAT .500 X 1.250	132.0	-	O	
F61-0500150-6E	6061T6511 AL FLAT .500 X 1.500	144.0	-	O	
F61-0500175-6E	6061T6511 AL FLAT .500 X 1.750	144.0	-	O	
F61-0500200-6E	6061T6511 AL FLAT .500 X 2.000	144.0	-	O	
F61-0500250-6E	6061T6511 AL FLAT .500 X 2.500	288.0	-	O	
F61-0500250-6E	6061T6511 AL FLAT .500 X 2.500	144.0	-	O	
F61-0500300-6E	6061T6511 AL FLAT .500 X 3.000	144.0	-	O	
F61-0500350-6E	6061T6511 AL FLAT .500 X 3.500	144.0	-	O	
F61-0500400-6E	6061T6511 AL FLAT .500 X 4.000	85.0	-	O	
F61-0500400-6E	6061T6511 AL FLAT .500 X 4.000	108.1	-	O	
F61-0500400-6E	6061T6511 AL FLAT .500 X 4.000	144.0	-	O	
F61-0500400-6E	6061T6511 AL FLAT .500 X 4.000	144.0	-	P	Feb 7, 12
F61-0500400-6E	6061T6511 AL FLAT .500 X 4.000	191.5	-	O	
F61-0500400-6E	6061T6511 AL FLAT .500 X 4.000	480.0	-	O	
F61-0500500-6E	6061T6511 AL FLAT .500 X 5.000	480.0	-	O	
F61-0500500-6E	6061T6511 AL FLAT .500 X 5.000	144.0	-	O	
F61-0500600-6E	6061T6511 AL FLAT .500 X 6.000	144.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
F61-0500650-6E	6061T6511 AL FLAT .500 X 6.500	144.0	-	O	
F61-0500700-6E	6061T6511 AL FLAT .500 X 7.000	144.0	-	O	
F61-0500800-6E	6061T6511 AL FLAT .500 X 8.000	121.6	-	O	
F61-0500800-6E	6061T6511 AL FLAT .500 X 8.000	138.0	-	O	
F61-0500800-6E	6061T6511 AL FLAT .500 X 8.000	144.0	-	O	
F61-0500800-6E	6061T6511 AL FLAT .500 X 8.000	146.0	-	O	
F61-0501000-6E	6061T6511 AL FLAT .500 X 10.00	144.0	-	O	
F61-0501000-6E	6061T6511 AL FLAT .500 X 10.00	113.9	-	O	
F61-0501200-6E	6061T6511 AL FLAT .500 X 12.00	11.0	-	O	
F61-0501200-6E	6061T6511 AL FLAT .500 X 12.00	12.0	-	O	
F61-0501200-6E	6061T6511 AL FLAT .500 X 12.00	23.4	-	O	
F61-0501200-6E	6061T6511 AL FLAT .500 X 12.00	35.1	-	O	
F61-0501200-6E	6061T6511 AL FLAT .500 X 12.00	35.3	-	O	
F61-0501200-6E	6061T6511 AL FLAT .500 X 12.00	35.6	-	O	
F61-0501200-6E	6061T6511 AL FLAT .500 X 12.00	59.6	-	O	
F61-0501200-6E	6061T6511 AL FLAT .500 X 12.00	83.8	-	O	
F61-0501200-6E	6061T6511 AL FLAT .500 X 12.00	144.0	-	O	
F61-0501200-6E	6061T6511 AL FLAT .500 X 12.00	145.3	-	O	
F61-0501200-6E	6061T6511 AL FLAT .500 X 12.00	145.3	-	P	Feb 14, 12
F61-0630100-6E	6061T6511 AL FLAT .625 X 1.000	144.0	-	O	
F61-0630125-6E	6061T6511 AL FLAT .625 X 1.250	144.0	-	O	
F61-0630150-6E	6061T6511 AL FLAT .625 X 1.500	144.0	-	O	
F61-0630200-6E	6061T6511 AL FLAT .625 X 2.000	144.0	-	O	
F61-0630300-6E	6061T6511 AL FLAT .625 X 3.000	144.0	-	O	
F61-0630300-6E	6061T6511 AL FLAT .625 X 3.000	117.9	-	O	
F61-0630300-6E	6061T6511 AL FLAT .625 X 3.000	93.5	-	O	
F61-0630800-6E	6061T6511 AL FLAT .625 X 8.000	146.0	-	O	
F61-0630800-6E	6061T6511 AL FLAT .625 X 8.000	121.6	-	O	
F61-0631200-6E	6061T6511 AL FLAT .625 X 12.00	35.3	-	O	
F61-0631200-6E	6061T6511 AL FLAT .625 X 12.00	73.3	-	O	
F61-0631200-6E	6061T6511 AL FLAT .625 X 12.00	107.0	-	O	
F61-0631200-6E	6061T6511 AL FLAT .625 X 12.00	145.3	-	O	
F61-0750100-6E	6061T6511 AL FLAT .750 X 1.000	144.0	-	O	
F61-0750125-6E	6061T6511 AL FLAT .750 X 1.250	144.0	-	O	
F61-0750150-6E	6061T6511 AL FLAT .750 X 1.500	144.0	-	O	
F61-0750200-6E	6061T6511 AL FLAT .750 X 2.000	144.0	-	O	
F61-0750225-6E	6061T6511 AL FLAT .750 X 2.250	144.0	-	O	
F61-0750250-6E	6061T6511 AL FLAT .750 X 2.500	144.0	-	O	
F61-0750300-6E	6061T6511 AL FLAT .750 X 3.000	144.0	-	O	
F61-0750400-6E	6061T6511 AL FLAT .750 X 4.000	144.0	-	O	
F61-0750400-6E	6061T6511 AL FLAT .750 X 4.000	72.0	-	O	
F61-0750600-6E	6061T6511 AL FLAT .750 X 6.000	144.0	-	O	
F61-0750800-6E	6061T6511 AL FLAT .750 X 8.000	23.8	-	O	
F61-0750800-6E	6061T6511 AL FLAT .750 X 8.000	113.0	-	O	
F61-0750800-6E	6061T6511 AL FLAT .750 X 8.000	144.0	-	O	
F61-0750800-6E	6061T6511 AL FLAT .750 X 8.000	146.0	-	O	
F61-0751200-6E	6061T6511 AL FLAT .750 X 12.00	145.3	-	O	
F61-0751200-6E	6061T6511 AL FLAT .750 X 12.00	144.0	-	O	
F61-0751200-6E	6061T6511 AL FLAT .750 X 12.00	47.3	-	O	
F61-0751200-6E	6061T6511 AL FLAT .750 X 12.00	47.4	-	O	
F61-0751200-6E	6061T6511 AL FLAT .750 X 12.00	72.0	-	O	
F61-0751200-6E	6061T6511 AL FLAT .750 X 12.00	36.0	-	O	
F61-1000125-6E	6061T6511 AL FLAT 1.00 X 1.250	144.0	-	O	
F61-1000150-6E	6061T6511 AL FLAT 1.00 X 1.500	144.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
F61-1000175-6E	6061T6511 AL FLAT 1.00 X 1.750	144.0	-	O	
F61-1000200-6E	6061T6511 AL FLAT 1.00 X 2.000	144.0	-	O	
F61-1000300-6E	6061T6511 AL FLAT 1.00 X 3.000	144.0	-	O	
F61-1000400-6E	6061T6511 AL FLAT 1.00 X 4.000	144.0	-	O	
F61-1000500-6E	6061T6511 AL FLAT 1.00 X 5.000	144.0	-	O	
F61-1000600-6E	6061T6511 AL FLAT 1.00 X 6.000	144.0	-	O	
F61-1000800-6E	6061T6511 AL FLAT 1.00 X 8.000	32.0	-	O	
F61-1000800-6E	6061T6511 AL FLAT 1.00 X 8.000	40.5	-	O	
F61-1000800-6E	6061T6511 AL FLAT 1.00 X 8.000	49.0	-	O	
F61-1000800-6E	6061T6511 AL FLAT 1.00 X 8.000	144.0	-	O	
F61-1000800-6E	6061T6511 AL FLAT 1.00 X 8.000	146.0	-	O	
F61-1000800-6E	6061T6511 AL FLAT 1.00 X 8.000	146.0	-	P	Feb 14, 12
F61-1001000-6E	6061T6511 AL FLAT 1.00 X 10.00	144.0	-	O	
F61-1001200-6E	6061T6511 AL FLAT 1.00 X 12.00	146.0	-	O	
F61-1001200-6E	6061T6511 AL FLAT 1.00 X 12.00	145.3	-	O	
F61-1001400-6E	6061T6511 AL FLAT 1.00 X 14.00	130.1	-	O	
F61-1250175-6E	6061T6511 AL FLAT 1.25 X 1.750	144.0	-	O	
F61-1250200-6E	6061T6511 AL FLAT 1.25 X 2.000	144.0	-	O	
F61-1250200-6E	6061T6511 AL FLAT 1.25 X 2.000	192.0	-	O	
F61-1250300-6E	6061T6511 AL FLAT 1.25 X 3.000	144.0	-	O	
F61-1250400-6E	6061T6511 AL FLAT 1.25 X 4.000	59.0	-	O	
F61-1250500-6E	6061T6511 AL FLAT 1.25 X 5.000	144.0	-	O	
F61-1250600-6E	6061T6511 AL FLAT 1.25 X 6.000	144.0	-	O	
F61-1250600-6E	6061T6511 AL FLAT 1.25 X 6.000	103.5	-	O	
F61-1250800-6E	6061T6511 AL FLAT 1.25 X 8.000	146.0	-	O	
F61-1250800-6E	6061T6511 AL FLAT 1.25 X 8.000	24.0	-	O	
F61-1251000-6E	6061T6511 AL FLAT 1.25 X 10.00	144.0	-	O	
F61-1251000-6E	6061T6511 AL FLAT 1.25 X 10.00	124.5	-	O	
F61-1251200-6E	6061T6511 AL FLAT 1.25 X 12.00	12.0	-	O	
F61-1251200-6E	6061T6511 AL FLAT 1.25 X 12.00	109.2	-	O	
F61-1251200-6E	6061T6511 AL FLAT 1.25 X 12.00	145.3	-	O	
F61-1251400-6E	6061T6511 AL FLAT 1.25 X 14.00	144.0	-	O	
F61-1500200-6E	6061T6511 AL FLAT 1.50 X 2.000	144.0	-	O	
F61-1500300-6E	6061T6511 AL FLAT 1.50 X 3.000	144.0	-	O	
F61-1500300-6E	6061T6511 AL FLAT 1.50 X 3.000	119.9	-	O	
F61-1500350-6E	6061T6511 AL FLAT 1.50 X 3.500	144.0	-	O	
F61-1500400-6E	6061T6511 AL FLAT 1.50 X 4.000	131.9	-	O	
F61-1500600-6E	6061T6511 AL FLAT 1.50 X 6.000	144.0	-	O	
F61-1500600-6E	6061T6511 AL FLAT 1.50 X 6.000	135.0	-	O	
F61-1500800-6E	6061T6511 AL FLAT 1.50 X 8.000	146.0	-	O	
F61-1500800-6E	6061T6511 AL FLAT 1.50 X 8.000	57.0	-	O	
F61-1501200-6E	6061T6511 AL FLAT 1.50 X 12.00	12.0	-	O	
F61-1501200-6E	6061T6511 AL FLAT 1.50 X 12.00	145.3	-	O	
F61-1750600-6E	6061T6511 AL FLAT 1.75 X 6.000	144.0	-	O	
F61-1750800-6E	6061T6511 AL FLAT 1.75 X 8.000	146.0	-	O	
F61-1750800-6E	6061T6511 AL FLAT 1.75 X 8.000	121.8	-	O	
F61-1751200-6E	6061T6511 AL FLAT 1.75 X 12.00	146.0	-	O	
F61-1751200-6E	6061T6511 AL FLAT 1.75 X 12.00	145.3	-	O	
F61-1751200-6E	6061T6511 AL FLAT 1.75 X 12.00	24.0	-	O	
F61-1751200-6E	6061T6511 AL FLAT 1.75 X 12.00	12.0	-	O	
F61-2000250-6E	6061T6511 AL FLAT 2.00 X 2.500	48.0	-	O	
F61-2000250-6E	6061T6511 AL FLAT 2.00 X 2.500	81.0	-	O	
F61-2000250-6E	6061T6511 AL FLAT 2.00 X 2.500	144.0	-	O	
F61-2000250-6E	6061T6511 AL FLAT 2.00 X 2.500	24.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
F61-2000400-6E	6061T6511 AL FLAT 2.00 X 4.000	108.1	-	O	
F61-2000500-6E	6061T6511 AL FLAT 2.00 X 5.000	92.0	-	O	
F61-2000600-6E	6061T6511 AL FLAT 2.00 X 6.000	85.6	-	O	
F61-2000600-6E	6061T6511 AL FLAT 2.00 X 6.000	26.3	-	O	
F61-2000800-6E	6061T6511 AL FLAT 2.00 X 8.000	146.0	-	O	
F61-2000800-6E	6061T6511 AL FLAT 2.00 X 8.000	49.1	-	O	
F61-2000850-6E	6061T6511 AL FLAT 2.00 X 8.500	144.0	-	O	
F61-2001200-6E	6061T6511 AL FLAT 2.00 X 12.00	145.3	-	O	
F61-2001200-6E	6061T6511 AL FLAT 2.00 X 12.00	145.3	-	P	Feb 14, 12
F61-2001200-6E	6061T6511 AL FLAT 2.00 X 12.00	146.0	-	O	
F61-2001400-6E	6061T6511 AL FLAT 2.00 X 14.00	144.0	-	O	
F61-2001400-6E	6061T6511 AL FLAT 2.00 X 14.00	95.0	-	O	
F61-2251200-6E	6061T6511 AL FLAT 2.25 X 12.00	144.0	-	O	
F61-2251200-6E	6061T6511 AL FLAT 2.25 X 12.00	138.4	-	O	
F61-2500300-6E	6061T6511 AL FLAT 2.50 X 3.000	144.0	-	O	
F61-2500600-6E	6061T6511 AL FLAT 2.50 X 6.000	131.0	-	O	
F61-2501200-6E	6061T6511 AL FLAT 2.50 X 12.00	144.0	-	O	
F61-2750525-6E	6061T6511 AL FLAT 2.75 X 5.250	144.0	-	O	
F61-3000350-6E	6061T6511 AL FLAT 3.00 X 3.500	144.0	-	O	
F61-3000350-6E	6061T6511 AL FLAT 3.00 X 3.500	106.5	-	O	
F61-3000350-6E	6061T6511 AL FLAT 3.00 X 3.500	35.8	-	O	
F61-3000400-6E	6061T6511 AL FLAT 3.00 X 4.000	250.0	-	O	
F61-3000500-6E	6061T6511 AL FLAT 3.00 X 5.000	144.0	-	O	
F61-3000600-6E	6061T6511 AL FLAT 3.00 X 6.000	120.0	-	O	
F61-3500400-6E	6061T6511 AL FLAT 3.50 X 4.000	144.0	-	O	
F61-3500400-6E	6061T6511 AL FLAT 3.50 X 4.000	72.0	-	O	
F61-3500800-6E	6061T6511 AL FLAT 3.50 X 8.000	136.0	-	O	
F61-3500800-6E	6061T6511 AL FLAT 3.50 X 8.000	151.0	-	O	
F61-4000500-6E	6061T6511 AL FLAT 4.00 X 5.000	144.0	-	O	
F61-4000600-6E	6061T6511 AL FLAT 4.00 X 6.000	35.5	-	O	
F61-4000800-6E	6061T6511 AL FLAT 4.00 X 8.000	99.8	-	O	
F61-5000600-6E	6061T6511 AL FLAT 5.00 X 6.000	144.0	-	O	
F61-6000650-6E	6061T6511 AL FLAT 6.00 X 6.500	114.8	-	O	
F61-6000650-6E	6061T6511 AL FLAT 6.00 X 6.500	144.0	-	O	
<b>6061 HEX BAR</b>					
H61-2.000-65EX	6061T6511 ALUM EXT 2.000"HEX	144.0	-	O	
<b>6061 BEAMS</b>					
B61-10.29-6AA	6061-T6 10 X 6 X .290 I-BEAM	192.0	-	O	
B61-10.29-6AA	6061-T6 10 X 6 X .290 I-BEAM	300.0	-	O	
B61-10.29-6AA	6061-T6 10 X 6 X .290 I-BEAM	192.0	-	O	
B61-4.150-6AA	6061-T6 4 X 3.0 X .150 I-BEAM	378.0	-	O	
B61-4.170-6AA	6061-T6 4 X 3.0 X .170 I-BEAM	191.8	-	O	
B61-4.190-6AS	6061T6 4 X 2.660 X .190 I-BEAM	300.0	-	O	
B61-4.313-6HB	6061T6 4 X 4 X .313 H-BEAM	300.0	-	O	
B61-5.190-6AA	6061-T6 5 X 3.5 X .190 I-BEAM	300.0	-	O	
B61-6.343-6AS	6061T6 6 X 3.443 X .343 I-BEAM	300.0	-	O	
B61-8.250-6AA	6061-T6 8 X 5.0 X .250 I-BEAM	300.0	-	O	
B61-8.250-6AA	6061-T6 8 X 5.0 X .250 I-BEAM	96.0	-	O	
B61-8.250-6AA	6061-T6 8 X 5.0 X .250 I-BEAM	53.8	-	O	
B61-8.250-6AA	6061-T6 8 X 5.0 X .250 I-BEAM	34.0	-	O	
<b>6061 SQUARE BARS</b>					

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
Q61-0.500-65EX	6061-T6511 .500"SQ. BAR	144.0	-	O	
Q61-0.625-65EX	6061-T6511 .625"SQ. BAR	144.0	-	O	
Q61-0.750-65EX	6061-T6511 .750"SQ. BAR	144.0	-	O	
Q61-1.000-65EX	6061-T6511 1.00"SQ. BAR	144.0	-	O	
Q61-1.250-65EX	6061-T6511 1.250"SQ. BAR	144.0	-	O	
Q61-1.500-65EX	6061-T6511 1.500"SQ. BAR	144.0	-	O	
Q61-1.750-65EX	6061-T6511 1.750"SQ. BAR	144.0	-	O	
Q61-12.00-60EX	6061-T6 12.00"SQ. BAR	144.0	-	O	
Q61-2.000-60CF	6061-T651 C.F. 2.000"SQ. BAR	144.0	-	O	
Q61-2.000-65EX	6061-T6511 2.000"SQ. BAR	144.0	-	P	Mar 1, 12
Q61-2.000-65EX	6061-T6511 2.000"SQ. BAR	144.0	-	O	
Q61-2.500-65EX	6061-T6511 2.500"SQ. BAR	144.0	-	O	
Q61-3.000-65EX	6061-T6511 3.000"SQ. BAR	144.0	-	O	
Q61-3.000-65EX	6061-T6511 3.000"SQ. BAR	115.6	-	O	
Q61-3.500-65EX	6061-T6511 3.500"SQ. BAR	144.0	-	O	
Q61-4.000-65EX	6061-T6511 4.000"SQ. BAR	144.0	-	O	
Q61-4.000-65EX	6061-T6511 4.000"SQ. BAR	4.3	-	O	
Q61-5.000-65EX	6061-T6511 5.000"SQ. BAR	144.0	-	O	
Q61-6.000-65EX	6061-T6511 6.000"SQ. BAR	144.0	-	O	
Q61-7.000-65EX	6061-T6511 7.000"SQ. BAR	126.0	-	O	
Q61-7.000-65EX	6061-T6511 7.000"SQ. BAR	80.0	-	O	
<b>6061 ROUND BARS</b>					
R61-0.250-60CF	6061-T6 AL C.F RND .250"DIA.	144.0	-	O	
R61-0.250-60EX	6061-T6 AL EXT RND .250"DIA.	144.0	-	O	
R61-0.313-60EX	6061-T6 AL EXT RND .313"DIA.	144.0	-	O	
R61-0.375-65EX	6061T6511 AL EXT RND .375"DIA.	144.0	-	O	
R61-0.438-60CF	6061-T6 AL C.F RND .438"DIA.	144.0	-	O	
R61-0.500-65EX	6061T6511 AL EXT RND .500"DIA.	168.0	-	O	
R61-0.500-65EX	6061T6511 AL EXT RND .500"DIA.	240.0	-	O	
R61-0.500-65EX	6061T6511 AL EXT RND .500"DIA.	144.0	-	O	
R61-0.625-65EX	6061T6511 AL EXT RND .625"DIA.	144.0	-	O	
R61-0.750-60CF	6061-T6(51) CF ROUND .750"DIA.	144.0	-	O	
R61-0.750-65EX	6061T6511 AL EXT RND .750"DIA.	144.0	-	O	
R61-0.750-65EX	6061T6511 AL EXT RND .750"DIA.	128.0	-	O	
R61-0.813-60CF	6061-T6(51) CF ROUND .813"DIA.	144.0	-	O	
R61-0.813-65EX	6061T6511 AL EXT RND .813"DIA.	144.0	-	O	
R61-0.875-60CF	6061-T6(51) CF ROUND .875"DIA.	144.0	-	O	
R61-0.875-65EX	6061T6511 AL EXT RND .875"DIA.	144.0	-	O	
R61-0.938-65EX	6061T6511 AL EXT RND .938"DIA.	144.0	-	O	
R61-1.000-65CF	6061-T651 AL C.F RND 1.00"DIA.	144.0	-	O	
R61-1.000-65EX	6061T6511 AL EXT RND 1.00"DIA.	96.0	-	O	
R61-1.000-65EX	6061T6511 AL EXT RND 1.00"DIA.	101.9	-	O	
R61-1.000-65EX	6061T6511 AL EXT RND 1.00"DIA.	144.0	-	O	
R61-1.000-65EX	6061T6511 AL EXT RND 1.00"DIA.	72.0	-	O	
R61-1.063-65EX	6061T6511 AL EXT RND 1.063"DIA	144.0	-	O	
R61-1.125-65CF	6061-T651 CF ROUND 1.125"DIA	144.0	-	O	
R61-1.125-65EX	6061T6511 AL EXT RND 1.125"DIA	144.0	-	O	
R61-1.188-65EX	6061T6511 AL EXT RND 1.188"DIA	144.0	-	O	
R61-1.250-65CF	6061-T651 CF ROUND 1.250"DIA	144.0	-	O	
R61-1.250-65CF	6061-T651 CF ROUND 1.250"DIA	60.0	-	O	
R61-1.250-65EX	6061T6511 AL EXT RND 1.250"DIA	144.0	-	O	
R61-1.375-65CF	6061-T651 CF ROUND 1.375"DIA	144.0	-	O	
R61-1.375-65EX	6061T6511 AL EXT RND 1.375"DIA	144.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
R61-1.500-65CF	6061-T651 CF ROUND 1.500"DIA	144.0	-	O	
R61-1.500-65CF	6061-T651 CF ROUND 1.500"DIA	48.0	-	O	
R61-1.500-65EX	6061T6511 AL EXT RND 1.500"DIA	144.0	-	O	
R61-1.625-65CF	6061-T651 CF ROUND 1.625"DIA	144.0	-	O	
R61-1.625-65EX	6061T6511 AL EXT RND 1.625"DIA	144.0	-	O	
R61-1.750-65CF	6061-T651 CF ROUND 1.750"DIA	144.0	-	O	
R61-1.750-65CF	6061-T651 CF ROUND 1.750"DIA	120.0	-	O	
R61-1.750-65EX	6061T6511 AL EXT RND 1.750"DIA	144.0	-	O	
R61-1.750-65EX	6061T6511 AL EXT RND 1.750"DIA	144.0	-	P	Feb 20, 12
R61-1.750-65EX	6061T6511 AL EXT RND 1.750"DIA	72.0	-	O	
R61-1.875-65EX	6061T6511 AL EXT RND 1.875"DIA	144.0	-	O	
R61-1.938-65EX	6061T6511 AL EXT RND 1.938"DIA	144.0	-	O	
R61-10.00-60EX	6061-T6 AL EXT RND 10.00"DIA	144.0	-	P	May 1, 12
R61-10.13-60EX	6061-T6 AL EXT RND 10.13"DIA	144.0	-	O	
R61-10.13-60EX	6061-T6 AL EXT RND 10.13"DIA	144.0	-	P	May 1, 12
R61-10.13-60EX	6061-T6 AL EXT RND 10.13"DIA	56.8	-	O	
R61-10.50-60EX	6061-T6 AL EXT RND 10.50"DIA	141.0	-	O	
R61-11.00-60EX	6061-T6 AL EXT RND 11.00"DIA	144.0	-	P	May 1, 12
R61-12.00-60EX	6061-T6 AL EXT RND 12.00"DIA	70.0	-	O	
R61-12.00-60EX	6061-T6 AL EXT RND 12.00"DIA	144.0	-	O	
R61-12.00-60EX	6061-T6 AL EXT RND 12.00"DIA	144.0	-	P	May 1, 12
R61-12.50-60EX	6061-T6 AL EXT RND 12.50"DIA	144.0	-	P	May 1, 12
R61-13.00-60EX	6061-T6 AL EXT RND 13.00"DIA	144.0	-	P	May 1, 12
R61-13.00-60EX	6061-T6 AL EXT RND 13.00"DIA	25.9	-	O	
R61-14.00-60EX	6061-T6 AL EXT RND 14.00"DIA	144.0	-	P	May 1, 12
R61-14.00-60EX	6061-T6 AL EXT RND 14.00"DIA	144.0	-	O	
R61-15.00-60EX	6061-T6 AL EXT RND 15.00"DIA	144.0	-	P	May 1, 12
R61-16.00-60EX	6061-T6 AL EXT RND 16.00"DIA	144.0	-	P	May 1, 12
R61-16.00-60EX	6061-T6 AL EXT RND 16.00"DIA	13.5	-	O	
R61-17.00-60EX	6061-T6 AL EXT RND 17.00"DIA	118.0	-	P	May 1, 12
R61-2.000-65CF	6061-T651 CF ROUND 2.000"DIA	96.0	-	O	
R61-2.000-65EX	6061T6511 AL EXT RND 2.000"DIA	144.0	-	O	
R61-2.000-65EX	6061T6511 AL EXT RND 2.000"DIA	48.0	-	O	
R61-2.125-65EX	6061T6511 AL EXT RND 2.125"DIA	144.0	-	O	
R61-2.250-65CF	6061-T651 CF ROUND 2.250"DIA	144.0	-	O	
R61-2.250-65EX	6061T6511 AL EXT RND 2.250"DIA	144.0	-	O	
R61-2.375-65EX	6061T6511 AL EXT RND 2.375"DIA	144.0	-	O	
R61-2.500-65EX	6061T6511 AL EXT RND 2.500"DIA	144.0	-	O	
R61-2.625-65CF	6061-T651 CF ROUND 2.625"DIA	23.8	-	O	
R61-2.750-65CF	6061-T651 CF ROUND 2.750"DIA	144.0	-	O	
R61-2.750-65CF	6061-T651 CF ROUND 2.750"DIA	96.0	-	O	
R61-2.750-65EX	6061T6511 AL EXT RND 2.750"DIA	144.0	-	O	
R61-2.875-65EX	6061T6511 AL EXT RND 2.875"DIA	144.0	-	O	
R61-2.875-65EX	6061T6511 AL EXT RND 2.875"DIA	48.0	-	O	
R61-3.000-65CF	6061-T651 CF ROUND 3.000"DIA	144.0	-	O	
R61-3.000-65EX	6061T6511 AL EXT RND 3.000"DIA	144.0	-	O	
R61-3.000-65EX	6061T6511 AL EXT RND 3.000"DIA	1.1	-	O	
R61-3.250-65CF	6061-T651 CF ROUND 3.250"DIA	144.0	-	O	
R61-3.500-65CF	6061-T651 CF ROUND 3.500"DIA.	144.0	-	O	
R61-3.500-65CF	6061-T651 CF ROUND 3.500"DIA.	132.3	-	O	
R61-3.500-65CF	6061-T651 CF ROUND 3.500"DIA.	36.0	-	O	
R61-3.500-65EX	6061T6511 AL EXT RND 3.500"DIA	96.0	-	O	
R61-3.500-65EX	6061T6511 AL EXT RND 3.500"DIA	144.0	-	O	
R61-3.500-65EX	6061T6511 AL EXT RND 3.500"DIA	78.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
R61-3.625-65CF	6061-T651 CF ROUND 3.625"DIA	144.0	-	O	
R61-3.750-65EX	6061T6511 AL EXT RND 3.750"DIA	11.0	-	O	
R61-3.750-65EX	6061T6511 AL EXT RND 3.750"DIA	144.0	-	O	
R61-3.750-65EX	6061T6511 AL EXT RND 3.750"DIA	144.0	-	O	
R61-4.000-65CF	6061-T651 CF ROUND 4.000"DIA	144.0	-	P	May 9, 12
R61-4.000-65CF	6061-T651 CF ROUND 4.000"DIA	108.0	-	O	
R61-4.000-65EX	6061T6511 AL EXT RND 4.000"DIA	144.0	-	O	
R61-4.000-65EX	6061T6511 AL EXT RND 4.000"DIA	96.1	-	O	
R61-4.125-65EX	6061T6511 AL EXT RND 4.125"DIA	144.0	-	O	
R61-4.500-65EX	6061T6511 AL EXT RND 4.500"DIA	144.0	-	O	
R61-4.750-65EX	6061T6511 AL EXT RND 4.750"DIA	144.0	-	O	
R61-5.000-65CF	6061-T651 CF ROUND 5.000"DIA	144.0	-	P	May 9, 12
R61-5.000-65EX	6061T6511 AL EXT RND 5.000"DIA	144.0	-	O	
R61-5.250-65EX	6061T6511 AL EXT RND 5.250"DIA	144.0	-	O	
R61-5.500-65EX	6061T6511 AL EXT RND 5.500"DIA	144.0	-	O	
R61-6.000-0EX	6061-0 AL EXT RND 6.000"DIA	18.0	-	O	
R61-6.000-0EX	6061-0 AL EXT RND 6.000"DIA	90.3	-	O	
R61-6.000-65CF	6061-T651 CF ROUND 6.000"DIA	144.0	-	O	
R61-6.000-65CF	6061-T651 CF ROUND 6.000"DIA	144.0	-	P	May 9, 12
R61-6.000-65CF	6061-T651 CF ROUND 6.000"DIA	60.0	-	O	
R61-6.000-65EX	6061T6511 AL EXT RND 6.000"DIA	144.0	-	O	
R61-6.000-65EX	6061T6511 AL EXT RND 6.000"DIA	108.0	-	O	
R61-6.500-65EX	6061T6511 AL EXT RND 6.500"DIA	144.0	-	O	
R61-7.000-65CF	6061-T651 CF ROUND 7.000"DIA	144.0	-	P	May 9, 12
R61-7.000-65EX	6061T6511 AL EXT RND 7.000"DIA	144.0	-	O	
R61-7.250-60EX	6061-T6 ALUM EXT RND 7.250"DIA	144.0	-	O	
R61-7.500-65EX	6061T6511 AL EXT RND 7.500"DIA	138.0	-	O	
R61-8.000-60EX	6061-T6 ALUM EXT RND 8.000"DIA	22.0	-	O	
R61-8.000-65EX	6061T6511 AL EXT RND 8.000"DIA	84.0	-	O	
R61-8.000-65EX	6061T6511 AL EXT RND 8.000"DIA	120.0	-	O	
R61-9.000-65EX	6061T6511 AL EXT RND 9.000"DIA	144.0	-	P	Feb 25, 12
R61-9.500-60EX	6061-T6 ALUM EXT RND 9.500"DIA	102.5	-	O	
R61-9.500-60EX	6061-T6 ALUM EXT RND 9.500"DIA	5.4	-	O	
<b>6061 SHEETS</b>					
S61-012-T6	ALUMINUM SHEET 6061-T6 .012"	48.0	144.0	O	
S61-016-T6	ALUMINUM SHEET 6061-T6 .016"	24.0	32.0	O	
S61-016-T6	ALUMINUM SHEET 6061-T6 .016"	48.0	144.0	O	
S61-020-T6	ALUMINUM SHEET 6061-T6 .020"	48.0	96.0	O	
S61-020-T6	ALUMINUM SHEET 6061-T6 .020"	48.0	144.0	O	
S61-020-T6	ALUMINUM SHEET 6061-T6 .020"	48.0	48.0	O	
S61-025-0	ALUMINUM SHEET 6061-0 .025"	48.0	120.0	O	
S61-025-T4	ALUMINUM SHEET 6061-T4 .025"	48.0	72.0	O	
S61-025-T6	ALUMINUM SHEET 6061-T6 .025"	48.0	96.0	O	
S61-025-T6	ALUMINUM SHEET 6061-T6 .025"	48.0	114.0	O	
S61-025-T6	ALUMINUM SHEET 6061-T6 .025"	48.0	120.0	O	
S61-025-T6	ALUMINUM SHEET 6061-T6 .025"	48.0	144.0	O	
S61-032-0	ALUMINUM SHEET 6061-0 .032"	48.0	120.0	O	
S61-032-0	ALUMINUM SHEET 6061-0 .032"	48.0	144.0	O	
S61-032-0	ALUMINUM SHEET 6061-0 .032"	48.0	96.0	O	
S61-032-T4	ALUMINUM SHEET 6061-T4 .032"	48.0	144.0	O	
S61-032-T4	ALUMINUM SHEET 6061-T4 .032"	48.0	96.0	O	
S61-032-T6	ALUMINUM SHEET 6061-T6 .032"	12.0	144.0	O	
S61-032-T6	ALUMINUM SHEET 6061-T6 .032"	48.0	96.0	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
S61-032-T6	ALUMINUM SHEET 6061-T6 .032"	48.0	120.0	O	
S61-032-T6	ALUMINUM SHEET 6061-T6 .032"	48.0	144.0	O	
S61-032-T6	ALUMINUM SHEET 6061-T6 .032"	60.0	144.0	O	
S61-040-0	ALUMINUM SHEET 6061-0 .040"	48.0	120.0	O	
S61-040-0	ALUMINUM SHEET 6061-0 .040"	48.0	144.0	O	
S61-040-0	ALUMINUM SHEET 6061-0 .040"	48.0	-	O	
S61-040-T4	ALUMINUM SHEET 6061-T4 .040"	48.0	40.0	O	
S61-040-T4	ALUMINUM SHEET 6061-T4 .040"	48.0	96.0	O	
S61-040-T4	ALUMINUM SHEET 6061-T4 .040"	48.0	120.0	O	
S61-040-T4	ALUMINUM SHEET 6061-T4 .040"	48.0	144.0	O	
S61-040-T4	ALUMINUM SHEET 6061-T4 .040"	52.0	-	P	Feb 28, 12
S61-040-T4	ALUMINUM SHEET 6061-T4 .040"	60.0	160.0	O	
S61-040-T6	ALUMINUM SHEET 6061-T6 .040"	2.3	-	O	
S61-040-T6	ALUMINUM SHEET 6061-T6 .040"	48.0	84.0	O	
S61-040-T6	ALUMINUM SHEET 6061-T6 .040"	48.0	96.0	O	
S61-040-T6	ALUMINUM SHEET 6061-T6 .040"	48.0	120.0	O	
S61-040-T6	ALUMINUM SHEET 6061-T6 .040"	48.0	144.0	O	
S61-040-T6	ALUMINUM SHEET 6061-T6 .040"	48.0	192.0	O	
S61-040-T6	ALUMINUM SHEET 6061-T6 .040"	60.0	-	O	
S61-040-T6	ALUMINUM SHEET 6061-T6 .040"	60.0	120.0	O	
S61-040-T6	ALUMINUM SHEET 6061-T6 .040"	60.0	144.0	O	
S61-045-T6	ALUMINUM SHEET 6061-T6 .045"	48.0	84.0	O	
S61-050-0	ALUMINUM SHEET 6061-0 .050"	48.0	120.0	O	
S61-050-0	ALUMINUM SHEET 6061-0 .050"	48.0	144.0	O	
S61-050-0	ALUMINUM SHEET 6061-0 .050"	48.0	-	O	
S61-050-T4	ALUMINUM SHEET 6061-T4 .050"	48.0	120.0	O	
S61-050-T4	ALUMINUM SHEET 6061-T4 .050"	48.0	144.0	O	
S61-050-T4	ALUMINUM SHEET 6061-T4 .050"	60.0	84.0	O	
S61-050-T4	ALUMINUM SHEET 6061-T4 .050"	60.0	144.0	O	
S61-050-T4	ALUMINUM SHEET 6061-T4 .050"	48.0	96.0	O	
S61-050-T6	ALUMINUM SHEET 6061-T6 .050"	12.0	60.0	O	
S61-050-T6	ALUMINUM SHEET 6061-T6 .050"	12.0	144.0	O	
S61-050-T6	ALUMINUM SHEET 6061-T6 .050"	36.0	72.0	O	
S61-050-T6	ALUMINUM SHEET 6061-T6 .050"	48.0	24.0	O	
S61-050-T6	ALUMINUM SHEET 6061-T6 .050"	48.0	72.0	O	
S61-050-T6	ALUMINUM SHEET 6061-T6 .050"	48.0	96.0	O	
S61-050-T6	ALUMINUM SHEET 6061-T6 .050"	48.0	120.0	O	
S61-050-T6	ALUMINUM SHEET 6061-T6 .050"	48.0	144.0	O	
S61-050-T6	ALUMINUM SHEET 6061-T6 .050"	60.0	24.0	O	
S61-050-T6	ALUMINUM SHEET 6061-T6 .050"	60.0	96.0	O	
S61-050-T6	ALUMINUM SHEET 6061-T6 .050"	60.0	120.0	O	
S61-050-T6	ALUMINUM SHEET 6061-T6 .050"	60.0	144.0	O	
S61-063-0	ALUMINUM SHEET 6061-0 .063"	11.5	-	O	
S61-063-0	ALUMINUM SHEET 6061-0 .063"	24.0	48.0	O	
S61-063-0	ALUMINUM SHEET 6061-0 .063"	48.0	-	O	
S61-063-0	ALUMINUM SHEET 6061-0 .063"	48.0	120.0	O	
S61-063-0	ALUMINUM SHEET 6061-0 .063"	48.0	144.0	O	
S61-063-0	ALUMINUM SHEET 6061-0 .063"	6.3	-	O	
S61-063-T4	ALUMINUM SHEET 6061-T4 .063"	48.0	48.0	O	
S61-063-T4	ALUMINUM SHEET 6061-T4 .063"	48.0	96.0	O	
S61-063-T4	ALUMINUM SHEET 6061-T4 .063"	48.0	144.0	O	
S61-063-T4	ALUMINUM SHEET 6061-T4 .063"	60.0	144.0	O	
S61-063-T4	ALUMINUM SHEET 6061-T4 .063"	12.0	144.0	O	
S61-063-T6	ALUMINUM SHEET 6061-T6 .063"	12.0	144.0	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
S61-063-T6	ALUMINUM SHEET 6061-T6 .063"	48.0	-	O	
S61-063-T6	ALUMINUM SHEET 6061-T6 .063"	48.0	31.8	O	
S61-063-T6	ALUMINUM SHEET 6061-T6 .063"	48.0	48.0	O	
S61-063-T6	ALUMINUM SHEET 6061-T6 .063"	48.0	96.0	O	
S61-063-T6	ALUMINUM SHEET 6061-T6 .063"	48.0	120.0	O	
S61-063-T6	ALUMINUM SHEET 6061-T6 .063"	48.0	144.0	O	
S61-063-T6	ALUMINUM SHEET 6061-T6 .063"	48.0	160.0	O	
S61-063-T6	ALUMINUM SHEET 6061-T6 .063"	48.0	192.0	O	
S61-063-T6	ALUMINUM SHEET 6061-T6 .063"	60.0	24.0	O	
S61-063-T6	ALUMINUM SHEET 6061-T6 .063"	60.0	66.0	O	
S61-063-T6	ALUMINUM SHEET 6061-T6 .063"	60.0	96.0	O	
S61-063-T6	ALUMINUM SHEET 6061-T6 .063"	60.0	144.0	O	
S61-063-T6	ALUMINUM SHEET 6061-T6 .063"	60.0	160.0	O	
S61-071-0	ALUMINUM SHEET 6061-0 .071"	60.0	144.0	O	
S61-071-0	ALUMINUM SHEET 6061-0 .071"	60.0	-	O	
S61-071-T6	ALUMINUM SHEET 6061-T6 .071"	48.0	144.0	O	
S61-071-T6	ALUMINUM SHEET 6061-T6 .071"	48.0	60.0	O	
S61-080-0	ALUMINUM SHEET 6061-0 .080"	48.0	144.0	O	
S61-080-0	ALUMINUM SHEET 6061-0 .080"	48.0	-	O	
S61-080-0	ALUMINUM SHEET 6061-0 .080"	48.0	120.0	O	
S61-080-0	ALUMINUM SHEET 6061-0 .080"	11.5	-	O	
S61-080-T4	ALUMINUM SHEET 6061-T4 .080"	48.0	120.0	O	
S61-080-T4	ALUMINUM SHEET 6061-T4 .080"	48.0	144.0	O	
S61-080-T4	ALUMINUM SHEET 6061-T4 .080"	48.0	96.0	O	
S61-080-T6	ALUMINUM SHEET 6061-T6 .080"	36.0	144.0	O	
S61-080-T6	ALUMINUM SHEET 6061-T6 .080"	48.0	48.0	O	
S61-080-T6	ALUMINUM SHEET 6061-T6 .080"	48.0	96.0	O	
S61-080-T6	ALUMINUM SHEET 6061-T6 .080"	48.0	120.0	O	
S61-080-T6	ALUMINUM SHEET 6061-T6 .080"	48.0	144.0	O	
S61-080-T6	ALUMINUM SHEET 6061-T6 .080"	60.0	-	P	Feb 25, 12
S61-080-T6	ALUMINUM SHEET 6061-T6 .080"	60.0	120.0	O	
S61-080-T6	ALUMINUM SHEET 6061-T6 .080"	60.0	144.0	O	
S61-090-0	ALUMINUM SHEET 6061-0 .090"	48.0	114.0	O	
S61-090-0	ALUMINUM SHEET 6061-0 .090"	48.0	120.0	O	
S61-090-0	ALUMINUM SHEET 6061-0 .090"	48.0	144.0	O	
S61-090-T4	ALUMINUM SHEET 6061-T4 .090"	48.0	-	O	
S61-090-T4	ALUMINUM SHEET 6061-T4 .090"	48.0	24.0	O	
S61-090-T4	ALUMINUM SHEET 6061-T4 .090"	48.0	96.0	O	
S61-090-T4	ALUMINUM SHEET 6061-T4 .090"	48.0	144.0	O	
S61-090-T4	ALUMINUM SHEET 6061-T4 .090"	60.0	-	O	
S61-090-T4	ALUMINUM SHEET 6061-T4 .090"	60.0	120.0	O	
S61-090-T4	ALUMINUM SHEET 6061-T4 .090"	60.0	144.0	O	
S61-090-T6	ALUMINUM SHEET 6061-T6 .090"	36.0	144.0	O	
S61-090-T6	ALUMINUM SHEET 6061-T6 .090"	48.0	-	O	
S61-090-T6	ALUMINUM SHEET 6061-T6 .090"	48.0	23.0	O	
S61-090-T6	ALUMINUM SHEET 6061-T6 .090"	48.0	24.0	O	
S61-090-T6	ALUMINUM SHEET 6061-T6 .090"	48.0	72.0	O	
S61-090-T6	ALUMINUM SHEET 6061-T6 .090"	48.0	96.0	O	
S61-090-T6	ALUMINUM SHEET 6061-T6 .090"	48.0	120.0	O	
S61-090-T6	ALUMINUM SHEET 6061-T6 .090"	48.0	144.0	O	
S61-090-T6	ALUMINUM SHEET 6061-T6 .090"	48.0	144.0	P	Feb 15, 12
S61-090-T6	ALUMINUM SHEET 6061-T6 .090"	60.0	-	O	
S61-090-T6	ALUMINUM SHEET 6061-T6 .090"	60.0	120.0	O	
S61-090-T6	ALUMINUM SHEET 6061-T6 .090"	60.0	144.0	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
S61-090-T6	ALUMINUM SHEET 6061-T6 .090"	12.0	144.0	O	
S61-090-T6	ALUMINUM SHEET 6061-T6 .090"	36.0	96.0	O	
S61-090-T6	ALUMINUM SHEET 6061-T6 .090"	36.0	120.0	O	
S61-090-T6	ALUMINUM SHEET 6061-T6 .090"	12.0	96.0	O	
S61-100-0	ALUMINUM SHEET 6061-0 .100"	36.0	48.0	O	
S61-100-0	ALUMINUM SHEET 6061-0 .100"	48.0	-	P	Feb 21, 12
S61-100-T4	ALUMINUM SHEET 6061-T4 .100"	60.0	144.0	O	
S61-100-T4	ALUMINUM SHEET 6061-T4 .100"	48.0	144.0	O	
S61-100-T6	ALUMINUM SHEET 6061-T6 .100"	60.0	96.0	O	
S61-100-T6	ALUMINUM SHEET 6061-T6 .100"	60.0	120.0	O	
S61-100-T6	ALUMINUM SHEET 6061-T6 .100"	72.0	-	P	Feb 24, 12
S61-100-T6	ALUMINUM SHEET 6061-T6 .100"	48.0	144.0	O	
S61-125-0	ALUMINUM SHEET 6061-0 .125"	48.0	-	O	
S61-125-0	ALUMINUM SHEET 6061-0 .125"	48.0	144.0	O	
S61-125-T4	ALUMINUM SHEET 6061-T4 .125"	54.5	144.0	O	
S61-125-T4	ALUMINUM SHEET 6061-T4 .125"	60.0	120.0	O	
S61-125-T4	ALUMINUM SHEET 6061-T4 .125"	60.0	144.0	O	
S61-125-T4	ALUMINUM SHEET 6061-T4 .125"	48.0	144.0	O	
S61-125-T4	ALUMINUM SHEET 6061-T4 .125"	47.9	120.0	O	
S61-125-T4	ALUMINUM SHEET 6061-T4 .125"	48.0	-	O	
S61-125-T4	ALUMINUM SHEET 6061-T4 .125"	48.0	96.0	O	
S61-125-T4	ALUMINUM SHEET 6061-T4 .125"	47.9	96.0	O	
S61-125-T6	ALUMINUM SHEET 6061-T6 .125"	31.7	143.3	O	
S61-125-T6	ALUMINUM SHEET 6061-T6 .125"	36.0	-	O	
S61-125-T6	ALUMINUM SHEET 6061-T6 .125"	36.0	96.0	O	
S61-125-T6	ALUMINUM SHEET 6061-T6 .125"	36.0	144.0	O	
S61-125-T6	ALUMINUM SHEET 6061-T6 .125"	48.0	-	O	
S61-125-T6	ALUMINUM SHEET 6061-T6 .125"	48.0	24.0	O	
S61-125-T6	ALUMINUM SHEET 6061-T6 .125"	48.0	48.0	O	
S61-125-T6	ALUMINUM SHEET 6061-T6 .125"	48.0	80.0	O	
S61-125-T6	ALUMINUM SHEET 6061-T6 .125"	48.0	120.0	O	
S61-125-T6	ALUMINUM SHEET 6061-T6 .125"	48.0	144.0	O	
S61-125-T6	ALUMINUM SHEET 6061-T6 .125"	48.0	144.0	P	Feb 15, 12
S61-125-T6	ALUMINUM SHEET 6061-T6 .125"	60.0	-	P	Feb 17, 12
S61-125-T6	ALUMINUM SHEET 6061-T6 .125"	60.0	24.0	O	
S61-125-T6	ALUMINUM SHEET 6061-T6 .125"	60.0	30.0	O	
S61-125-T6	ALUMINUM SHEET 6061-T6 .125"	60.0	120.0	O	
S61-125-T6	ALUMINUM SHEET 6061-T6 .125"	60.0	144.0	O	
S61-125-T6	ALUMINUM SHEET 6061-T6 .125"	68.0	120.0	O	
S61-125-T6	ALUMINUM SHEET 6061-T6 .125"	68.0	140.0	O	
S61-160-T6	ALUMINUM SHEET 6061-T6 .160"	48.0	72.0	O	
S61-190-0	ALUMINUM SHEET 6061-0 .190"	60.0	88.0	O	
S61-190-0	ALUMINUM SHEET 6061-0 .190"	48.0	108.0	O	
S61-190-0	ALUMINUM SHEET 6061-0 .190"	48.0	36.0	O	
S61-190-0	ALUMINUM SHEET 6061-0 .190"	48.0	72.0	O	
S61-190-0	ALUMINUM SHEET 6061-0 .190"	48.0	-	O	
S61-190-T4	ALUMINUM SHEET 6061-T4 .190"	48.0	96.0	O	
S61-190-T6	ALUMINUM SHEET 6061-T6 .190"	36.0	-	O	
S61-190-T6	ALUMINUM SHEET 6061-T6 .190"	36.0	96.0	O	
S61-190-T6	ALUMINUM SHEET 6061-T6 .190"	36.0	144.0	O	
S61-190-T6	ALUMINUM SHEET 6061-T6 .190"	48.0	-	O	
S61-190-T6	ALUMINUM SHEET 6061-T6 .190"	48.0	24.0	O	
S61-190-T6	ALUMINUM SHEET 6061-T6 .190"	48.0	96.0	O	
S61-190-T6	ALUMINUM SHEET 6061-T6 .190"	48.0	120.0	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
S61-190-T6	ALUMINUM SHEET 6061-T6 .190"	48.0	144.0	O	
S61-190-T6	ALUMINUM SHEET 6061-T6 .190"	60.0	-	O	
S61-190-T6	ALUMINUM SHEET 6061-T6 .190"	60.0	24.0	O	
S61-190-T6	ALUMINUM SHEET 6061-T6 .190"	60.0	115.0	O	
S61-190-T6	ALUMINUM SHEET 6061-T6 .190"	60.0	120.0	O	
S61-190-T6	ALUMINUM SHEET 6061-T6 .190"	60.0	120.0	P	Feb 17, 12
S61-190-T6	ALUMINUM SHEET 6061-T6 .190"	60.0	144.0	O	
<b>6061 DIAMOND TREAD PLATES</b>					
P61-0.100-T6DT	ALUM DIAMOND TRD 6061-T6 .100"	48.0	240.0	O	
P61-0.100-T6DT	ALUM DIAMOND TRD 6061-T6 .100"	48.0	120.0	O	
P61-0.125-T6DT	6061-T6 .125" AL DIAMOND TREAD	48.0	24.0	O	
P61-0.125-T6DT	6061-T6 .125" AL DIAMOND TREAD	48.0	144.0	O	
P61-0.125-T6DT	6061-T6 .125" AL DIAMOND TREAD	48.0	144.3	O	
P61-0.125-T6DT	6061-T6 .125" AL DIAMOND TREAD	48.0	192.0	O	
P61-0.125-T6DT	6061-T6 .125" AL DIAMOND TREAD	60.0	192.0	O	
P61-0.188-T6DT	ALUM DIAMOND TRD 6061-T6 .188"	48.0	192.0	O	
P61-0.188-T6DT	ALUM DIAMOND TRD 6061-T6 .188"	48.0	48.0	O	
P61-0.250-T6DT	ALUM DIAMOND TRD 6061-T6 .250"	32.0	96.0	O	
P61-0.250-T6DT	ALUM DIAMOND TRD 6061-T6 .250"	36.0	192.0	O	
P61-0.250-T6DT	ALUM DIAMOND TRD 6061-T6 .250"	48.0	24.0	O	
P61-0.250-T6DT	ALUM DIAMOND TRD 6061-T6 .250"	48.0	48.0	O	
P61-0.250-T6DT	ALUM DIAMOND TRD 6061-T6 .250"	48.0	144.0	O	
P61-0.250-T6DT	ALUM DIAMOND TRD 6061-T6 .250"	48.0	192.0	O	
P61-0.250-T6DT	ALUM DIAMOND TRD 6061-T6 .250"	48.0	192.0	P	Feb 17, 12
P61-0.250-T6DT	ALUM DIAMOND TRD 6061-T6 .250"	60.0	96.0	O	
P61-0.250-T6DT	ALUM DIAMOND TRD 6061-T6 .250"	60.0	192.0	O	
P61-0.375-T6DT	ALUM DIAMOND TRD 6061-T6 .375"	10.0	50.0	O	
P61-0.375-T6DT	ALUM DIAMOND TRD 6061-T6 .375"	22.9	41.6	O	
P61-0.375-T6DT	ALUM DIAMOND TRD 6061-T6 .375"	36.0	144.0	O	
P61-0.375-T6DT	ALUM DIAMOND TRD 6061-T6 .375"	36.0	192.0	O	
P61-0.375-T6DT	ALUM DIAMOND TRD 6061-T6 .375"	48.0	24.0	O	
P61-0.375-T6DT	ALUM DIAMOND TRD 6061-T6 .375"	48.0	48.0	O	
P61-0.375-T6DT	ALUM DIAMOND TRD 6061-T6 .375"	48.0	72.3	O	
P61-0.375-T6DT	ALUM DIAMOND TRD 6061-T6 .375"	48.0	96.0	O	
P61-0.375-T6DT	ALUM DIAMOND TRD 6061-T6 .375"	48.0	192.0	O	
P61-0.375-T6DT	ALUM DIAMOND TRD 6061-T6 .375"	48.3	72.3	O	
P61-0.375-T6DT	ALUM DIAMOND TRD 6061-T6 .375"	60.0	12.0	O	
P61-0.375-T6DT	ALUM DIAMOND TRD 6061-T6 .375"	60.0	72.0	O	
P61-0.375-T6DT	ALUM DIAMOND TRD 6061-T6 .375"	60.0	96.0	O	
P61-0.375-T6DT	ALUM DIAMOND TRD 6061-T6 .375"	60.0	108.0	O	
P61-0.375-T6DT	ALUM DIAMOND TRD 6061-T6 .375"	60.0	192.0	O	
P61-0.500-T6DT	ALUM DIAMOND TRD 6061-T6 .500"	48.0	192.0	O	
P61-0.500-T6DT	ALUM DIAMOND TRD 6061-T6 .500"	60.0	12.0	O	
P61-0.500-T6DT	ALUM DIAMOND TRD 6061-T6 .500"	60.0	48.0	O	
<b>6061 PLATES</b>					
P61-0.250-0	ALUMINUM PLATE 6061-0 .250"	48.0	112.5	O	
P61-0.250-0	ALUMINUM PLATE 6061-0 .250"	48.0	144.0	O	
P61-0.250-0	ALUMINUM PLATE 6061-0 .250"	48.0	-	P	Feb 17, 12
P61-0.250-651	ALUMINUM PLATE 6061-T651 .250"	3.8	66.8	O	
P61-0.250-651	ALUMINUM PLATE 6061-T651 .250"	8.0	144.0	O	
P61-0.250-651	ALUMINUM PLATE 6061-T651 .250"	11.5	144.0	O	
P61-0.250-651	ALUMINUM PLATE 6061-T651 .250"	12.0	144.0	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
P61-0.250-651	ALUMINUM PLATE 6061-T651 .250"	48.0	96.0	O	
P61-0.250-651	ALUMINUM PLATE 6061-T651 .250"	48.0	144.0	P	May 12, 12
P61-0.250-651	ALUMINUM PLATE 6061-T651 .250"	48.5	48.0	O	
P61-0.250-651	ALUMINUM PLATE 6061-T651 .250"	48.5	96.5	O	
P61-0.250-651	ALUMINUM PLATE 6061-T651 .250"	48.5	144.5	O	
P61-0.250-651	ALUMINUM PLATE 6061-T651 .250"	48.5	144.5	P	Feb 18, 12
P61-0.250-651	ALUMINUM PLATE 6061-T651 .250"	60.0	23.5	O	
P61-0.250-651	ALUMINUM PLATE 6061-T651 .250"	60.0	48.0	O	
P61-0.250-651	ALUMINUM PLATE 6061-T651 .250"	60.5	24.0	O	
P61-0.250-651	ALUMINUM PLATE 6061-T651 .250"	60.5	144.5	O	
P61-0.313-651	ALUMINUM PLATE 6061-T651 .313"	48.5	144.5	P	Feb 8, 12
P61-0.313-651	ALUMINUM PLATE 6061-T651 .313"	48.5	96.5	O	
P61-0.375-651	ALUMINUM PLATE 6061-T651 .375"	36.0	152.0	O	
P61-0.375-651	ALUMINUM PLATE 6061-T651 .375"	46.6	144.5	O	
P61-0.375-651	ALUMINUM PLATE 6061-T651 .375"	48.0	24.0	O	
P61-0.375-651	ALUMINUM PLATE 6061-T651 .375"	48.5	72.5	O	
P61-0.375-651	ALUMINUM PLATE 6061-T651 .375"	48.5	144.5	P	Feb 17, 12
P61-0.375-651	ALUMINUM PLATE 6061-T651 .375"	48.5	144.5	P	Mar 3, 12
P61-0.375-651	ALUMINUM PLATE 6061-T651 .375"	48.8	48.6	O	
P61-0.375-651	ALUMINUM PLATE 6061-T651 .375"	53.5	118.5	O	
P61-0.375-651	ALUMINUM PLATE 6061-T651 .375"	60.0	120.0	P	May 1, 12
P61-0.500-651	ALUMINUM PLATE 6061-T651 .500"	48.5	144.5	O	
P61-0.500-651	ALUMINUM PLATE 6061-T651 .500"	48.5	144.5	P	Feb 21, 12
P61-0.500-651	ALUMINUM PLATE 6061-T651 .500"	60.5	144.5	O	
P61-0.500-651	ALUMINUM PLATE 6061-T651 .500"	48.5	96.5	O	
P61-0.500-T6DT	ALUM DIAMOND TRD 6061-T6 .500"	48.0	192.0	O	
P61-0.500-T6DT	ALUM DIAMOND TRD 6061-T6 .500"	60.0	12.0	O	
P61-0.500-T6DT	ALUM DIAMOND TRD 6061-T6 .500"	60.0	48.0	O	
P61-0.625-651	ALUMINUM PLATE 6061-T651 .625"	48.5	144.5	O	
P61-0.625-651	ALUMINUM PLATE 6061-T651 .625"	60.5	144.5	O	
P61-0.625-651	ALUMINUM PLATE 6061-T651 .625"	24.0	11.5	O	
P61-0.750-651	ALUMINUM PLATE 6061-T651 .750"	48.5	144.5	O	
P61-0.750-651	ALUMINUM PLATE 6061-T651 .750"	60.5	144.5	O	
P61-0.750-651	ALUMINUM PLATE 6061-T651 .750"	16.5	32.0	O	
P61-1.000-651	ALUMINUM PLATE 6061-T651 1.00"	11.0	53.0	O	
P61-1.000-651	ALUMINUM PLATE 6061-T651 1.00"	11.8	24.0	O	
P61-1.000-651	ALUMINUM PLATE 6061-T651 1.00"	12.0	36.0	O	
P61-1.000-651	ALUMINUM PLATE 6061-T651 1.00"	21.9	59.5	O	
P61-1.000-651	ALUMINUM PLATE 6061-T651 1.00"	36.0	96.0	O	
P61-1.000-651	ALUMINUM PLATE 6061-T651 1.00"	48.0	23.8	O	
P61-1.000-651	ALUMINUM PLATE 6061-T651 1.00"	48.0	24.0	O	
P61-1.000-651	ALUMINUM PLATE 6061-T651 1.00"	48.0	120.0	O	
P61-1.000-651	ALUMINUM PLATE 6061-T651 1.00"	60.5	93.1	O	
P61-1.000-651	ALUMINUM PLATE 6061-T651 1.00"	60.5	120.0	O	
P61-1.000-651	ALUMINUM PLATE 6061-T651 1.00"	60.5	144.5	O	
P61-1.000-651	ALUMINUM PLATE 6061-T651 1.00"	72.0	44.3	O	
P61-1.000-651	ALUMINUM PLATE 6061-T651 1.00"	72.5	192.5	O	
P61-1.125-651	ALUMINUM PLATE 6061T651 1.125"	48.5	144.5	O	
P61-1.250-651	ALUMINUM PLATE 6061-T651 1.25"	48.0	144.0	O	
P61-1.250-651	ALUMINUM PLATE 6061-T651 1.25"	48.0	144.0	P	Feb 17, 12
P61-1.250-651	ALUMINUM PLATE 6061-T651 1.25"	48.5	88.5	O	
P61-1.250-651	ALUMINUM PLATE 6061-T651 1.25"	48.5	144.5	O	
P61-1.250-651	ALUMINUM PLATE 6061-T651 1.25"	23.9	10.8	O	
P61-1.375-651	ALUMINUM PLATE 6061T651 1.375"	48.5	96.5	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
P61-1.500-651	ALUMINUM PLATE 6061-T651 1.50"	12.4	45.5	O	
P61-1.500-651	ALUMINUM PLATE 6061-T651 1.50"	15.8	48.8	O	
P61-1.500-651	ALUMINUM PLATE 6061-T651 1.50"	20.5	43.0	O	
P61-1.500-651	ALUMINUM PLATE 6061-T651 1.50"	24.0	31.8	O	
P61-1.500-651	ALUMINUM PLATE 6061-T651 1.50"	24.0	103.8	O	
P61-1.500-651	ALUMINUM PLATE 6061-T651 1.50"	24.0	144.0	O	
P61-1.500-651	ALUMINUM PLATE 6061-T651 1.50"	24.3	144.5	O	
P61-1.500-651	ALUMINUM PLATE 6061-T651 1.50"	24.5	144.5	O	
P61-1.500-651	ALUMINUM PLATE 6061-T651 1.50"	36.0	36.0	O	
P61-1.500-651	ALUMINUM PLATE 6061-T651 1.50"	36.0	144.0	O	
P61-1.500-651	ALUMINUM PLATE 6061-T651 1.50"	48.5	60.3	O	
P61-1.500-651	ALUMINUM PLATE 6061-T651 1.50"	48.5	96.5	O	
P61-1.500-651	ALUMINUM PLATE 6061-T651 1.50"	48.5	144.5	O	
P61-1.500-651	ALUMINUM PLATE 6061-T651 1.50"	48.6	108.1	O	
P61-1.500-651	ALUMINUM PLATE 6061-T651 1.50"	48.8	108.5	O	
P61-1.500-651	ALUMINUM PLATE 6061-T651 1.50"	55.0	150.0	O	
P61-1.500-651	ALUMINUM PLATE 6061-T651 1.50"	60.5	13.0	O	
P61-1.500-651	ALUMINUM PLATE 6061-T651 1.50"	60.5	97.5	O	
P61-1.500-651	ALUMINUM PLATE 6061-T651 1.50"	60.5	144.5	P	May 1, 12
P61-1.750-651	ALUMINUM PLATE 6061-T651 1.75"	33.6	36.8	O	
P61-1.750-651	ALUMINUM PLATE 6061-T651 1.75"	36.8	150.0	O	
P61-1.750-651	ALUMINUM PLATE 6061-T651 1.75"	48.5	96.5	O	
P61-1.750-651	ALUMINUM PLATE 6061-T651 1.75"	48.5	120.5	O	
P61-1.750-651	ALUMINUM PLATE 6061-T651 1.75"	48.5	144.5	O	
P61-1.750-651	ALUMINUM PLATE 6061-T651 1.75"	60.5	96.0	O	
P61-1.750-651	ALUMINUM PLATE 6061-T651 1.75"	60.5	144.5	O	
P61-11.00-65F	6061-T652 11" FORGED AL PLATE	48.5	87.0	O	
P61-2.000-651	ALUMINUM PLATE 6061-T651 2.00"	60.5	96.0	O	
P61-2.000-651	ALUMINUM PLATE 6061-T651 2.00"	60.5	144.5	O	
P61-2.000-651	ALUMINUM PLATE 6061-T651 2.00"	48.5	48.5	O	
P61-2.250-651	ALUMINUM PLATE 6061-T651 2.25"	28.0	48.5	O	
P61-2.500-651	ALUMINUM PLATE 6061-T651 2.50"	45.5	58.0	O	
P61-2.500-651	ALUMINUM PLATE 6061-T651 2.50"	48.5	144.5	O	
P61-3.000-651	ALUMINUM PLATE 6061-T651 3.00"	3.0	14.8	O	
P61-3.000-651	ALUMINUM PLATE 6061-T651 3.00"	8.5	9.3	O	
P61-3.000-651	ALUMINUM PLATE 6061-T651 3.00"	9.3	11.0	O	
P61-3.000-651	ALUMINUM PLATE 6061-T651 3.00"	24.0	38.5	O	
P61-3.000-651	ALUMINUM PLATE 6061-T651 3.00"	36.3	144.5	O	
P61-3.000-651	ALUMINUM PLATE 6061-T651 3.00"	48.5	120.5	O	
P61-3.000-651	ALUMINUM PLATE 6061-T651 3.00"	48.5	144.5	O	
P61-3.000-651	ALUMINUM PLATE 6061-T651 3.00"	48.5	144.5	O	
P61-3.500-651	ALUMINUM PLATE 6061-T651 3.50"	60.5	144.5	P	May 1, 12
P61-3.500-651	ALUMINUM PLATE 6061-T651 3.50"	48.5	144.5	P	May 1, 12
P61-4.000-651	ALUMINUM PLATE 6061-T651 4.00"	60.5	144.5	P	May 1, 12
P61-4.000-651	ALUMINUM PLATE 6061-T651 4.00"	48.5	144.5	P	Mar 6, 12
P61-4.000-651	ALUMINUM PLATE 6061-T651 4.00"	3.5	144.5	O	
P61-4.250-651	ALUMINUM PLATE 6061-T651 4.25"	24.0	120.3	O	
P61-4.500-651	ALUMINUM PLATE 6061-T651 4.50"	60.5	144.5	P	Mar 2, 12
P61-5.000-651	ALUMINUM PLATE 6061-T651 5.00"	12.0	9.8	O	
P61-5.000-651	ALUMINUM PLATE 6061-T651 5.00"	12.0	25.8	O	
P61-5.000-651	ALUMINUM PLATE 6061-T651 5.00"	48.5	144.5	P	Mar 6, 12
P61-5.000-651	ALUMINUM PLATE 6061-T651 5.00"	60.5	93.9	O	
P61-5.000-651	ALUMINUM PLATE 6061-T651 5.00"	60.5	144.5	O	
P61-5.500-651	ALUMINUM PLATE 6061-T651 5.50"	48.5	144.5	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
P61-5.500-651	ALUMINUM PLATE 6061-T651 5.50"	24.0	38.5	O	
P61-6.000-651	6061-T651 6.00" ALUMINUM PLATE	9.8	8.3	O	
P61-6.000-651	6061-T651 6.00" ALUMINUM PLATE	9.8	11.1	O	
P61-6.000-651	6061-T651 6.00" ALUMINUM PLATE	10.3	13.5	O	
P61-6.000-651	6061-T651 6.00" ALUMINUM PLATE	12.5	11.5	O	
P61-6.000-651	6061-T651 6.00" ALUMINUM PLATE	23.3	110.5	O	
P61-6.000-651	6061-T651 6.00" ALUMINUM PLATE	48.5	96.5	O	
P61-6.000-651	6061-T651 6.00" ALUMINUM PLATE	48.5	110.5	O	
P61-6.000-651	6061-T651 6.00" ALUMINUM PLATE	48.5	144.5	P	Mar 6, 12
P61-6.000-651	6061-T651 6.00" ALUMINUM PLATE	60.5	96.5	O	
P61-9.000-600	ALUMINUM PLATE 6061-T6 9.00"	55.0	60.5	O	
P61-9.000-600	ALUMINUM PLATE 6061-T6 9.00"	60.5	110.0	O	
P61-9.000-600	ALUMINUM PLATE 6061-T6 9.00"	35.0	60.5	O	
60-17367-CS61	6061T6 1MA10491C03 .090 X .585	120.0	-	P	Feb 17, 12
60-33541-CS61	6061T6 1MA10659C03 .050 X 1.05	144.0	-	P	Feb 17, 12
LS37531-CS61	6061T6 LS37531 4.85X 2.44X.30	144.0	-	O	
<b>6061 TEE BARS</b>					
10136-2006-T61	6061-T6 2.00 X 1.25 X .125	144.0	-	O	
60-4683-T61	6061-T6 SC 2.00 X 2.00 X .250	144.0	-	O	
T61-150.188-T6	6061-T6 A.S 1.50 X 1.50 X .188	300.0	-	O	
T61-150.250-T6	6061T6 TEE 1.5 X 1.5 X .250"	300.0	-	O	
<b>6061 ZEE BARS</b>					
Z61-175.188-T6	6061T6 ZEE 1.75 X 1.750 X .188	240.0	-	O	
Z61-302.688.25	6061T6 ZEE 3.00 X 2.688 X .250	360.0	-	O	
Z61-302.688.25	6061T6 ZEE 3.00 X 2.688 X .250	240.0	-	O	
Z61-403.063.25	6061T6 ZEE 4.00 X 3.063 X .250	360.0	-	O	
<b>6063 RECTANULAT TUBING</b>					
63F08150062T5	6063-T52 .75X 1.5X.062 REC TUB	288.0	-	O	
63F10150125T5	6063-T52 1 X 1.5 X.125 REC TUB	288.0	-	O	
63F10200093T5	6063-T52 1 X 2 X .093 REC TUBE	288.0	-	O	
63F10200125T5	6063-T52 1 X 2 X .125 REC TUBE	253.0	-	O	
63F10200125T5	6063-T52 1 X 2 X .125 REC TUBE	288.0	-	O	
63F10200125T5	6063-T52 1 X 2 X .125 REC TUBE	240.0	-	O	
63F10200250T5	6063-T52 1 X 2 X .250 REC TUBE	144.0	-	O	
63F10250125T5	6063-T52 1 X 2.5 X.125 REC TUB	240.0	-	P	Feb 22, 12
63F10250125T5	6063-T52 1 X 2.5 X.125 REC TUB	240.0	-	O	
63F10300125T5	6063-T52 1 X 3 X .125 REC TUBE	253.0	-	O	
63F10400125T5	6063-T52 1.00 X 4.00X.125 TUBE	288.0	-	O	
63F15200125T5	6063-T52 1.50 X 2.00X.125 TUBE	288.0	-	O	
63F15300125T5	6063-T52 1.50 X 3.00X.125 TUBE	252.0	-	O	
63F15300125T5	6063-T52 1.50 X 3.00X.125 TUBE	288.0	-	O	
63F15400125T5	6063T52 1.5 X 4 X.125 REC TUBE	288.0	-	O	
63F20300125T5	6063-T52 2.00 X 3.00X.125 TUBE	288.0	-	O	
63F20300125T5	6063-T52 2.00 X 3.00X.125 TUBE	144.0	-	O	
63F20300125T5	6063-T52 2.00 X 3.00X.125 TUBE	240.0	-	O	
63F20300125T5	6063-T52 2.00 X 3.00X.125 TUBE	253.0	-	O	
63F20300125T5	6063-T52 2.00 X 3.00X.125 TUBE	84.0	-	O	
63F20300250T5	6063-T52 2.00 X 3.00X.250 TUBE	288.0	-	O	
63F20400125T5	6063-T52 2.00 X 4.00X.125 TUBE	288.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
63F20400125T5	6063-T52 2.00 X 4.00X.125 TUBE	252.0	-	O	
63F20400250T5	6063-T52 2.00 X 4.00X.250 TUBE	288.0	-	O	
63F20400250T5	6063-T52 2.00 X 4.00X.250 TUBE	240.0	-	O	
63F20500125T5	6063-T52 2.00 X 5.00X.125 TUBE	288.0	-	O	
63F20600125T5	6063-T52 2.00 X 6.00X.125 TUBE	288.0	-	O	
63F20800125T5	6063-T52 2.00 X 8.00X.125 TUBE	253.0	-	O	
63F40800250T5	6063-T52 4.00 X 8.00X.250 TUBE	288.0	-	O	
<b>6063 ARCHITECTURAL PIPE</b>					
63P-050.40-T52	6063-T52 .500"SCH.40 ARCH PIPE	240.0	-	O	
63P-100.40-T52	6063-T52 1.00"SCH.40 ARCH PIPE	288.0	-	O	
63P-100.40-T52	6063-T52 1.00"SCH.40 ARCH PIPE	240.0	-	O	
63P-125.40-T52	6063-T52 1.25"SCH.40 ARCH PIPE	240.0	-	O	
63P-150.10-T6	6063-T6 1.50"SCH.10 STRCL PIPE	240.0	-	O	
63P-150.40-T52	6063-T52 1.50"SCH.40 ARCH PIPE	288.0	-	O	
63P-150.40-T52	6063-T52 1.50"SCH.40 ARCH PIPE	240.0	-	O	
63P-200.40-T52	6063-T52 2.00"SCH.40 ARCH PIPE	240.0	-	O	
63P-200.80-T52	6063-T52 2.00"SCH.80 ARCH PIPE	240.0	-	O	
63P-250.40-T52	6063-T52 2.50"SCH.40 ARCH PIPE	240.0	-	O	
63P-300.40-T52	6063-T52 3.00"SCH.40 ARCH PIPE	240.0	-	O	
63P-350.10-T52	6063-T52 3.50"SCH.10 ARCH PIPE	240.0	-	O	
63P-350.40-T52	6063-T52 3.50"SCH.40 ARCH PIPE	240.0	-	O	
<b>6063 SQUARE TUBING</b>					
63Q-075.062-52	6063-T52 .750"SQ X.062 SQ TUBE	288.0	-	O	
63Q-075.093-52	6063-T52 .750"SQ X.093 SQ TUBE	288.0	-	O	
63Q-075.125-52	6063-T52 .750"SQ X.125 SQ TUBE	288.0	-	O	
63Q-100.062-52	6063-T52 1.00"SQ X.062 SQ TUBE	253.0	-	O	
63Q-100.062-52	6063-T52 1.00"SQ X.062 SQ TUBE	288.0	-	O	
63Q-100.062-52	6063-T52 1.00"SQ X.062 SQ TUBE	240.0	-	O	
63Q-100.062-5R	6063-T52 1.00X .062W/093R TUBE	300.0	-	O	
63Q-100.093-52	6063-T52 1.00"SQ X.093 SQ TUBE	288.0	-	O	
63Q-100.125-52	6063-T52 1.00"SQ X.125 SQ TUBE	144.0	-	O	
63Q-100.125-52	6063-T52 1.00"SQ X.125 SQ TUBE	253.0	-	O	
63Q-100.125-52	6063-T52 1.00"SQ X.125 SQ TUBE	288.0	-	O	
63Q-125.093-52	6063-T52 1.25"SQ X.093 SQ TUBE	288.0	-	O	
63Q-125.125-52	6063-T52 1.25"SQ X.125 SQ TUBE	288.0	-	O	
63Q-125.125-52	6063-T52 1.25"SQ X.125 SQ TUBE	253.0	-	O	
63Q-150.125-52	6063-T52 1.50"SQ X.125 SQ TUBE	240.0	-	O	
63Q-150.125-52	6063-T52 1.50"SQ X.125 SQ TUBE	252.0	-	O	
63Q-150.125-52	6063-T52 1.50"SQ X.125 SQ TUBE	253.0	-	O	
63Q-150.125-52	6063-T52 1.50"SQ X.125 SQ TUBE	288.0	-	O	
63Q-150.188-52	6063-T52 1.50"SQ X.188 SQ TUBE	288.0	-	O	
63Q-175.125-52	6063-T52 1.75"SQ X.125 SQ TUBE	288.0	-	O	
63Q-200.062-52	6063-T52 2.00"SQ X.062 SQ TUBE	288.0	-	O	
63Q-200.093-52	6063-T52 2.00"SQ X.093 SQ TUBE	288.0	-	O	
63Q-200.125-52	6063-T52 2.00"SQ X.125 SQ TUBE	144.0	-	O	
63Q-200.125-52	6063-T52 2.00"SQ X.125 SQ TUBE	240.0	-	O	
63Q-200.125-52	6063-T52 2.00"SQ X.125 SQ TUBE	252.0	-	O	
63Q-200.125-52	6063-T52 2.00"SQ X.125 SQ TUBE	253.0	-	O	
63Q-200.125-52	6063-T52 2.00"SQ X.125 SQ TUBE	288.0	-	O	
63Q-200.188-52	6063-T52 2.00"SQ X.188 SQ TUBE	288.0	-	O	
63Q-200.188-52	6063-T52 2.00"SQ X.188 SQ TUBE	144.0	-	O	
63Q-200.250-52	6063-T52 2.00"SQ X.250 SQ TUBE	240.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
63Q-250.075-52	6063-T52 2.50"SQ X.075 SQ TUBE	288.0	-	O	
63Q-250.125-52	6063-T52 2.50"SQ X.125 SQ TUBE	288.0	-	O	
63Q-300.093-52	6063-T52 3.00"SQ X.093 SQ TUBE	288.0	-	O	
63Q-300.125-60	6063-T6 3.00"SQ X.125 SQ TUBE	253.0	-	O	
63Q-300.250-52	6063-T52 3.00"SQ X.250 SQ TUBE	109.5	-	O	
63Q-300.250-52	6063-T52 3.00"SQ X.250 SQ TUBE	253.0	-	O	
63Q-400.125-52	6063-T52 4.00"SQ X.125 SQ TUBE	288.0	-	O	
63Q-400.250-52	6063-T52 4.00"SQ X.250 SQ TUBE	288.0	-	O	
63Q-400.250-52	6063-T52 4.00"SQ X.250 SQ TUBE	114.0	-	O	
63Q-600.125-52	6063-T52 6.00"SQ X.125 SQ TUBE	288.0	-	O	
63Q-600.188-5R	6063-T52 6.00"SQ X.188 SQ TUBE	288.0	-	O	
<b>6063 ROUND TUBING</b>					
63R-075.125-52	6063-T52 .750"X.125"WA RNDTUBE	288.0	-	O	
63R-100.050-52	6063-T52 1.00"X.050"WA RNDTUBE	240.0	-	O	
63R-100.080-52	6063-T52 1.00"X.080"WA RNDTUBE	175.0	-	O	
63R-100.093-52	6063-T52 1.00"X.093"WA RNDTUBE	288.0	-	O	
63R-100.125-52	6063-T52 1.00"X.125"WA RNDTUBE	288.0	-	O	
63R-1200.50-52	6063-T52 12.0"X.500"WA RNDTUBE	312.0	-	O	
63R-125.062-52	6063-T52 1.25"X.062"WA RNDTUBE	240.0	-	O	
63R-125.083-52	6063-T52 1.25"X.083"WA RNDTUBE	175.0	-	O	
63R-150.093-52	6063-T52 1.50"X.093"WA RNDTUBE	288.0	-	O	
<b>6063 ANGLES</b>					
60-12979-A63	6063-T52 SC 2.00 X 2.00 X .375	192.0	-	O	
60-1372-A63	6063-T52 RC 1.00 X 1.00 X .125	144.0	-	O	
60-207-A63	6063-T52 1.00 X 1.00 X .062	300.0	-	O	
60-207-A63	6063-T52 1.00 X 1.00 X .062	240.0	-	O	
A63-050.062-52	6063-T52 .500 X .500 X .062	240.0	-	O	
A63-075.125-52	6063-T52 .750 X .750 X .125	240.0	-	O	
A63-100.125-52	6063-T52 1.00 X 1.00 X .125	240.0	-	O	
A63-100.250-52	6063-T52 1.00 X 1.00 X .250	240.0	-	O	
A63-125.125-52	6063-T52 1.25 X 1.25 X .125	240.0	-	O	
A63-1335.12-52	6063-T52 1.25 X 3.50 X .125	240.0	-	O	
A63-150.062-52	6063-T52 1.50 X 1.50 X .062	240.0	-	O	
A63-150.125-52	6063-T52 1.50 X 1.50 X .125	240.0	-	O	
A63-150.188-52	6063-T52 1.50 X 1.50 X .188	144.0	-	O	
A63-151.125-52	6063-T52 1.50 X 1.00 X .125	240.0	-	O	
A63-152.125-52	6063-T52 1.50 X 2.00 X .125	240.0	-	O	
A63-200.125-52	6063-T52 2.00 X 2.00 X .125	240.0	-	O	
A63-200.125-52	6063-T52 2.00 X 2.00 X .125	120.0	-	O	
A63-200.250-52	6063-T52 2.00 X 2.00 X .250	192.0	-	O	
A63-200.250-52	6063-T52 2.00 X 2.00 X .250	240.0	-	O	
A63-2030.13-52	6063-T52 2.00 X 3.00 X .125	240.0	-	O	
A63-2040.13-52	6063-T52 2.00 X 4.00 X .125	240.0	-	O	
A63-300.125-52	6063-T52 3.00 X 3.00 X .125	240.0	-	O	
A63-3050.13-52	6063-T52 3.00 X 5.00 X .125	288.0	-	O	
<b>6063 CHANNEL</b>					
C63-100.125-52	6063T52 1 X 1 X .125 CHANNEL	240.0	-	O	
C63-115.125-52	6063T52 1 X 1.5 X .125 CHANNEL	240.0	-	O	
C63-12.125-52	6063T52 1 X 2 X .125 CHANNEL	240.0	-	O	
C63-137.125-52	6063T52 1.25X.75 X.125 CHANNEL	240.0	-	O	
C63-150.125-52	6063T52 1.5 X1.5 X.125 CHANNEL	240.0	-	O	



PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
<b>6063 ROUND BARS</b>					
R63-0.375-T52	6063-T52 .375"DIA. ROUND BAR	144.0	-	O	
R63-0.375-T52	6063-T52 .375"DIA. ROUND BAR	240.0	-	O	
R63-0.500-T52	6063-T52 .500"DIA. ROUND BAR	144.0	-	O	
R63-0.625-T52	6063-T52 .625"DIA. ROUND BAR	144.0	-	P	Feb 22, 12
R63-0.625-T52	6063-T52 .625"DIA. ROUND BAR	144.0	-	O	
R63-1.000-T52	6063-T52 1.00"DIA. ROUND BAR	240.0	-	O	
R63-2.000-T52	6063-T52 2.00"DIA. ROUND BAR	144.0	-	O	
R63-2.000-T52	6063-T52 2.00"DIA. ROUND BAR	124.0	-	O	
R63-2.250-T52	6063-T52 2.25"DIA. ROUND BAR	144.0	-	O	
<b>6082-T6 ALLOY ITEMS      6082-T6</b>					
F82-0630150-6E	6082-T6 AL FLAT .625 X 1.500	144.0	-	P	Feb 15, 12
R82-3.000-60EX	6082-T6 AL EXT RND 3.000"DIA	336.0	-	O	
82Q-150.125-T6	6082-T6 1.50"SQ X .125"WA EXT	240.0	-	O	
82P-100.40-T6	6082-T6 1.00"SCH.40 STRCL PIPE	240.0	-	O	
82P-300.80-T6	6082-T6 3.00"SCH.80 STRCL PIPE	240.0	-	O	
82P-600.40-T6	6082-T6 6.00"SCH.40 STRCL PIPE	240.0	-	O	
B82-6.190-6AA	6082-T6 6 X 4.0 X .190 I-BEAM	240.0	-	O	
<b>7039 ARMOR PLATES</b>					
P39-0.250-64	7039 ARMOR PLATE 0.250"	48.0	120.0	O	
P39-0.250-64	7039 ARMOR PLATE 0.250"	48.0	55.0	O	
P39-0.500-64	7039 ARMOR PLATE 0.500"	80.0	156.0	O	
P39-0.500-64	7039 ARMOR PLATE 0.500"	48.0	144.0	O	
P39-0.750-64	7039 ARMOR PLATE 0.750"	48.0	144.0	O	
P39-1.000-64	7039 ARMOR PLATE 1.000"	48.0	240.0	O	
P39-1.500-64	7039 ARMOR PLATE 1.500"	7.0	42.0	O	
P39-1.500-64	7039 ARMOR PLATE 1.500"	18.0	66.5	O	
P39-1.500-64	7039 ARMOR PLATE 1.500"	36.8	42.0	O	
P39-1.500-64	7039 ARMOR PLATE 1.500"	48.0	144.0	O	
P39-1.500-64	7039 ARMOR PLATE 1.500"	66.5	208.0	O	
P39-1.500-64	7039 ARMOR PLATE 1.500"	72.0	144.0	P	May 15, 12
P39-1.625-64	7039 ARMOR PLATE 1.625"	55.0	162.0	O	
P39-1.625-64	7039 ARMOR PLATE 1.625"	54.5	120.5	O	
P39-2.000-64	7039 ARMOR PLATE 2.000"	48.0	144.0	O	
P39-2.500-64	7039 ARMOR PLATE 2.500"	48.0	120.5	O	
<b>7050 TEES</b>					
60-12468-A50	7050-T76511 1.50 X 1.50 X .250	144.0	-	O	
1D1823-T50	7050-T76511 1.033X 2.25 X .090	96.0	-	O	
1D1823-T50	7050-T76511 1.033X 2.25 X .090	192.0	-	O	
1D1823-T50	7050-T76511 1.033X 2.25 X .090	84.0	-	O	
60-18472-T50	7050-T76511 3.00 X 1.25 X .625	128.0	-	O	
<b>7050 PLATES</b>					
P50-1.000-451	ALUMINUM PLATE 7050T7451 1.00"	48.5	108.8	O	
P50-1.000-451	ALUMINUM PLATE 7050T7451 1.00"	48.5	144.5	O	
P50-1.000-451	ALUMINUM PLATE 7050T7451 1.00"	37.3	144.5	O	
P50-1.250-451	ALUMINUM PLATE 7050T7451 1.25"	48.5	144.5	O	
P50-1.750-451	ALUMINUM PLATE 7050T7451 1.75"	48.5	144.5	O	
P50-2.000-451	ALUMINUM PLATE 7050T7451 2.00"	2.5	36.0	O	
P50-2.000-451	ALUMINUM PLATE 7050T7451 2.00"	2.5	48.0	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
P50-2.000-451	ALUMINUM PLATE 7050T7451 2.00"	25.3	134.0	O	
P50-2.000-451	ALUMINUM PLATE 7050T7451 2.00"	48.5	144.5	O	
P50-2.000-451	ALUMINUM PLATE 7050T7451 2.00"	57.0	150.8	O	
P50-2.250-451	ALUMINUM PLATE 7050T7451 2.25"	48.5	144.5	O	
P50-2.250-451	ALUMINUM PLATE 7050T7451 2.25"	27.3	144.5	O	
P50-2.500-451	ALUMINUM PLATE 7050T7451 2.50"	48.5	129.5	O	
P50-3.000-451	ALUMINUM PLATE 7050T7451 3.00"	55.0	150.8	O	
P50-3.000-451	ALUMINUM PLATE 7050T7451 3.00"	51.8	104.0	O	
P50-4.000-451	ALUMINUM PLATE 7050T7451 4.00"	36.3	11.0	O	
P50-4.000-451	ALUMINUM PLATE 7050T7451 4.00"	56.5	105.5	O	
P50-4.000-451	ALUMINUM PLATE 7050T7451 4.00"	56.5	118.0	O	
P50-4.000-451	ALUMINUM PLATE 7050T7451 4.00"	56.5	132.5	O	
P50-5.000-451	ALUMINUM PLATE 7050T7451 5.00"	48.5	144.5	O	
P50-6.000-451	ALUMINUM PLATE 7050T7451 6.00"	48.5	144.5	P	Mar 24, 12
<b>7075 ANGLES</b>					
10133-0701~A75	7075-T73511 .875 X .875 X .063	144.0	-	O	
10133-0701~A75	7075-T73511 .875 X .875 X .063	120.0	-	O	
10133-0702-A75	7075-T6511 .875 X .875 X .094	144.0	-	P	Feb 10, 12
10133-0702-A75	7075-T6511 .875 X .875 X .094	120.0	-	P	Feb 10, 12
10133-1003-A75	7075-T6511 1.00 X 1.00 X .125	120.0	-	O	
10133-1003-A75	7075-T6511 1.00 X 1.00 X .125	144.0	-	O	
10133-1003.A75	7075-O 1.00 X 1.00 X .125	144.0	-	O	
10133-1202-A75	7075-T6511 1.25 X 1.25 X .094	144.0	-	O	
10133-1202-A75	7075-T6511 1.25 X 1.25 X .094	120.0	-	O	
10133-1203-A75	7075-T6511 1.25 X 1.25 X .125	144.0	-	O	
10133-1203-A75	7075-T6511 1.25 X 1.25 X .125	120.0	-	O	
10133-1203.A75	7075-O 1.25 X 1.25 X .125	144.0	-	O	
10133-1401-A75	7075-T6511 1.50 X 1.50 X .063	120.0	-	O	
10133-1401-A75	7075-T6511 1.50 X 1.50 X .063	144.0	-	O	
10133-1403-A75	7075-T6511 1.50 X 1.50 X .125	144.0	-	P	Feb 17, 12
10133-1403-A75	7075-T6511 1.50 X 1.50 X .125	120.0	-	P	Feb 17, 12
10133-2001-A75	7075-T6511 2.00 X 2.00 X .094	144.0	-	O	
10133-2002-A75	7075-T6511 2.00 X 2.00 X .125	144.0	-	O	
10133-2002-A75	7075-T6511 2.00 X 2.00 X .125	120.0	-	O	
10133-2003-A75	7075-T6511 2.00 X 2.00 X .188	144.0	-	O	
10133-2401-A75	7075-T6511 2.50 X 2.50 X .125	240.0	-	O	
10133-2401-A75	7075-T6511 2.50 X 2.50 X .125	144.0	-	O	
10133-2402.A75	7075-O 2.50 X 2.50 X .188	144.0	-	P	Feb 27, 12
10133-2402.A75	7075-O 2.50 X 2.50 X .188	120.0	-	P	Feb 27, 12
10133-2402~A75	7075-T73511 2.50 X 2.50 X .188	144.0	-	O	
10133-3001-A75	7075-T6511 3.00 X 3.00 X .188	144.0	-	O	
10133-3003-A75	7075-T6511 3.00 X 3.00 X .313	120.0	-	O	
10134-1201.A75	7075-O 1.25 X .750 X .062	144.0	-	O	
10134-1203.A75	7075-O 1.25 X .750 X .125	144.0	-	O	
10134-1204.A75	7075-O 1.25 X 1.00 X .063	144.0	-	O	
10134-1206-A75	7075-T6511 1.25 X 1.00 X .125	144.0	-	O	
10134-1404-A75	7075-T6 1.50 X 1.00 X .125	144.0	-	O	
10134-1404-A75	7075-T6 1.50 X 1.00 X .125	240.0	-	O	
10134-1407.A75	7075-O 1.50 X 1.25 X .125	144.0	-	O	
10134-1407/A75	7075-T76511 1.50 X 1.25 X .125	144.0	-	O	
10134-1407/A75	7075-T76511 1.50 X 1.25 X .125	120.0	-	O	
10134-1602.A75	7075-O 1.75 X 1.25 X .125	144.0	-	O	
10134-2002-A75	7075-T6511 2.00 X 1.00 X .156	60.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
10134-2002-A75	7075-T6511 2.00 X 1.00 X .156	144.0	-	O	
10134-2006-A75	7075-T6511 2.00 X 1.50 X .125	144.0	-	O	
10134-2404-A75	7075-T6511 2.50 X 1.50 X .188	144.0	-	O	
10134-2404-A75	7075-T6511 2.50 X 1.50 X .188	132.0	-	O	
10134-2405-A75	7075-T6511 2.50 X 1.75 X .156	144.0	-	O	
10134-2405-A75	7075-T6511 2.50 X 1.75 X .156	120.0	-	O	
10134-3001-A75	7075-T6 3.00 X 1.50 X .188	60.0	-	O	
10134-3001-A75	7075-T6 3.00 X 1.50 X .188	120.0	-	O	
10134-3001-A75	7075-T6 3.00 X 1.50 X .188	144.0	-	O	
10134-3001-A75	7075-T6 3.00 X 1.50 X .188	240.0	-	O	
60-11254-A75	7075-T6511 1.00 X .250 X .040	144.0	-	O	
60-11758-A75	7075-T6511 3.00 X 1.50 X .065	166.0	-	O	
60-13201-A75	7075-T6511 2.00 X 2.00 X .070	144.0	-	O	
60-13201-A75	7075-T6511 2.00 X 2.00 X .070	120.0	-	O	
60-136-A75	7075-T6 1.50 X 1.00 X .062	120.0	-	O	
60-136-A75	7075-T6 1.50 X 1.00 X .062	144.0	-	O	
60-136-A75	7075-T6 1.50 X 1.00 X .062	144.0	-	P	Feb 17, 12
60-136-A75	7075-T6 1.50 X 1.00 X .062	96.0	-	O	
60-1481-A75	7075-T6511 1.00 X 1.00 X .072	120.0	-	P	Feb 17, 12
60-1481-A75	7075-T6511 1.00 X 1.00 X .072	144.0	-	P	Feb 17, 12
60-157-A75	7075-T6511 1.75 X 1.00 X .125	144.0	-	O	
60-15714.A75	7075-O 1.25 X 1.25 X .210	144.0	-	O	
60-171-A75	7075-T6511 1.50 X 1.00 X .156	144.0	-	O	
60-2032-A75	7075-T6511 1.00 X 1.00 X .080	144.0	-	P	Feb 27, 12
60-2032-A75	7075-T6511 1.00 X 1.00 X .080	120.0	-	P	Feb 27, 12
60-205.A75	7075-O 1.25 X 1.25 X .250	144.0	-	O	
60-208-A75	7075-T6511 4.00 X 2.50 X .125	120.0	-	O	
60-208-A75	7075-T6511 4.00 X 2.50 X .125	144.0	-	O	
60-237-A75	7075-T6511 1.00 X 1.00 X .188	144.0	-	O	
60-24109.A75	7075-0 3.00 X 2.00 X .125	144.0	-	O	
60-24109.A75	7075-0 3.00 X 2.00 X .125	120.0	-	O	
60-2447-A75	7075-T6511 1.00 X .750 X .040	144.0	-	O	
60-2562-A75	7075-T6511 0.90 X 1.00 X .065	72.0	-	O	
60-26177-A75	7075-T6511 1.625 X 1.36 X .125	120.0	-	P	Feb 28, 12
60-26177-A75	7075-T6511 1.625 X 1.36 X .125	144.0	-	P	Feb 28, 12
60-2738-A75	7075-T6511 2.125 X 1.70 X .200	144.0	-	O	
60-298-A75	7075-T6511 .750 X .750 X .062	144.0	-	O	
60-31872-A75	7075-T6511 1.38 X 1.20 X .300	144.0	-	O	
60-31872-A75	7075-T6511 1.38 X 1.20 X .300	60.0	-	O	
60-3588-A75	7075-T6511 2.00 X 1.50 X .094	144.0	-	O	
60-3702-A75	7075-T6511 3.00 X 1.80 X .063	144.0	-	O	
60-377-A75	7075-T6511 2.50 X 1.25 X .125	144.0	-	O	
60-377-A75	7075-T6511 2.50 X 1.25 X .125	165.0	-	O	
60-377-A75	7075-T6511 2.50 X 1.25 X .125	120.0	-	O	
60-3847-A75	7075-T6511 1.25 X 1.25 X .156	144.0	-	O	
60-4198-A75	7075-T6511 2.10 X 1.00 X .078	144.0	-	O	
60-4407-A75	7075-T6511 0.88 X 0.88 X .060	144.0	-	O	
60-4854-A75	7075-T6511 3.00 X 1.40 X .100	144.0	-	O	
60-5316-A75	7075-T6511 3.120 X 2.75 X .190	144.0	-	O	
60-5566/A75	7075-T76511 2.00 X 2.00 X .063	72.0	-	O	
60-5582-A75	7075-T73511 1.30 X .940 X .125	144.0	-	O	
60-5780/A75	7075-T76511 2.35 X 1.25 X .070	120.0	-	O	
60-5780/A75	7075-T76511 2.35 X 1.25 X .070	144.0	-	O	
60-6571-A75	7075-T6511 2.38 X 1.50 X .190	144.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
60-6765-A75	7075-T6511 2.06 X 1.00 X .094	144.0	-	P	Feb 17, 12
60-6765-A75	7075-T6511 2.06 X 1.00 X .094	120.0	-	P	Feb 17, 12
60-6768-A75	7075-T6 1.10 X 1.25 X .070	144.0	-	O	
60-93-A75	7075-T6511 2.50 X 2.00 X .250	144.0	-	O	
60-93-A75	7075-T6511 2.50 X 2.00 X .250	84.0	-	O	
<b>7075 CHANNELS</b>					
10137-0602/C75	7075-T76511 .750 X .500 X .050	144.0	-	O	
10137-0606-C75	7075-T6511 .750 X .875 X .094	144.0	-	O	
10137-0710-C75	7075-T6511 .875 X 1.00 X .125	144.0	-	O	
10137-1008-C75	7075-T6511 1.00 X .875 X .063	144.0	-	O	
10137-1110-C75	7075-T6511 1.125 X .875 X .125	144.0	-	O	
10137-1403-C75	7075-T6511 1.50 X .875 X .125	144.0	-	O	
10137-1603-C75	7075-T6511 1.75 X .875 X .125	144.0	-	O	
10137-1603-C75	7075-T6511 1.75 X .875 X .125	120.0	-	O	
10137-2001~C75	7075-T73511 2.00 X .750 X .094	144.0	-	O	
10137-2004-C75	7075-T6511 2.00 X 1.00 X .094	144.0	-	O	
10137-2004-C75	7075-T6511 2.00 X 1.00 X .094	120.0	-	O	
10137-2005-C75	7075-T6511 2.00 X 1.00 X .125	120.0	-	O	
10137-2005-C75	7075-T6511 2.00 X 1.00 X .125	144.0	-	O	
10137-2201-C75	7075-T6511 2.25 X 1.00 X .094	144.0	-	O	
10137-3003-C75	7075-T6511 3.00 X 1.75 X .156	144.0	-	O	
1507-48706-C75	7075-T6511 3.32 X 1.50 X .250	144.0	-	O	
1507-48706-C75	7075-T6511 3.32 X 1.50 X .250	120.0	-	O	
60-14747.C75	7075-0 2.00 X 2.00 X .060	132.0	-	O	
60-14747.C75	7075-0 2.00 X 2.00 X .060	120.0	-	O	
60-16328-C75	7075-T6511 2.96 X 2.275 X .125	144.0	-	O	
60-24422-C75	7075-T6511 1.75 X 0.500 X .063	144.0	-	O	
60-32914-C75	7075-T6511 .620 X .250 X .062	144.0	-	O	
60-33279~C75	7075-T73511 1.25 X 1.25 X .078	144.0	-	O	
60-3821-C75	7075-T6511 1.70 X 1.806 X .060	144.0	-	O	
60-4539-C75	7075-T6511 3.50 X 1.375 X .156	144.0	-	O	
60-5835~C75	7075-T73511 1.00 X 1.00 X .094	144.0	-	O	
60-7119-C75	7075-T6511 .875 X 1.00 X .188	144.0	-	O	
60-7225-C75	7075-T6511 2.25 X 1.00 X .125	144.0	-	O	
60-7300-C75	7075-T6511 1.25 X 1.118 X .050	144.0	-	O	
60-7719-C75	7075-T6511 1.50 X 1.595 X .050	144.0	-	O	
C75-LS34313-1	7075-T6511 5.09 X 1.82 X .153	144.0	-	O	
<b>7075 TEE BARS</b>					
10136-1302-T75	7075-T6511 1.375 X 1.00 X .063	144.0	-	O	
10136-1302-T75	7075-T6511 1.375 X 1.00 X .063	84.0	-	O	
10136-1401~T75	7075-T73511 1.50 X .750 X .063	144.0	-	O	
10136-1401~T75	7075-T73511 1.50 X .750 X .063	120.0	-	O	
10136-1501-T75	7075-T6511 1.625 X .875 X .078	144.0	-	O	
10136-1607-T75	7075-T6511 1.75 X 1.63 X .094	144.0	-	O	
10136-2003-T75	7075-T6511 2.00 X 1.00 X .125	144.0	-	O	
10136-2008-T75	7075-T6511 2.00 X 1.75 X .125	144.0	-	O	
10136-3005-T75	7075-T6511 3.00 X 2.50 X .125	144.0	-	O	
10136-3005~T75	7075-T73511 3.00 X 2.50 X .125	144.0	-	O	
10136-3005~T75	7075-T73511 3.00 X 2.50 X .125	120.0	-	O	
10141-2002-T75	7075-T6511 2.00 X 1.25 X .070	144.0	-	O	
60-10118~T75	7075T73511 2.25 X 1.125 X .094	144.0	-	O	
60-10118~T75	7075T73511 2.25 X 1.125 X .094	120.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
60-11196-T75	7075-T6511 2.99 X 0.90 X .065	72.0	-	O	
60-12625-T75	7075-T6511 2.15 X 1.50 X .060	144.0	-	O	
60-12625-T75	7075-T6511 2.15 X 1.50 X .060	120.0	-	O	
60-12667-T75	7075-T6511 1.50 X 1.00 X .050	144.0	-	O	
60-13867~T75	7075-T73511 4.62 X 2.75 X .100	144.0	-	O	
60-1466-T75	7075-T6511 2.00 X 1.50 X .070	144.0	-	O	
60-14822/T75	7075-T76511 3.70 X 2.00 X .090	120.0	-	P	Feb 10, 12
60-14822/T75	7075-T76511 3.70 X 2.00 X .090	144.0	-	P	Feb 10, 12
60-16347-T75	7075-T6511 2.75 X 2.75 X .125	144.0	-	O	
60-17922~T75	7075T73511 2.875 X 2.10 X .220	144.0	-	O	
60-17922~T75	7075T73511 2.875 X 2.10 X .220	120.0	-	O	
60-18273-T75	7075-T6511 2.50 X 1.00 X .070	144.0	-	O	
60-21307.T75	7075-0 5.25 X 2.37 X .120	144.0	-	O	
60-21441~T75	7075-T76511 5.00 X 3.00 X .125	120.0	-	O	
60-2180-T75	7075-T6511 3.70 X 2.85 X .125	144.0	-	O	
60-22165-T75	7075-T6511 3 X 5 X .125 J4 TEE	144.0	-	O	
60-270-T75	7075-T6511 2.00 X 2.50 X .125	144.0	-	O	
60-2911-T75	7075-T6511 3.50 X 4.00 X .180	144.0	-	O	
60-3132-T75	7075-T6511 2.50 X 1.50 X .064	192.0	-	O	
60-32878-T75	7075-T6511 4.70 X 2.70 X .100	144.0	-	O	
60-32878-T75	7075-T6511 4.70 X 2.70 X .100	240.0	-	O	
60-3584-T75	7075-T6511 3.00 X 2.00 X .125	144.0	-	O	
60-3584-T75	7075-T6511 3.00 X 2.00 X .125	144.0	-	O	
60-3584-T75	7075-T6511 3.00 X 2.00 X .125	120.0	-	O	
60-3762-T75	7075-T6511 2.00 X 1.50 X .188	144.0	-	O	
60-3868-T75	7075-T6511 1.940 X 4.00 X .156	120.0	-	O	
60-3868-T75	7075-T6511 1.940 X 4.00 X .156	144.0	-	O	
60-3872-T75	7075-T6511 5.00 X 4.60 X .188	144.0	-	O	
60-3872-T75	7075-T6511 5.00 X 4.60 X .188	144.0	-	P	May 11, 12
60-3872-T75	7075-T6511 5.00 X 4.60 X .188	120.0	-	O	
60-3883-T75	7075-T6511 2.91 X 2.25 X .156	144.0	-	O	
60-3883-T75	7075-T6511 2.91 X 2.25 X .156	120.0	-	O	
60-394-T75	7075-T6511 2.875 X 2.75 X .125	144.0	-	O	
60-4217-T75	7075-T6511 2.00 X 2.00 X .188	108.0	-	O	
60-4217-T75	7075-T6511 2.00 X 2.00 X .188	120.0	-	O	
60-4217-T75	7075-T6511 2.00 X 2.00 X .188	144.0	-	O	
60-4254-T75	7075-T6511 2.12 X 2.12 X .063	144.0	-	O	
60-4254-T75	7075-T6511 2.12 X 2.12 X .063	120.0	-	O	
60-4454~T75	7075-T73511 4.00 X 1.85 X .062	120.0	-	O	
60-446-T75	7075-T6511 2.40 X 1.00 X .064	144.0	-	O	
60-4672-T75	7075-T6511 3.10 X 1.50 X .094	144.0	-	O	
60-4672-T75	7075-T6511 3.10 X 1.50 X .094	120.0	-	O	
60-491-T75	7075-T6511 2.50 X 2.44 X .094	144.0	-	O	
60-491-T75	7075-T6511 2.50 X 2.44 X .094	108.0	-	O	
60-5527-T75	7075-T6511 3.78 X 2.03 X .100	144.0	-	O	
60-591-T75	7075-T6511 3.00 X 1.63 X .093	48.0	-	O	
60-591-T75	7075-T6511 3.00 X 1.63 X .093	144.0	-	O	
60-6278-T75	7075-T6511 3.85 X 1.85 X .125	144.0	-	P	Feb 27, 12
60-7077-T75	7075-T6511 1.56 X 3.25 X .060	72.0	-	O	
60-7518-T75	7075-T6511 2.25 X 3.00 X .090	144.0	-	O	
60-7744-T75	7075-T6511 1.50 X 1.00 X .064	144.0	-	O	
60-8301-T75	7075-T6511 3.00 X 2.25 X .250	144.0	-	O	
60-9121-T75	7075-T6511 2.32 X 1.81 X .380	107.9	-	O	
60-9121-T75	7075-T6511 2.32 X 1.81 X .380	144.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
60-9124-T75	7075-T6511 1.60 X 1.60 X .081	144.0	-	O	
60-9124-T75	7075-T6511 1.60 X 1.60 X .081	144.0	-	P	Feb 17, 12
60-9124-T75	7075-T6511 1.60 X 1.60 X .081	120.0	-	P	Feb 17, 12
60-9780.T75	7075-O 2.08 X 1.140 X .063	144.0	-	O	
60-9780.T75	7075-O 2.08 X 1.140 X .063	120.0	-	O	
60-9815-T75	7075-T6511 3.00 X 3.50 X .125	120.0	-	O	
60-9815-T75	7075-T6511 3.00 X 3.50 X .125	144.0	-	O	
LS33662-T75	7075-T6511 1.938X 1.75 X .063	240.0	-	O	
<b>7075 ZEE BARS</b>					
10138-1101~Z75	7075T73511 1.125 X .625 X .062	144.0	-	O	
10139-1205/Z75	7075-T76511 1.25 X .750 X .078	144.0	-	P	Feb 17, 12
10139-1205/Z75	7075-T76511 1.25 X .750 X .078	120.0	-	P	Feb 17, 12
<b>7075 CHANNELS</b>					
60-10030-CS75	7075T6 LS4151 2.5 X 2.5 X .100	138.0	-	O	
60-15614-CS75	7075T6 LS5117 2.5 X 2.0 X .125	144.0	-	O	
60-2367-CS75	7075T6 LS5112 3.9 X 4.08 X .09	144.0	-	O	
60-2367-CS75	7075T6 LS5112 3.9 X 4.08 X .09	120.0	-	O	
60-32622-CS75	7075T6 SEATTRACK 4.97X2.5X.110	120.0	-	P	Feb 17, 12
60-3578-CS75	7075-T6511 LS10026 2.70 X 1.00	120.0	-	P	Feb 27, 12
<b>7075 SQUARE TUBING</b>					
75Q-075.065-6D	7075T6 .75X.065X.156R DRAWN SQ	136.0	-	O	
75Q-075.065-6D	7075T6 .75X.065X.156R DRAWN SQ	144.0	-	O	
75Q-100.095-6D	7075T6 1.0X.095X.188R DRAWN SQ	144.0	-	O	
<b>7075 ROUND TUBING</b>					
75R-100.120-6D	7075-T6 1.00 X .120 DRAWN-SMLS	144.0	-	O	
75R-100.120-6D	7075-T6 1.00 X .120 DRAWN-SMLS	60.0	-	O	
75R-175.104-6D	7075-T6 1.75 X .104 DRAWN-SMLS	144.0	-	O	
75R-175.104-6D	7075-T6 1.75 X .104 DRAWN-SMLS	136.0	-	O	
75R-175.188-6D	7075-T6 1.75 X .188 DRAWN-SMLS	144.0	-	O	
<b>7075 FLAT BARS</b>					
F75-0250300-7E	7075T73511 EXT FLAT .25 X 3.00	144.0	-	O	
F75-0250300-7E	7075T73511 EXT FLAT .25 X 3.00	120.0	-	O	
F75-0380075-6E	7075T6511 EXT FLAT .375 X .750	144.0	-	O	
F75-0380600-6E	7075T6511 EXT FLAT .375 X 6.00	144.0	-	O	
F75-0500150-6E	7075T6511 EXT FLAT .5" X 1.50"	144.0	-	O	
F75-0500150-6E	7075T6511 EXT FLAT .5" X 1.50"	131.9	-	O	
F75-0500175-6E	7075T6511 EXT FLAT .5" X 1.75"	144.0	-	O	
F75-0500200-6C	7075-T651 CF. FLAT .5" X 2.00"	84.0	-	O	
F75-0500300-6E	7075T6511 EXT FLAT .5" X 3.00"	144.0	-	O	
F75-0750100-6E	7075T6511 EXT FLAT .750 X 1.00	144.0	-	O	
F75-0750150-6E	7075T6511 EXT FLAT .750 X 1.50	144.0	-	O	
F75-0750200-6E	7075T6511 EXT FLAT .750 X 2.00	144.0	-	O	
F75-0750600-6E	7075T6511 EXT FLAT .750 X 6.00	144.0	-	O	
F75-1000125-6E	7075T6511 EXT FLAT 1.00 X 1.25	144.0	-	O	
F75-1000125-6E	7075T6511 EXT FLAT 1.00 X 1.25	136.0	-	O	
F75-1000150-6C	7075-T651 C.F FLAT 1.00 X 1.50	144.0	-	O	
F75-1000150-6E	7075T6511 EXT FLAT 1.00 X 1.50	144.0	-	O	
F75-1000150-6E	7075T6511 EXT FLAT 1.00 X 1.50	136.0	-	O	
F75-1000200-6E	7075T6511 EXT FLAT 1.00 X 2.00	144.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
F75-1000300-6E	7075T6511 EXT FLAT 1.00 X 3.00	144.0	-	O	
F75-1000300-6E	7075T6511 EXT FLAT 1.00 X 3.00	72.0	-	O	
F75-1000600-6C	7075-T651 CF. FLAT 1.00 X 6.00	144.0	-	O	
F75-1000600-6C	7075-T651 CF. FLAT 1.00 X 6.00	120.0	-	O	
F75-1000600-6E	7075T6511 EXT FLAT 1.00 X 6.00	144.0	-	O	
F75-1250200-6C	7075T651 1.25 X 2.00 C.F FLAT	144.0	-	O	
F75-1250200-6C	7075T651 1.25 X 2.00 C.F FLAT	144.0	-	P	Feb 17, 12
F75-1250200-6E	7075T6511 EXT FLAT 1.25 X 2.00	144.0	-	O	
F75-1500200-7C	7075-T7351 CF. FLAT 1.50 X 2.0	83.0	-	O	
F75-1500350-6E	7075T6511 EXT FLAT 1.50 X 3.50	144.0	-	O	
F75-1500350-6E	7075T6511 EXT FLAT 1.50 X 3.50	67.5	-	O	
F75-2000250-7E	7075T73511 2.00 X 2.50 EXT BAR	144.0	-	P	Feb 22, 12
F75-2000250-7E	7075T73511 2.00 X 2.50 EXT BAR	120.0	-	P	Feb 22, 12
F75-2000300-7C	7075T7351 2.00 X 3.00 CF. FLAT	144.0	-	O	
F75-2000400-6E	7075T6511 2.00 X 4.00 EXT FLAT	144.0	-	O	
F75-2000400-6E	7075T6511 2.00 X 4.00 EXT FLAT	72.0	-	O	
F75-2000600-6E	7075T6511 2.00 X 6.00 EXT FLAT	144.0	-	O	
F75-2001200-6E	7075T6511 2.0 X 12.0 EXT FLAT	144.0	-	O	
F75-2001200-6E	7075T6511 2.0 X 12.0 EXT FLAT	96.1	-	O	
F75-2500350-7E	7075T73511 2.5 X 3.5 EXT FLAT	144.0	-	O	
F75-2500450-7C	7075T7351 2.50 X 4.50 CF. FLAT	120.0	-	O	
F75-2500600-6E	7075T6511 2.50 X 6.00 EXT FLAT	144.0	-	O	
F75-2500600-6E	7075T6511 2.50 X 6.00 EXT FLAT	72.0	-	O	
F75-3000400-7E	7075T73511 3 X 4 EXT. FLAT BAR	50.5	-	O	
F75-3000400-7E	7075T73511 3 X 4 EXT. FLAT BAR	72.0	-	O	
F75-3000400-7E	7075T73511 3 X 4 EXT. FLAT BAR	144.0	-	O	
F75-3000600-6E	7075T6511 3.00 X 6.00 EXT FLAT	144.0	-	O	
F75-3000800-7E	7075T73511 3.0 X 8.0 EXT FLAT	144.0	-	O	
F75-4000600-6E	7075T6511 4.00 X 6.00 EXT FLAT	113.5	-	O	
F75-4000600-6E	7075T6511 4.00 X 6.00 EXT FLAT	120.0	-	O	
F75-4000600-6E	7075T6511 4.00 X 6.00 EXT FLAT	144.0	-	O	
F75-4000600-6E	7075T6511 4.00 X 6.00 EXT FLAT	70.0	-	O	
F75-4000800-6E	7075T6511 4.00 X 8.00 EXT FLAT	144.0	-	O	
F75-5000600-7E	7075T73511 5.0 X 6.0 EXT FLAT	120.0	-	O	
F75-5000600-7E	7075T73511 5.0 X 6.0 EXT FLAT	144.0	-	O	
F75-5000600-7E	7075T73511 5.0 X 6.0 EXT FLAT	71.9	-	O	
<b>7075 SQUARE BARS</b>					
Q75-1.000-65CF	7075-T651 1.00" C.F. SQ. BAR	144.0	-	O	
Q75-1.000-65CF	7075-T651 1.00" C.F. SQ. BAR	107.9	-	O	
Q75-1.250-65CF	7075-T651 1.25" C.F. SQ. BAR	96.0	-	O	
Q75-1.250-65CF	7075-T651 1.25" C.F. SQ. BAR	144.0	-	O	
Q75-1.500-65EX	7075T6511 1.50" EXT. SQ. BAR	144.0	-	O	
Q75-1.500-65EX	7075T6511 1.50" EXT. SQ. BAR	119.9	-	O	
Q75-1.625-65EX	7075T6511 1.625" EXT. SQ. BAR	144.0	-	O	
Q75-2.000-65CF	7075-T651 2.00" C.F. SQ. BAR	144.0	-	O	
Q75-2.000-65EX	7075T6511 2.00" EXT. SQ. BAR	144.0	-	O	
Q75-2.500-65CF	7075-T651 2.50" C.F. SQ. BAR	144.0	-	O	
Q75-2.500-65EX	7075T6511 2.50" EXT. SQ. BAR	69.0	-	O	
Q75-2.500-65EX	7075T6511 2.50" EXT. SQ. BAR	69.5	-	O	
Q75-2.500-65EX	7075T6511 2.50" EXT. SQ. BAR	144.0	-	O	
Q75-2.500-65EX	7075T6511 2.50" EXT. SQ. BAR	33.0	-	O	
Q75-2.500-75EX	7075-T73511 2.50" EXT SQ. BAR	36.0	-	O	
Q75-2.500-75EX	7075-T73511 2.50" EXT SQ. BAR	120.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
Q75-2.500-75EX	7075-T73511 2.50" EXT SQ. BAR	144.0	-	O	
Q75-3.000-65EX	7075T6511 3.00" EXT. SQ. BAR	144.0	-	O	
Q75-4.000-65EX	7075T6511 4.00" EXT. SQ. BAR	144.0	-	O	
<b>7075 ROUND BARS</b>					
R75-0.500-60CF	7075-T6 C.F ROUND BAR .500"DIA	144.0	-	O	
R75-0.500-65EX	7075T6511 EXT RND BAR .500"DIA	144.0	-	O	
R75-0.625-65EX	7075T6511 EXT RND BAR .625"DIA	144.0	-	O	
R75-0.750-60CF	7075-T6 C.F ROUND BAR .750"DIA	144.0	-	O	
R75-0.750-65EX	7075T6511 EXT RND BAR .750"DIA	144.0	-	O	
R75-0.750-65EX	7075T6511 EXT RND BAR .750"DIA	135.9	-	O	
R75-0.750-75EX	7075T73511 EXT BAR .750" DIA	72.0	-	O	
R75-0.875-65EX	7075T6511 EXT RND BAR .875"DIA	144.0	-	O	
R75-0.875-65EX	7075T6511 EXT RND BAR .875"DIA	135.8	-	O	
R75-1.000-65CF	7075T6(51) CF RND BAR 1.00"DIA	144.0	-	O	
R75-1.000-65EX	7075T6511 EXT RND BAR 1.00"DIA	136.0	-	O	
R75-1.000-65EX	7075T6511 EXT RND BAR 1.00"DIA	144.0	-	O	
R75-1.250-65CF	7075-T651 C.F RND BAR 1.25"DIA	144.0	-	O	
R75-1.250-65EX	7075T6511 EXT RND BAR 1.25"DIA	144.0	-	O	
R75-1.375-65CF	7075T651 C.F RND BAR 1.375"DIA	144.0	-	O	
R75-1.375-65CF	7075T651 C.F RND BAR 1.375"DIA	113.8	-	O	
R75-1.500-65CF	7075T6(51) CF RND BAR 1.50"DIA	144.0	-	O	
R75-1.500-65CF	7075T6(51) CF RND BAR 1.50"DIA	72.0	-	O	
R75-1.500-65EX	7075T6511 EXT RND BAR 1.50"DIA	144.0	-	O	
R75-1.625-65EX	7075-T6511 EXT ROUND 1.625"DIA	144.0	-	O	
R75-1.625-65EX	7075-T6511 EXT ROUND 1.625"DIA	130.5	-	O	
R75-1.750-65CF	7075T6(51) CF RND BAR 1.75"DIA	107.8	-	O	
R75-1.750-65CF	7075T6(51) CF RND BAR 1.75"DIA	144.0	-	O	
R75-1.750-75EX	7075T73511 EXT RD BAR 1.75"DIA	144.0	-	O	
R75-10.00-60EX	7075-T6 EXT ROUND BAR 10.0"DIA	144.0	-	P	May 1, 12
R75-12.50-60EX	7075-T6 EXT ROUND BAR 12.50"	35.8	-	O	
R75-12.50-60EX	7075-T6 EXT ROUND BAR 12.50"	72.3	-	O	
R75-12.50-60EX	7075-T6 EXT ROUND BAR 12.50"	144.0	-	O	
R75-12.50-60EX	7075-T6 EXT ROUND BAR 12.50"	14.8	-	O	
R75-2.000-65CF	7075-T651 C.F RND BAR 2.00"DIA	144.0	-	O	
R75-2.000-65EX	7075T6511 EXT RND BAR 2.00"DIA	144.0	-	O	
R75-2.250-65CF	7075-T651 C.F RND BAR 2.25"DIA	144.0	-	O	
R75-2.250-65CF	7075-T651 C.F RND BAR 2.25"DIA	59.8	-	O	
R75-2.500-75CF	7075T7351 C.F RND BAR 2.50"DIA	144.0	-	O	
R75-2.750-65CF	7075-T651 C.F RND BAR 2.75"DIA	148.0	-	P	Feb 17, 12
R75-2.750-65CF	7075-T651 C.F RND BAR 2.75"DIA	33.0	-	O	
R75-2.750-76CF	7075-T76 C.F RND BAR 2.750"DIA	144.0	-	O	
R75-3.250-65CF	7075-T651 C.F RND BAR 3.25"DIA	96.0	-	O	
R75-3.250-65CF	7075-T651 C.F RND BAR 3.25"DIA	144.0	-	O	
R75-3.250-65CF	7075-T651 C.F RND BAR 3.25"DIA	34.9	-	O	
R75-3.500-65EX	7075T6511 EXT RND BAR 3.50"DIA	144.0	-	O	
R75-3.500-65EX	7075T6511 EXT RND BAR 3.50"DIA	93.0	-	O	
R75-3.625-65CF	7075T651 C.F RND BAR 3.625"DIA	131.9	-	O	
R75-3.625-65CF	7075T651 C.F RND BAR 3.625"DIA	144.0	-	O	
R75-3.625-65CF	7075T651 C.F RND BAR 3.625"DIA	72.0	-	O	
R75-4.000-65CF	7075-T651 C.F RND BAR 4.00"DIA	9.5	-	O	
R75-4.000-65CF	7075-T651 C.F RND BAR 4.00"DIA	126.0	-	O	
R75-4.000-65CF	7075-T651 C.F RND BAR 4.00"DIA	144.0	-	O	
R75-4.000-65CF	7075-T651 C.F RND BAR 4.00"DIA	144.0	-	P	May 9, 12

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
R75-4.000-75CF	7075T7351 C.F RND BAR 4.00"DIA	144.0	-	O	
R75-4.500-75CF	7075T7351 C.F RND BAR 4.50"DIA	144.0	-	O	
R75-4.500-75CF	7075T7351 C.F RND BAR 4.50"DIA	144.0	-	P	May 9, 12
R75-4.500-75CF	7075T7351 C.F RND BAR 4.50"DIA	23.5	-	O	
R75-5.000-65CF	7075-T651 C.F RND BAR 5.00"DIA	48.0	-	O	
R75-5.000-65CF	7075-T651 C.F RND BAR 5.00"DIA	60.0	-	O	
R75-5.000-65CF	7075-T651 C.F RND BAR 5.00"DIA	89.9	-	O	
R75-5.000-65CF	7075-T651 C.F RND BAR 5.00"DIA	144.0	-	P	May 9, 12
R75-5.000-65EX	7075T6511 EXT RND BAR 5.00"DIA	144.0	-	O	
R75-5.000-65EX	7075T6511 EXT RND BAR 5.00"DIA	72.0	-	O	
R75-5.000-75CF	7075T7351 C.F RND BAR 5.00"DIA	104.0	-	O	
R75-5.000-75CF	7075T7351 C.F RND BAR 5.00"DIA	71.9	-	O	
R75-6.000-65CF	7075-T651 C.F RND BAR 6.00"DIA	144.0	-	P	May 9, 12
R75-6.000-75CF	7075T7351 C.F RND BAR 6.00"DIA	84.0	-	O	
R75-7.500-0CF	7075-0 C.F ROUND BAR 7.50"DIA	92.8	-	O	
R75-7.500-0CF	7075-0 C.F ROUND BAR 7.50"DIA	64.3	-	O	
R75-9.000-60EX	7075-T6 EXT ROUND BAR 9.00"DIA	144.0	-	P	May 1, 12
<b>7075 SHEETS</b>					
S75-012-T6A	ALUM SHEET .012" 7075-T6 CLAD	48.0	144.0	O	
S75-016-T6A	ALUM SHEET .016" 7075-T6 CLAD	48.0	144.0	O	
S75-016-T6A	ALUM SHEET .016" 7075-T6 CLAD	48.0	72.0	O	
S75-016-T6A	ALUM SHEET .016" 7075-T6 CLAD	12.0	72.0	O	
S75-016-T6B	ALUM SHEET .016" 7075-T6 BARE	48.0	144.0	O	
S75-020-T6A	ALUM SHEET .020" 7075-T6 CLAD	48.0	144.0	O	
S75-020-T6B	ALUM SHEET .020" 7075-T6 BARE	48.0	144.0	O	
S75-025-0A	ALUM SHEET .025" 7075-0 CLAD	48.0	96.0	O	
S75-025-0A	ALUM SHEET .025" 7075-0 CLAD	48.0	144.0	O	
S75-025-0B	ALUM SHEET .025" 7075-0 BARE	48.0	144.0	O	
S75-025-T6A	ALUM SHEET .025" 7075-T6 CLAD	48.0	144.0	O	
S75-025-T6B	ALUM SHEET .025" 7075-T6 BARE	48.0	144.0	O	
S75-032-0A	ALUM SHEET .032" 7075-0 CLAD	48.0	144.0	O	
S75-032-0B	ALUM SHEET .032" 7075-0 BARE	48.0	144.0	O	
S75-032-T6A	ALUM SHEET .032" 7075-T6 CLAD	48.0	144.0	O	
S75-032-T6B	ALUM SHEET .032" 7075-T6 BARE	48.0	124.0	O	
S75-032-T6B	ALUM SHEET .032" 7075-T6 BARE	48.0	134.0	O	
S75-032-T6B	ALUM SHEET .032" 7075-T6 BARE	48.0	144.0	O	
S75-040-0A	ALUM SHEET .040" 7075-0 CLAD	48.0	144.0	O	
S75-040-0B	ALUM SHEET .040" 7075-0 BARE	48.0	144.0	O	
S75-040-T6A	ALUM SHEET .040" 7075-T6 CLAD	48.0	72.0	O	
S75-040-T6A	ALUM SHEET .040" 7075-T6 CLAD	48.0	144.0	O	
S75-040-T6A	ALUM SHEET .040" 7075-T6 CLAD	12.0	72.0	O	
S75-040-T6B	ALUM SHEET .040" 7075-T6 BARE	48.0	144.0	O	
S75-050-0A	ALUM SHEET .050" 7075-0 CLAD	48.0	144.0	O	
S75-050-0A	ALUM SHEET .050" 7075-0 CLAD	48.0	-	O	
S75-050-0B	ALUM SHEET .050" 7075-0 BARE	48.0	144.0	O	
S75-050-0B	ALUM SHEET .050" 7075-0 BARE	48.0	48.0	O	
S75-050-0B	ALUM SHEET .050" 7075-0 BARE	48.0	-	O	
S75-050-T6A	ALUM SHEET .050" 7075-T6 CLAD	48.0	144.0	O	
S75-050-T6B	ALUM SHEET .050" 7075-T6 BARE	48.0	144.0	O	
S75-063-0A	ALUM SHEET .063" 7075-0 CLAD	48.0	144.0	O	
S75-063-0B	ALUM SHEET .063" 7075-0 BARE	48.0	144.0	O	
S75-063-T6A	ALUM SHEET .063" 7075-T6 CLAD	48.0	137.8	O	
S75-063-T6A	ALUM SHEET .063" 7075-T6 CLAD	48.0	144.0	O	



PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
P75-0.750-651	ALUMINUM PLATE 7075-T651 .750"	13.1	18.0	O	
P75-0.750-651	ALUMINUM PLATE 7075-T651 .750"	48.5	23.5	O	
P75-0.750-651	ALUMINUM PLATE 7075-T651 .750"	48.5	144.5	P	Jun 15, 12
P75-0.750-651	ALUMINUM PLATE 7075-T651 .750"	7.8	144.5	O	
P75-0.750-751	ALUM PLATE .750" 7075-T7351	19.4	144.5	O	
P75-0.750-751	ALUM PLATE .750" 7075-T7351	48.5	96.5	O	
P75-0.750-751	ALUM PLATE .750" 7075-T7351	48.5	144.5	O	
P75-0.875-751	ALUM PLATE .875" 7075-T7351	57.0	127.0	O	
P75-1.000-651	ALUMINUM PLATE 7075-T651 1.00"	48.5	144.5	P	May 31, 12
P75-1.000-651	ALUMINUM PLATE 7075-T651 1.00"	48.5	144.5	O	
P75-1.000-751	ALUM PLATE 7075-T7351 1.00"	48.5	144.5	P	Jun 15, 12
P75-1.000-751	ALUM PLATE 7075-T7351 1.00"	24.5	76.0	O	
P75-1.125-651	ALUM PLATE 7075-T651 1.125"	48.5	131.0	O	
P75-1.125-651	ALUM PLATE 7075-T651 1.125"	48.5	144.5	O	
P75-1.250-651	ALUMINUM PLATE 7075-T651 1.25"	48.5	144.5	O	
P75-1.250-651	ALUMINUM PLATE 7075-T651 1.25"	48.5	103.8	O	
P75-1.250-751	ALUM PLATE 7075-T7351 1.25"	48.0	94.5	O	
P75-1.250-751	ALUM PLATE 7075-T7351 1.25"	48.5	144.5	P	May 31, 12
P75-1.250-751	ALUM PLATE 7075-T7351 1.25"	12.3	15.3	O	
P75-1.500-651	ALUMINUM PLATE 7075-T651 1.50"	48.5	144.5	P	May 31, 12
P75-1.500-651	ALUMINUM PLATE 7075-T651 1.50"	48.5	144.5	O	
P75-1.500-751	ALUM PLATE 7075-T7351 1.50"	48.5	72.0	O	
P75-1.750-651	ALUMINUM PLATE 7075-T651 1.75"	48.5	144.5	O	
P75-1.750-651	ALUMINUM PLATE 7075-T651 1.75"	48.5	114.4	O	
P75-2.000-651	ALUMINUM PLATE 7075-T651 2.00"	48.5	135.8	O	
P75-2.000-651	ALUMINUM PLATE 7075-T651 2.00"	48.5	144.5	O	
P75-2.000-65A	ALUM PLATE 7075T651 2.00" CLAD	48.5	144.5	O	
P75-2.000-751	ALUM PLATE 7075-T7351 2.00"	48.1	136.5	O	
P75-2.000-751	ALUM PLATE 7075-T7351 2.00"	4.6	24.0	O	
P75-2.250-651	ALUMINUM PLATE 7075-T651 2.25"	52.8	181.1	O	
P75-2.250-651	ALUMINUM PLATE 7075-T651 2.25"	53.9	157.5	O	
P75-2.250-651	ALUMINUM PLATE 7075-T651 2.25"	21.0	18.5	O	
P75-2.500-651	ALUMINUM PLATE 7075-T651 2.50"	48.5	144.5	P	Jun 15, 12
P75-3.000-651	ALUMINUM PLATE 7075-T651 3.00"	48.5	144.5	P	Jun 15, 12
P75-3.000-651	ALUMINUM PLATE 7075-T651 3.00"	48.5	34.0	O	
P75-3.000-751	ALUM PLATE 3.00" 7075-T7351	48.5	132.5	O	
P75-3.000-751	ALUM PLATE 3.00" 7075-T7351	48.5	144.5	O	
P75-3.000-751	ALUM PLATE 3.00" 7075-T7351	4.8	24.3	O	
P75-4.000-651	ALUMINUM PLATE 7075-T651 4.00"	48.5	144.5	P	Jun 15, 12
P75-4.000-751	ALUMINUM PLATE 7075T7351 4.00"	24.5	10.0	O	
P75-4.000-751	ALUMINUM PLATE 7075T7351 4.00"	48.5	123.3	O	
P75-4.000-751	ALUMINUM PLATE 7075T7351 4.00"	48.5	144.5	O	
P75-4.500-651	ALUMINUM PLATE 7075-T651 4.50"	48.5	132.3	O	
P75-5.000-651	ALUMINUM PLATE 7075-T651 5.00"	43.3	144.5	O	
P75-5.500-651	ALUMINUM PLATE 7075-T651 5.50"	48.5	144.5	O	
P75-5.500-651	ALUMINUM PLATE 7075-T651 5.50"	48.5	92.5	O	
P75-6.000-651	ALUMINUM PLATE 7075-T651 6.00"	36.0	144.5	O	
P75-6.000-651	ALUMINUM PLATE 7075-T651 6.00"	48.5	126.3	O	
P75-6.000-651	ALUMINUM PLATE 7075-T651 6.00"	48.5	129.5	O	
P75-6.000-651	ALUMINUM PLATE 7075-T651 6.00"	48.5	144.5	O	
P75-6.000-651	ALUMINUM PLATE 7075-T651 6.00"	60.5	130.5	O	
P75-6.000-651	ALUMINUM PLATE 7075-T651 6.00"	60.5	144.5	O	
<b>7150 FLAT BARS</b>					

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
F71-2000610-7E	7150T77511 2.0 X 6.10 EXT FLAT	112.3	-	O	
F71-2000610-7E	7150T77511 2.0 X 6.10 EXT FLAT	65.5	-	O	
<b>7475 PLATE</b>					
P7475-2.500-73	ALUM PLATE 2.500" 7475-T7351	48.5	144.5	O	
<b>FOIL</b>					
S03-002800-24	ALUMINUM FOIL 3003-24 .00280"	15.0	-	O	
S35-000300-0	ALUMINUM FOIL 1235-0 .000300"	43.6	-	O	
S35-000300-0	ALUMINUM FOIL 1235-0 .000300"	41.0	-	O	
S35-000350-0	ALUMINUM FOIL 1235-0 .000350"	42.5	-	O	
S35-000400-0	ALUMINUM FOIL 1235-0 .000400"	50.4	-	O	
S35-000400-0	ALUMINUM FOIL 1235-0 .000400"	46.8	-	O	
S35-000500-0	ALUMINUM FOIL 1235-0 .000500"	43.2	-	O	
S35-000500-0	ALUMINUM FOIL 1235-0 .000500"	55.1	-	O	
S35-000500-0	ALUMINUM FOIL 1235-0 .000500"	36.5	-	O	
S35-000950-0	ALUMINUM FOIL 1235-0 .000950"	40.9	-	O	
S45-001250-H19	ALUMINUM FOIL 1145-H19 .00125"	10.5	-	O	
S45-001700-H19	ALUMINUM FOIL 1145-H19 .0017"	10.9	-	O	
<b>CAST PLATES</b>					
PTJ-0.236	ALUM CAST PLATE 6MM	61.8	144.5	O	
PTJ-0.250	ALUM CAST PLATE .250"	60.5	144.5	P	Mar 30, 12
PTJ-0.250	ALUM CAST PLATE .250"	60.5	144.5	O	
PTJ-0.250	ALUM CAST PLATE .250"	48.5	144.5	O	
PTJ-0.250	ALUM CAST PLATE .250"	48.5	144.5	P	Mar 30, 12
PTJ-0.250	ALUM CAST PLATE .250"	48.5	144.0	O	
PTJ-0.375	ALUM CAST PLATE .375"	48.5	144.5	O	
PTJ-0.394	ALUM CAST PLATE 10MM	61.8	144.5	O	
PTJ-0.394	ALUM CAST PLATE 10MM	61.8	91.3	O	
PTJ-0.394-ATP5	ALUM CAST PLATE 10MM ATP-5	60.5	144.5	O	
PTJ-0.500	ALUM CAST PLATE .500"	48.5	144.5	O	
PTJ-0.500	ALUM CAST PLATE .500"	48.5	144.5	P	Mar 30, 12
PTJ-0.500-ATP5	ALUM CAST PLATE .500" ATP-5	48.5	144.5	O	
PTJ-0.500-ATP5	ALUM CAST PLATE .500" ATP-5	48.5	89.0	O	
PTJ-0.590	ALUM CAST PLATE 15MM	48.5	144.5	O	
PTJ-0.750	ALUM CAST PLATE .750"	48.5	144.5	P	Mar 30, 12
PTJ-0.750	ALUM CAST PLATE .750"	48.5	144.5	O	
PTJ-0.750-ATP5	ALUM CAST PLATE .750" ATP-5	48.5	144.5	O	
PTJ-0.787	ALUM CAST PLATE 20MM	48.5	144.5	O	
PTJ-0.875	ALUM CAST PLATE .875"	48.5	144.5	O	
PTJ-0.875	ALUM CAST PLATE .875"	60.5	24.0	O	
PTJ-0.875	ALUM CAST PLATE .875"	48.5	96.3	O	
PTJ-0.984	ALUM CAST PLATE 25MM	48.5	144.5	O	
PTJ-1.000	ALUM CAST PLATE 1.00"	8.3	28.5	O	
PTJ-1.000	ALUM CAST PLATE 1.00"	48.5	144.5	P	Mar 30, 12
PTJ-1.000-ATP5	ALUM CAST PLATE 1.00" ATP-5	48.5	144.5	O	
PTJ-1.250	ALUM CAST PLATE 1.25"	48.5	144.5	O	
PTJ-1.250	ALUM CAST PLATE 1.25"	60.5	144.5	O	
PTJ-1.250	ALUM CAST PLATE 1.25"	28.3	48.0	O	
PTJ-1.378	ALUM CAST PLATE 35MM	61.8	144.5	O	
PTJ-1.500	ALUM CAST PLATE 1.50" C250	48.5	144.5	O	
PTJ-1.500	ALUM CAST PLATE 1.50" C250	51.5	118.1	O	
PTJ-1.500	ALUM CAST PLATE 1.50" C250	60.5	144.5	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
PTJ-1.500	ALUM CAST PLATE 1.50" C250	61.8	156.1	O	
PTJ-1.500	ALUM CAST PLATE 1.50" C250	34.3	48.3	O	
PTJ-2.000	ALUM CAST PLATE 2.00"	48.5	48.0	O	
PTJ-2.500	ALUM CAST PLATE 2.50"	48.5	121.0	O	
PTJ-2.500	ALUM CAST PLATE 2.50"	48.5	144.5	O	
<b>6" SCH 40 PIPE ELBOW</b>					
FP0600409SR304	6.00"SCH.40 SHORT RADIUS 90*	-	-	O	
<b>STAINLESS/STEEL AND NICKEL</b>					
A304-150.125	304 SS ANGLE 1.5 X 1.5 X .125"	152.0	-	O	
R174-0.375-115	17-4PH COND-H1150 .375" DIA	145.0	-	O	
R174-0.375-115	17-4PH COND-H1150 .375" DIA	99.0	-	O	
R174-0.500-115	17-4PH COND. H1150 .500"DIA	145.6	-	O	
R174-0.750-115	17-4PH COND H1150 .750" DIA	120.5	-	O	
R174-0.750-115	17-4PH COND H1150 .750" DIA	145.5	-	O	
R174-0.875-115	17-4PH COND. H1150 .875" DIA	146.5	-	O	
R174-1.000-115	17-4PH COND H1150 1.00"DIA ROD	151.0	-	O	
R174-1.000-115	17-4PH COND H1150 1.00"DIA ROD	93.5	-	O	
R174-1.125	17-4PH 1.125"DIA. ROUND BAR	144.0	-	O	
R302-0.094	302 SS 0.094"DIA.	72.0	-	O	
R303-0.500	303 SS 0.500"DIA. ROUND BAR	145.3	-	O	
R303-0.500	303 SS 0.500"DIA. ROUND BAR	145.5	-	O	
R303-0.875	303 SS 0.875"DIA. ROUND BAR	144.0	-	O	
R303-1.000-CF	303 ACF 1.000"DIA ROUND BAR	145.5	-	O	
R303-2.000	303 SS 2.000"DIA. ROUND BAR	60.0	-	O	
R303-2.500-CF	303 ACF 2.500"DIA ROUND BAR	146.9	-	O	
R303-4.000-CF	303 ACF 4.000"DIA ROUND BAR	42.3	-	O	
R304-0.125	304 SS 0.125"DIA. ROUND BAR	145.5	-	O	
R304-0.188	304 SS 0.188"DIA. ROUND BAR	144.6	-	O	
R304-0.250	304 SS 0.250"DIA. ROUND BAR	144.0	-	O	
R304-0.250	304 SS 0.250"DIA. ROUND BAR	144.6	-	O	
R304-0.250	304 SS 0.250"DIA. ROUND BAR	145.2	-	O	
R304-0.250	304 SS 0.250"DIA. ROUND BAR	145.5	-	O	
R304-0.313	304 SS 0.313"DIA. ROUND BAR	144.5	-	O	
R304-0.375	304 SS 0.375"DIA. ROUND BAR	145.3	-	O	
R304-0.375	304 SS 0.375"DIA. ROUND BAR	144.0	-	O	
R304-0.500-A	304 SS ACF .500" DIA RND BAR	147.3	-	O	
R304-0.500-A	304 SS ACF .500" DIA RND BAR	144.0	-	O	
R304-0.625	304 SS 0.625"DIA. ROUND BAR	145.5	-	O	
R304-0.750	304 SS 0.750"DIA. ROUND BAR	145.1	-	O	
R304-0.813	304 SS 0.813"DIA. ROUND BAR	150.5	-	O	
R304-0.875	304 SS 0.875"DIA. ROUND BAR	144.8	-	O	
R304-1.000	304 SS 1.000"DIA. ROUND BAR	110.6	-	O	
R304-1.000	304 SS 1.000"DIA. ROUND BAR	148.4	-	O	
R304-1.000	304 SS 1.000"DIA. ROUND BAR	72.0	-	O	
R304-1.250	304 SS 1.250"DIA. ROUND BAR	147.8	-	O	
R304-1.250	304 SS 1.250"DIA. ROUND BAR	149.7	-	O	
R304-2.250-A	304 HRA 2.25"DIA. ROUND BAR	25.4	-	O	
R304-2.500-A	304 SS 2.500"DIA. ROUND BAR	151.8	-	O	
R304-2.500-A	304 SS 2.500"DIA. ROUND BAR	12.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
R310-0.500	310 SS 0.500"DIA. ROUND BAR	144.0	-	O	
R316-1.000	316 SS 1.000"DIA. ROUND BAR	144.0	-	O	
R316-1.375	316 SS 1.375"DIA. ROUND BAR	144.0	-	O	
R316-1.500-A	316 SS 1.500"DIA. ROUND BAR	144.0	-	O	
R321-1.500-A	321 SS 1.500" DIA ROUND BAR	144.0	-	O	
R321-1.500-A	321 SS 1.500" DIA ROUND BAR	152.4	-	O	
R321-1.500-A	321 SS 1.500" DIA ROUND BAR	153.5	-	O	
R321-1.500-A	321 SS 1.500" DIA ROUND BAR	22.3	-	O	
R416-0.750	416 SS 0.750"DIA RND BAR	48.3	-	O	
RCN-0.500-715	CU-NI ALLOY 715 ROD .500" DIA	144.0	-	O	
RNC-0.750-500	NI-CU ALLOY 500 .750"DIA MONEL	144.0	-	P	Feb 17, 12
RNC-2.000-500	NI-CU ALLOY 500 2.00"DIA MONEL	81.8	-	O	
Q138-1.000	13-8MO 1.000" SQUARE BAR	35.5	-	O	
Q304-0.375	304 STNLS STEEL .375"SQ. BAR	146.0	-	O	
Q304-1.000	304 STNLS STEEL 1.00"SQ. BAR	164.3	-	O	
H316-0.313-A	316 SS 0.313"HEX	144.0	-	O	
F304-0190125	304 SS .188" X 1.25" FLAT BAR	144.0	-	O	
F304-0380075	304 SS .375" X .750" FLAT BAR	165.0	-	O	
F304-0380200	304 SS .375" X 2.00" FLAT BAR	164.3	-	O	
F304-0380200	304 SS .375" X 2.00" FLAT BAR	153.4	-	O	
F304-1000200	304 SS 1.00" X 2.00" FLAT BAR	163.3	-	O	
F304-1000200	304 SS 1.00" X 2.00" FLAT BAR	159.3	-	O	
F304-2000300	304 SS 2.00" X 3.00" FLAT BAR	165.8	-	O	
F316-0190200	316 SS .188" X 2.00" FLAT BAR	144.0	-	O	
S155-063	15-5 .063" STAINLESS SHEET	36.0	105.0	O	
S157-063	15-7 .063" STAINLESS SHEET	41.0	120.0	O	
S157-063	15-7 .063" STAINLESS SHEET	29.0	12.0	O	
S157-063	15-7 .063" STAINLESS SHEET	41.0	108.0	O	
S157-063	15-7 .063" STAINLESS SHEET	5.0	120.0	O	
S301-032-HH	301 1/2 HD .032" SS SHEET	36.0	120.0	O	
S301-040-HH	301 1/2 HD .040"(20GA)SS SHEET	36.0	120.0	O	
S301-040-HH	301 1/2 HD .040"(20GA)SS SHEET	36.0	144.0	O	
S301-040-HH	301 1/2 HD .040"(20GA)SS SHEET	36.0	96.0	O	
S301-040-QH	301 1/4 HD .040"(20GA)SS SHEET	12.0	120.0	O	
S301-040-QH	301 1/4 HD .040"(20GA)SS SHEET	48.0	96.0	O	
S301-040-QH	301 1/4 HD .040"(20GA)SS SHEET	48.0	120.0	O	
S301-063-QH	301 1/4 HD .063" SS SHEET	48.0	120.0	O	
S301-063-QH	301 1/4 HD .063" SS SHEET	48.0	144.0	O	
S301-063-QH	301 1/4 HD .063" SS SHEET	48.0	-	O	
S301-071-HH	301 1/2 HD .071"(14GA)SS SHEET	36.0	144.0	O	
S301-071-QH	301 1/4 HD .071" SS SHEET	36.0	96.0	O	
S301-071-QH	301 1/4 HD .071" SS SHEET	36.0	120.0	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
S301-071-QH	301 1/4 HD .071" SS SHEET	36.0	144.0	O	
S301-080-HH	301 1/2 HD .080"(14GA)SS SHEET	36.0	144.0	O	
S301-080-HH	301 1/2 HD .080"(14GA)SS SHEET	36.0	120.0	O	
S301-100-QH	301 1/4 HD .100" SS SHEET	36.0	120.0	O	
S301-100-QH	301 1/4 HD .100" SS SHEET	36.0	84.0	O	
S301-125-HH	301 1/2 HD .125" SS SHEET	1.0	5.9	O	
S301-125-HH	301 1/2 HD .125" SS SHEET	11.0	12.0	O	
S304-020-A	304 A .020"(26GA.) SS SHEET	48.0	120.0	O	
S304-020-A	304 A .020"(26GA.) SS SHEET	48.0	96.0	O	
S304-032-4	304 #4 .032"/22GA STNLS SHEET	48.0	120.0	O	
S304-032-A	304 STAINLESS .032"/22GA SHEET	48.0	240.0	O	
S304-032-A	304 STAINLESS .032"/22GA SHEET	48.0	120.0	O	
S304-032-A	304 STAINLESS .032"/22GA SHEET	48.0	24.0	O	
S304-032-A	304 STAINLESS .032"/22GA SHEET	12.0	96.0	O	
S304-036-A	304 STAINLESS .036"/20GA SHEET	48.0	96.0	O	
S304-050-A	304 STAINLESS .050"/18GA SHEET	48.0	120.0	O	
S304-060-A	304 STAINLESS .060"/16GA SHEET	60.0	120.0	O	
S304-060-A	304 STAINLESS .060"/16GA SHEET	48.0	120.0	O	
S304-080-A	304 .080"(14GA.) STNLS SHEET	60.0	120.0	O	
S304-105-A	304 COLD ROLL .105" SHEET	36.0	24.0	O	
S304-125-A	304(L) STNLS .125((11GA) SHEET	6.0	144.0	O	
S304-125-A	304(L) STNLS .125((11GA) SHEET	12.0	96.0	O	
S304-125-A	304(L) STNLS .125((11GA) SHEET	36.0	12.0	O	
S304-125-A	304(L) STNLS .125((11GA) SHEET	36.0	120.0	O	
S304-125-A	304(L) STNLS .125((11GA) SHEET	36.0	120.0	O	
S304-125-A	304(L) STNLS .125((11GA) SHEET	48.0	96.0	O	
S304-125-A	304(L) STNLS .125((11GA) SHEET	48.0	96.0	O	
S304-125-A	304(L) STNLS .125((11GA) SHEET	48.0	144.0	O	
S304-188-A	304 STAINLESS .188" SHEET	48.0	120.0	O	
S304-188-A	304 STAINLESS .188" SHEET	60.0	144.0	O	
S304-188-A	304 STAINLESS .188" SHEET	21.1	48.0	O	
S316-048-2B	316 # 2B .048/18GA STNLS SHEET	48.0	120.0	O	
S321-050-A	321 .050" STAINLESS SHEET	12.0	76.0	O	
S321-050-A	321 .050" STAINLESS SHEET	36.0	24.5	O	
S321-190-A	321 STAINLESS .188" SHEET	36.0	144.0	O	
P304-0.125-TP	304 SS TREAD PLATE .125"	12.0	96.0	O	
P304-0.250	304(L) STAINLESS .250" PLATE	48.0	90.0	O	
P316-0.250	316(L) CRES, H.R. PLATE .250"	60.0	240.0	O	
P316-0.250	316(L) CRES, H.R. PLATE .250"	60.0	60.0	O	
P718-1.000	718 INCONEL 1.00" PLATE	1.5	48.0	O	
2169R-038.020	21-6-9 SMLS .375X.020 RND TUBE	144.0	-	O	
2169R-050.026W	21-6-9 ANNL .500X.026 RND TUBE	144.0	-	O	
304R-050.065-8	304 SS SMLS .500X.065 1/8 HARD	240.0	-	O	
304R-075.049-S	304 SS SMLS .750X.049 RND TUBE	298.6	-	O	
304R-088.049-8	304 SS SMLS .875X.049 1/8 HARD	240.0	-	O	
304R-100.049-8	304 SS SMLS 1.00X.049 1/8 HARD	240.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
304R-100.049-8	304 SS SMLS 1.00X.049 1/8 HARD	96.0	-	O	
304R-100.058-8	304SS 1/8H 1X.058 SMLS RD TUBE	288.0	-	O	
304R-100.058-8	304SS 1/8H 1X.058 SMLS RD TUBE	167.0	-	O	
304R-800.125-S	304 SS SMLS 8.00X.125 RND TUBE	254.0	-	O	
304P-100.80	304 SS 1.0"SCH.80 SMLS PIPE	109.5	-	O	
304P-100.80	304 SS 1.0"SCH.80 SMLS PIPE	240.0	-	O	
304P-100.80	304 SS 1.0"SCH.80 SMLS PIPE	253.1	-	O	
CNP-050.40-400	CU-NI ALY 400 .500"SCH.40 PIPE	240.0	-	O	
CNP-125.40-400	CU-NI ALY 400 1.25"SCH.40 PIPE	240.0	-	O	
R18-2.000-CF	1018 CFS 2.000" DIA ROUND BAR	192.0	-	O	
R4130-0.313-CF	4130 CF NORM 0.313"DIA RD BAR	144.0	-	O	
R4140-2.500-CF	4140 ACF 2.500" DIA RND BAR	35.5	-	O	
Q4140-0.500	4140 ALLOY STEEL .500" SQ. BAR	144.0	-	O	
H4130-0.313-N	4130 C.F. NORMALIZED HEX .313"	22.0	-	O	
R4340-0.750-CF	4340 CF 0.750"DIA RD BAR	144.0	-	O	
R4340-1.135-CF	4340 CF 1.135"DIA RD BAR	144.0	-	O	
R4340-1.500-CF	4340 CF 1.500"DIA RD BAR	144.0	-	O	
R8740-3.000-A	8740 CF ANNEALED 3"DIA RD BAR	114.0	-	O	
RCS-0.250-A108	108 C.F. 0.250"DIA ROUND BAR	240.0	-	O	
RCS-0.375-36	A36 HRS 0.375" DIA ROUND BAR	240.0	-	O	
RCS-2.250-A36	A36 H.R. 2.250"DIA ROUND BAR	241.0	-	O	
RCS-3.125-A36	A36 HRS 3.125" DIA ROUND BAR	192.8	-	O	
RCS-0.468-A108	108 C.F. 0.468"DIA ROUND BAR	25.5	-	O	
RCS-0.750-1015	1015 HR 0.750" DIA ROUND BAR	240.0	-	O	
RCS-2.000-A576	1015 ASTM A576 HR 2.00 DIA	240.0	-	O	
RCS-2.000-A576	1015 ASTM A576 HR 2.00 DIA	242.0	-	O	
RCS-2.000-A576	1015 ASTM A576 HR 2.00 DIA	48.0	-	O	
RMW-0.027-A228	A228 .027" DIA ROUND BAR	6,720.0	-	O	
RMW-0.042-A228	A228 .042" DIA ROUND BAR	2,640.0	-	O	
RMW-0.063-A228	A228 .063" DIA ROUND BAR	5,640.0	-	O	
RTS-1.500-A6	A-6 TOOL STEEL ROD 1.500" DIA	142.5	-	O	
RTS-3.000-M2	M-2 TOOL STEEL ROD 3.000" DIA	138.3	-	O	
RTS-3.000-M2	M-2 TOOL STEEL ROD 3.000" DIA	123.5	-	O	
RTS-3.000-O1	O-1 TOOL STEEL ROD 3.000" DIA	161.5	-	O	
Q20-1.250-CF	1020 CF STEEL 1.250" SQ. BAR	146.0	-	O	
Q20-2.250-CF	1020 CF STEEL 2.250" SQ. BAR	145.1	-	O	
HCS-0.750-1020	1020 COLD ROLL 0.750" HEX	144.3	-	O	
HCS-0.750-1020	1020 COLD ROLL 0.750" HEX	48.0	-	O	
HCS-1.000-1018	A1018 SBQ ASTM A576 HEX 1.00"	98.0	-	O	
F11-0190175	1011 STEEL .188X1.75 FLAT BAR	120.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
F11-0190200-HR	A1011 HRCQ FLAT .188" X 2.00"	240.0	-	O	
F15-0250400	1015 CRS .250 X 4.00 FLAT BAR	121.3	-	O	
F18-0250100-HR	1018 HR SBQ FLAT .250" X 1.00"	120.0	-	O	
F18-0250100-HR	1018 HR SBQ FLAT .250" X 1.00"	72.0	-	O	
F18-0250150-HR	1018 HR .250 X 1.50 FLAT BAR	240.0	-	O	
F18-0500400-HR	1018 HR .500 X 4.00 FLAT BAR	240.0	-	O	
F18-2000400-CF	1018 CRS 2.00 X 4.00 FLAT BAR	138.0	-	O	
F20-0125250	1020 STEEL .125 X2.00 FLAT BAR	240.0	-	O	
F20-0250125	1020 STEEL .250X1.25 FLAT BAR	48.0	-	O	
F20-0250500	1020 STEEL .250X5.00 FLAT BAR	242.5	-	O	
F26-0250150-HR	A1026 HR .250 X 1.50 FLAT BAR	120.0	-	O	
F26-0250150-HR	A1026 HR .250 X 1.50 FLAT BAR	193.0	-	O	
F26-0250150-HR	A1026 HR .250 X 1.50 FLAT BAR	240.0	-	O	
F36-0250100-HR	A36 HRS .250 X 1.00 FLAT BAR	240.0	-	O	
F36-0250125-HR	A36 HRS .250 X 1.25 FLAT BAR	240.0	-	O	
F36-0250600-HR	A36 HRS .250 X 6.00 FLAT BAR	240.0	-	O	
F36-0380100-HR	A36 HRS .375 X 1.00 FLAT BAR	144.0	-	O	
F36-0380100-HR	A36 HRS .375 X 1.00 FLAT BAR	240.0	-	O	
F36-0500250-HR	A36 H.R. FLAT BAR .500" X 2.50	240.0	-	O	
F36-0500300-BV	A36 HRS .5 X 3 BVLD. FLAT BAR	240.0	-	O	
F36-0500300-BV	A36 HRS .5 X 3 BVLD. FLAT BAR	144.0	-	O	
F36-1000300-HR	A36 HRS 1.00 X 3.00 FLAT BAR	120.0	-	O	
F4130-0250200	4130 STEEL FLAT .250" X 2.00"	144.0	-	O	
F4130-0750250	4130 CDN FLAT .750" X 2.50"	53.5	-	O	
F4130-1250150	4130 STEEL FLAT 1.25" X 1.50"	149.5	-	O	
F4130-2000275	4130 STEEL FLAT 2.00" X 2.75"	135.3	-	O	
F4130-2000275	4130 STEEL FLAT 2.00" X 2.75"	77.8	-	O	
F4140-0130075	4140 CDA .125 X 0.75 FLAT BAR	144.0	-	O	
F4140-0130100	4140 CDA .125 X 1.00 FLAT BAR	146.0	-	O	
F4140-0190150	4140 CDA .188 X 1.50 FLAT BAR	144.0	-	O	
F4140-0250250	4140 CDA .250 X 2.250 FLAT BAR	144.0	-	P	Feb 17, 12
F4340-0250200	4340 STEEL .250 X 2 FLAT BAR	144.0	-	O	
F4340-0250200	4340 STEEL .250 X 2 FLAT BAR	137.0	-	O	
F4340-0380200	4340 STEEL .375 X 2 FLAT BAR	144.0	-	O	
F4340-0380200	4340 STEEL .375 X 2 FLAT BAR	131.8	-	O	
F4340-1000175	4340 STEEL 1 X 1.75 FLAT BAR	144.0	-	O	
F45-0250100-CF	1045 STEEL .250X1.00 FLAT BAR	144.0	-	O	
F45-0250300-CF	1045 STEEL .250X3.00 FLAT BAR	144.0	-	O	
F45-0250400-CF	1045 STEEL .250X4.00 FLAT BAR	155.0	-	O	
F45-0500300-CF	1045 STEEL .500X3.00 FLAT BAR	144.0	-	O	
F45-0500400-CF	1045 STEEL .500X4.00 FLAT BAR	141.3	-	O	
F45-0500400-CF	1045 STEEL .500X4.00 FLAT BAR	140.0	-	O	
F45-0500600-CF	1045 STEEL .500X6.00 FLAT BAR	144.0	-	O	
FCS-0500600-A	1095 ACR .500 X 6.00 STL STRIP	96.0	-	O	
FTS-0750150-M2	M2 TOOL STEEL .750 X 1.50 FLAT	72.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
S4130-032-A	4130 .032" ANNEALED SHEET	36.0	96.0	O	
S4130-032-A	4130 .032" ANNEALED SHEET	36.0	144.0	O	
S4130-032-A	4130 .032" ANNEALED SHEET	36.0	72.0	O	
S4130-032-N	4130 .032" NORMALIZED SHEET	36.0	72.0	O	
S4130-050-N	4130 .050" NORMALIZED SHEET	36.0	72.0	O	
S4130-050-N	4130 .050" NORMALIZED SHEET	36.0	144.0	O	
S4130-063-N	4130 .063" NORMALIZED SHEET	36.0	144.0	O	
S4130-063-N	4130 .063" NORMALIZED SHEET	18.0	72.0	O	
S4130-063-N	4130 .063" NORMALIZED SHEET	24.0	24.0	O	
S4130-063-N	4130 .063" NORMALIZED SHEET	36.0	48.0	O	
S4130-063-N	4130 .063" NORMALIZED SHEET	36.0	72.0	O	
S4130-063-N	4130 .063" NORMALIZED SHEET	12.0	120.0	O	
S4130-080-A	4130 .080" ANNEALED SHEET	36.0	72.0	P	Feb 6, 12
S4130-080-A	4130 .080" ANNEALED SHEET	36.0	72.0	P	Feb 17, 12
S4130-090-N	4130 .090" NORMALIZED SHEET	36.0	144.0	O	
S4130-125-A	4130 .125" ANNEALED SHEET	36.0	144.0	O	
S4130-125-A	4130 .125" ANNEALED SHEET	36.0	72.0	O	
S4130-125-N	4130 .125" NORMALIZED SHEET	36.0	72.0	O	
S4130-125-N	4130 .125" NORMALIZED SHEET	36.0	144.0	O	
S4130-125-N	4130 .125" NORMALIZED SHEET	36.0	144.0	P	Feb 27, 12
S4130-190-A	4130 .190" ANNEALED SHEET	36.0	120.0	O	
S4130-190-A	4130 .190" ANNEALED SHEET	36.0	144.0	O	
S4130-190-A	4130 .190" ANNEALED SHEET	36.0	72.0	O	
S4130-190-N	4130 .190" NORMALIZED SHEET	36.0	144.0	O	
S4140-190-A	4140 .190" ANNEALED SHEET	36.0	144.0	O	
SCS-028-A653CG	A653 .028"(24GA) CRRGTD.GLVNzd	27.5	72.5	O	
SCS-028-A653CG	A653 .028"(24GA) CRRGTD.GLVNzd	27.5	104.0	O	
SCS-028-A653CG	A653 .028"(24GA) CRRGTD.GLVNzd	27.5	72.0	O	
SCS-030-1008	A1008 TYPE B CR CQ .030" SHEET	48.0	144.0	O	
SCS-030-1008	A1008 TYPE B CR CQ .030" SHEET	48.0	96.0	O	
SCS-052-A653G	A653 .052" GALVANIZED SHEET	48.0	96.0	O	
SCS-060-1008	ASTM A1008 .0598" CR SHEET	48.0	96.0	O	
SCS-063-A569	A569 .063" HOT ROLL SHEET	48.6	96.1	O	
SCS-063-A569	A569 .063" HOT ROLL SHEET	48.0	96.0	O	
SCS-075-1008	ASTM A1008 .075" CR SHEET	48.0	120.0	O	
SCS-075-1008	ASTM A1008 .075" CR SHEET	48.0	96.0	O	
SCS-078-A653G	A653 .078" GALVANIZED SHEET	48.0	144.0	O	
SCS-090-A1011	A1011 .090"(13GA.) STEEL SHEET	48.0	96.0	O	
SCS-105-A1008	A1008 CR SHEET .105" (12 GA)	48.0	96.0	O	
SCS-105-A1011	A1011 HR CQ SHEET .105"(12GA)	48.0	120.0	O	
SCS-105-A1011	A1011 HR CQ SHEET .105"(12GA)	48.0	96.0	O	
SCS-120-A1011	A1011 TYPE B HR CQ .120" SHEET	36.0	120.0	O	
SCS-120-A1011	A1011 TYPE B HR CQ .120" SHEET	48.0	84.0	O	
SCS-120-A1011	A1011 TYPE B HR CQ .120" SHEET	48.0	96.0	O	
SCS-120-A1011	A1011 TYPE B HR CQ .120" SHEET	72.0	120.0	O	
SCS-125-1008	ASTM A1008 .125" CR SHEET	48.0	144.0	O	
SCS-125-A569	A569/A1011 .125" HR SHEET	48.0	96.0	O	
SCS-125-A569	A569/A1011 .125" HR SHEET	6.0	144.0	O	
SCS-164-A1011	A569/A1011 .164"(8GA) HR SHEET	60.0	37.0	O	
SCS-168-A653G	A653 .168"(8GA.) GALV. SHEET	12.0	96.0	O	
SCS-168-A653G	A653 .168"(8GA.) GALV. SHEET	48.0	24.0	O	
SCS-190-A1011	A1011 .188" HOT ROLL SHEET	3.0	120.0	O	
SCS-190-A1011	A1011 .188" HOT ROLL SHEET	2.0	216.0	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
SCS-190-A36	A36 STEEL SHEET .190"	72.0	192.0	O	
SCS-190-A36A	A36 .190 HR GR. A STEEL SHEET	24.0	348.0	O	
SCS-190-A36A	A36 .190 HR GR. A STEEL SHEET	48.0	72.0	O	
SCS-190-A36A	A36 .190 HR GR. A STEEL SHEET	72.0	120.0	O	
SCS-190-A36A	A36 .190 HR GR. A STEEL SHEET	96.0	132.0	O	
SCS-190-DH36	DH36 .190 GR.A STEEL SHEET	72.0	120.0	O	
P4130-0.250-N	4130 N .250" PLATE	36.0	144.0	O	
P4130-0.250-N	4130 N .250" PLATE	36.0	107.9	O	
P4130-0.250-N	4130 N .250" PLATE	36.0	72.0	O	
P4130-0.250-N	4130 N .250" PLATE	36.0	72.0	P	Mar 30, 12
P4130-0.250-N	4130 N .250" PLATE	36.0	96.0	O	
P4130-0.250-N	4130 N .250" PLATE	12.0	124.0	O	
P4340-0.250-A	4340 ANN. STEEL PLATE .250"	36.0	72.0	O	
PCS-0.188-36DT	A36 .188" HR DMND TREAD PLATE	48.0	96.0	O	
PCS-0.250-515	A515 .250" STEEL PLATE PVQ	60.0	144.0	O	
PCS-0.250-827	1020 A827 .250" STEEL PLATE	60.0	120.0	O	
PCS-0.250-A36	A36 .250" HR STEEL PLATE	6.0	144.0	O	
PCS-0.250-A36	A36 .250" HR STEEL PLATE	48.0	72.0	O	
PCS-0.250-A36	A36 .250" HR STEEL PLATE	48.0	96.0	O	
PCS-0.250-A36A	A36 ABS. GR. A .250" PLATE	96.0	240.0	O	
PCS-0.250-A569	A569/A1011 .250" HR PLATE	6.0	72.0	O	
PCS-0.250-DH36	DH36/EH 36 GR. A .250" PLATE	60.0	240.0	O	
PCS-0.313-515	A515 .313" STEEL PLATE PVQ	59.8	144.0	O	
PCS-0.313-515	A515 .313" STEEL PLATE PVQ	60.0	144.0	O	
PCS-0.313-827	1020 A827 .313" STEEL PLATE	96.0	36.0	O	
PCS-0.313-827	1020 A827 .313" STEEL PLATE	36.0	96.0	O	
PCS-0.375-827	1020 A827 .375" HR STEEL PLATE	60.0	120.0	O	
PCS-0.375-A36	A36 .375" HR STEEL PLATE	6.0	145.3	O	
PCS-0.375-A36	A36 .375" HR STEEL PLATE	48.0	96.0	O	
PCS-0.375-A36	A36 .375" HR STEEL PLATE	6.0	72.0	O	
PCS-0.375-AP1	12560 STEEL ARMOR PLATE 0.375"	48.0	96.0	O	
PCS-0.375-AP4	46100 STEEL ARMOR PLATE 0.375"	48.0	100.1	O	
PCS-0.375-AP4	46100 STEEL ARMOR PLATE 0.375"	48.0	96.0	O	
PCS-0.500-A36A	A36 ABS. GR. A .500" PLATE	48.0	72.0	O	
PCS-0.500-AP1	12560 STEEL ARMOR PLATE 0.500"	48.0	144.0	O	
PCS-0.750-515	A515 0.750" STEEL PLATE	48.0	120.0	O	
PCS-0.875-HY10	HY100 .875" STELL PLATE	72.0	240.0	O	
PCS-1.000-1020	1020 1.00" HR STEEL PLATE	36.0	96.0	P	Feb 17, 12
PCS-1.000-1020	1020 1.00" HR STEEL PLATE	36.0	96.0	P	Feb 6, 12
PCS-1.000-A36	A36 HR STEEL 1" PLATE	48.0	48.0	O	
PCS-1.500-516	A516 1.50" STEEL PLATE	72.0	120.0	O	
PCS-218-ABSA	A36 ABS.GR. A .2187" PLATE	96.0	348.0	P	Feb 17, 12
SCS-125-1020	1020 ACF STEEL SHEET .125" THK	18.0	96.0	O	
SCS-125-1020	1020 ACF STEEL SHEET .125" THK	36.0	96.0	P	Feb 17, 12
SCS-125-1020	1020 ACF STEEL SHEET .125" THK	36.0	96.0	P	Feb 17, 12
4130R-0750.049	4130N .750"OD X.049"W RD TUBE	240.0	-	O	
4130R-0750.049	4130N .750"OD X.049"W RD TUBE	288.0	-	O	
4130R-0750.049	4130N .750"OD X.049"W RD TUBE	180.0	-	O	
4130R-0750.065	4130N .750"OD X.065"W RD TUBE	120.0	-	O	
4130R-0750.065	4130N .750"OD X.065"W RD TUBE	182.8	-	O	
4130R-0750.065	4130N .750"OD X.065"W RD TUBE	240.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
4130R-0750.065	4130N .750"OD X.065"W RD TUBE	246.0	-	O	
4130R-0750.065	4130N .750"OD X.065"W RD TUBE	267.0	-	O	
4130R-0750.095	4130N .750"OD X.095"W RD TUBE	252.1	-	O	
4130R-0750.095	4130N .750"OD X.095"W RD TUBE	216.0	-	O	
4130R-0750.250	4130N .750"OD X.250"W RD TUBE	250.3	-	O	
4130R-0750.250	4130N .750"OD X.250"W RD TUBE	249.9	-	O	
4130R-1000.049	4130N 1.00"OD X.049"W RD TUBE	240.0	-	O	
4130R-1000.065	4130N 1.00"OD X.065"W RD TUBE	264.1	-	O	
4130R-1000.083	4130N 1.00"OD X.083"W RD TUBE	287.9	-	O	
4130R-1000.083	4130N 1.00"OD X.083"W RD TUBE	288.0	-	O	
4130R-1000.083	4130N 1.00"OD X.083"W RD TUBE	240.0	-	O	
4130R-1000.095	4130N 1.00"OD X.095"W RD TUBE	282.1	-	O	
4130R-1000.095	4130N 1.00"OD X.095"W RD TUBE	282.0	-	O	
4130R-1000.120	4130N 1.0"OD X .120"W RD TUBE	120.0	-	O	
4130R-1000.120	4130N 1.0"OD X .120"W RD TUBE	240.0	-	O	
4130R-1000.120	4130N 1.0"OD X .120"W RD TUBE	252.0	-	O	
4130R-1000.120	4130N 1.0"OD X .120"W RD TUBE	108.0	-	O	
4130R-1250.083	4130N 1.25"OD X.083"W RD TUBE	258.0	-	O	
4130R-1500.065	4130N 1.50"OD X.065"W RD TUBE	204.0	-	O	
4130R-1500.083	4130N 1.50"OD X.083"W RD TUBE	287.3	-	O	
4130R-1500.188	4130N 1.50"OD X.188"W RD TUBE	264.0	-	O	
4130R-1500.188	4130N 1.50"OD X.188"W RD TUBE	132.0	-	O	
4130R-1750.083	4130N 1.75"OD X.083"W RD TUBE	231.0	-	O	
4130R-1750.083	4130N 1.75"OD X.083"W RD TUBE	204.0	-	O	
4130R-2000.065	4130N 2.00"OD X.065"W RD TUBE	17.8	-	O	
4130R-2000.065	4130N 2.00"OD X.065"W RD TUBE	258.0	-	O	
4130R-2000.065	4130N 2.00"OD X.065"W RD TUBE	282.0	-	O	
4130R-2000.250	4130N 2.00"OD X.250"W RD TUBE	249.0	-	O	
4130R-2000.250	4130N 2.00"OD X.250"W RD TUBE	288.0	-	O	
4130R-2000.250	4130N 2.00"OD X.250"W RD TUBE	153.0	-	O	
CSR-050.035-53	A513 STEEL .50 X .035 RND TUBE	240.0	-	O	
CSR-050.065-53	A513 MT 1015 .500 X .065 TUBE	56.0	-	O	
CSR-063.072-53	A513 STEEL .63 X .072 RND TUBE	240.0	-	O	
CSR-075.065-53	A513 STEEL .75 X .065 RND TUBE	240.0	-	O	
CSR-238.154-50	A500 STEEL 2.38 X.154 RND TUBE	252.0	-	O	
CSP-038.40-106	STEEL PIPE .375SCH40 A106BSMLS	264.0	-	O	
CSP-050.40-53G	STEEL PIPE 0.5"SCH.40 A53 GALV	252.0	-	O	
CSP-150.40-106	STEEL PIPE 1.50SCH40 A106BSMLS	51.0	-	O	
CSP-150.40-106	STEEL PIPE 1.50SCH40 A106BSMLS	72.0	-	O	
CSP-150.40-106	STEEL PIPE 1.50SCH40 A106BSMLS	177.3	-	O	
CSP-150.40-106	STEEL PIPE 1.50SCH40 A106BSMLS	240.0	-	O	
CSP-150.40-106	STEEL PIPE 1.50SCH40 A106BSMLS	252.0	-	O	
CSP-150.40-106	STEEL PIPE 1.50SCH40 A106BSMLS	36.0	-	O	
CSP-200.40-53	STEEL PIPE 2.0"SCH.40 A53 SMLS	252.0	-	O	
CSP-300.40-53	STEEL PIPE 3.0"SCH.40 A53 SMLS	240.0	-	O	
CSP-300.40-53	STEEL PIPE 3.0"SCH.40 A53 SMLS	191.6	-	O	
CSP-350.40-53B	A53 GR.B SMLS 3.50"SCH.40 PIPE	240.0	-	P	Feb 17, 12
CSP-350.40-53B	A53 GR.B SMLS 3.50"SCH.40 PIPE	240.0	-	O	
CSP-400.80-53G	STEEL PIPE 4.0"SCH.80 A53 GALV	41.3	-	O	
4130Q-0750.035	4130N .750"SQ X.035"W SQ TUBE	144.0	-	O	
4130Q-0750.035	4130N .750"SQ X.035"W SQ TUBE	150.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
4130Q-0750.035	4130N .750"SQ X.035"W SQ TUBE	240.0	-	O	
4130Q-0750.035	4130N .750"SQ X.035"W SQ TUBE	273.0	-	O	
4130Q-0750.035	4130N .750"SQ X.035"W SQ TUBE	288.0	-	O	
4130Q-0750.049	4130N .750"SQ X.049"W SQ TUBE	204.3	-	O	
4130Q-0750.049	4130N .750"SQ X.049"W SQ TUBE	208.3	-	O	
4130Q-0750.049	4130N .750"SQ X.049"W SQ TUBE	288.0	-	O	
4130Q-0750.049	4130N .750"SQ X.049"W SQ TUBE	199.3	-	O	
4130Q-0750.065	4130N .750"SQ X.065"W SQ TUBE	144.0	-	O	
4130Q-0750.065	4130N .750"SQ X.065"W SQ TUBE	255.5	-	O	
4130Q-0750.065	4130N .750"SQ X.065"W SQ TUBE	273.5	-	O	
4130Q-0750.065	4130N .750"SQ X.065"W SQ TUBE	282.5	-	O	
4130Q-1000.049	4130N 1.00"SQ X.049"W SQ TUBE	279.0	-	O	
4130Q-1000.049	4130N 1.00"SQ X.049"W SQ TUBE	282.0	-	O	
4130Q-1000.049	4130N 1.00"SQ X.049"W SQ TUBE	288.0	-	O	
4130Q-1000.049	4130N 1.00"SQ X.049"W SQ TUBE	276.0	-	O	
4130Q-1000.049	4130N 1.00"SQ X.049"W SQ TUBE	144.0	-	O	
4130Q-1000.065	4130N 1.00"SQ X.065"W SQ TUBE	12.0	-	O	
4130Q-1000.065	4130N 1.00"SQ X.065"W SQ TUBE	96.0	-	O	
4130Q-1000.065	4130N 1.00"SQ X.065"W SQ TUBE	144.0	-	O	
4130Q-1000.065	4130N 1.00"SQ X.065"W SQ TUBE	192.0	-	O	
4130Q-1000.065	4130N 1.00"SQ X.065"W SQ TUBE	267.0	-	O	
4130Q-1000.065	4130N 1.00"SQ X.065"W SQ TUBE	270.0	-	O	
4130Q-1000.065	4130N 1.00"SQ X.065"W SQ TUBE	273.0	-	O	
4130Q-1000.065	4130N 1.00"SQ X.065"W SQ TUBE	276.0	-	O	
4130Q-1000.065	4130N 1.00"SQ X.065"W SQ TUBE	279.0	-	O	
4130Q-1000.065	4130N 1.00"SQ X.065"W SQ TUBE	282.0	-	O	
4130Q-1000.065	4130N 1.00"SQ X.065"W SQ TUBE	288.0	-	O	
CSQ-100.120-50	A500 TUBE 1.00"SQ. X .120"W	240.0	-	O	
CSQ-200.188-53	A513 TUBE 2.00"SQ. X .188"W	240.0	-	O	
CSQ-200.250-50	A500 TUBE 2.00"SQ. X .250"W	240.0	-	O	
CSQ-600.188-50	A500 TUBE 6.00"SQ. X .188"W	240.0	-	O	
CSF10200083513	A513 STEEL 1 X 2 X .083 TUBE	240.0	-	O	
CSF20600250500	A500 STEEL 2 X 6 X .250 TUBE	240.0	-	O	
CSF30500188500	A500 STEEL 3 X 5 X .188 TUBE	240.0	-	O	
CSF30500188500	A500 STEEL 3 X 5 X .188 TUBE	240.5	-	O	
CSF30500188500	A500 STEEL 3 X 5 X .188 TUBE	192.0	-	O	
CSF30600250500	A500 STEEL 3 X 6 X .250 TUBE	240.5	-	O	
CSF30600250500	A500 STEEL 3 X 6 X .250 TUBE	240.0	-	O	
CSF30600250500	A500 STEEL 3 X 6 X .250 TUBE	144.0	-	O	
CSF40200250500	A500 STEEL 4 X 2 X .250 TUBE	240.0	-	O	
CSF40800500500	A500 STEEL 4 X 8 X .500 TUBE	96.0	-	O	
CSF40800500500	A500 STEEL 4 X 8 X .500 TUBE	45.0	-	O	
ACS-100.125-3G	GLV STEEL ANGLE 1 X 1 X .125"	240.0	-	O	
ACS-100.250-36	A36 STEEL ANGLE 1 X 1 X .250"	240.0	-	O	
ACS-125.188-36	A36 STEEL ANGL 1.25X1.25X.188"	240.0	-	O	
ACS-150.125-36	A36 STEEL ANGL 1.5 X 1.5X.125"	241.5	-	O	
ACS-150.188-36	A36 STEEL ANGL 1.5 X 1.5X.188"	240.0	-	O	
ACS-150.250-3G	GLV STEEL ANGL 1.5 X 1.5 X .25	36.0	-	O	
ACS-150.250-3G	GLV STEEL ANGL 1.5 X 1.5 X .25	74.0	-	O	
ACS-150.250-3G	GLV STEEL ANGL 1.5 X 1.5 X .25	132.0	-	O	
ACS-150.250-3G	GLV STEEL ANGL 1.5 X 1.5 X .25	240.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
ACS-150.250-3G	GLV STEEL ANGL 1.5 X 1.5 X .25	243.0	-	O	
ACS-175.188-36	A36 STEEL ANGL 1.75X1.75X.188"	240.0	-	O	
ACS-200.125-36	STEEL ANGLE 2.0 X 2.0 X .125	242.0	-	O	
ACS-200.188-3A	A36 2 X 2 X .188 HR ANGLE	170.0	-	O	
ACS-200.188-3A	A36 2 X 2 X .188 HR ANGLE	240.0	-	O	
ACS-200.188-3A	A36 2 X 2 X .188 HR ANGLE	97.8	-	O	
ACS-200.250-36	STEEL ANGLE 2.0 X 2.0 X .250	240.0	-	O	
ACS-200.250-36	STEEL ANGLE 2.0 X 2.0 X .250	242.0	-	O	
ACS-200.250-3G	GLV STEEL ANGLE 2 X 2 X .250	84.0	-	O	
ACS-200.250-3G	GLV STEEL ANGLE 2 X 2 X .250	108.0	-	O	
ACS-200.250-3G	GLV STEEL ANGLE 2 X 2 X .250	242.0	-	O	
ACS-200.250-3G	GLV STEEL ANGLE 2 X 2 X .250	12.0	-	O	
ACS-200.313-36	A36 STL ANGL 2 X 2 X .313"WA	243.5	-	O	
ACS-250.188-36	ASTM A36 ANGL 2.5 X 2.5 X.188	240.0	-	O	
ACS-250.188-36	ASTM A36 ANGL 2.5 X 2.5 X.188	243.0	-	O	
ACS-250.188-36	ASTM A36 ANGL 2.5 X 2.5 X.188	50.3	-	O	
ACS-250.188-3G	GLV STEEL ANGL 2.5 X 2.5 X.188	242.0	-	O	
ACS-250.250-36	A36 STEEL ANGLE 2.50X2.50X.250	158.0	-	O	
ACS-250.375-36	A36 STEEL ANGLE 2.50X2.50X.375	240.0	-	O	
ACS-2502.19-3A	A36 STL ANGL 2.5 X 2 X .188 AB	180.0	-	O	
ACS-2502.19-3A	A36 STL ANGL 2.5 X 2 X .188 AB	240.0	-	O	
ACS-2502.25-3A	A36 STL ANGL 2.5 X 2 X .250 AB	242.3	-	O	
ACS-300-250-AH	AH 36 STEEL ANGLE 3 X 3X .250	240.0	-	O	
ACS-300.250-36	A36 STEEL ANGLE 3 X 3 X .250	480.0	-	O	
ACS-300.250-3G	GLV STEEL ANGL 3.0 X 3.0 X.250	480.0	-	O	
ACS-300.375-3A	A36 STEEL ANGLE 3 X 3 X .375	486.0	-	O	
ACS-350-375-3A	A36 3.5X3.5X.375 ABS STL ANGLE	456.0	-	O	
ACS-350-375-3A	A36 3.5X3.5X.375 ABS STL ANGLE	480.5	-	O	
ACS-350.250-36	A36 STEEL ANGL 3.5 X 3.5 X .25	240.0	-	O	
ACS-3503.31-3A	A36 STEEL ANGLE 3.5 3.0 X .312	480.0	-	O	
ACS-400.250-36	A36 STEEL ANGLE 4 X 4 X .250	240.0	-	O	
ACS-400.313-3A	A36 ABS-A 4.00 X 4.00 X .313	480.0	-	O	
ACS-400.375-36	A36 STEEL ANGLE 4 X 4 X .375	480.0	-	O	
ACS-430-375-3T	AH-36T STEEL ANGLE 4 X 3 X.375	98.0	-	O	
ACS-430-375-3T	AH-36T STEEL ANGLE 4 X 3 X.375	121.8	-	O	
ACS-430-375-3T	AH-36T STEEL ANGLE 4 X 3 X.375	240.0	-	O	
ACS-500-312-AH	AH 36 STEEL ANGLE 5 X 5X .313	42.0	-	O	
ACS-535.375-3A	A36 STEEL ANGLE 5 X 3.5 X .375	480.0	-	O	
ACS-600.625-3A	A36 STEEL ANGLE 6 X 6 X .625	300.0	-	O	
ACS-640-375-AH	AH-36 ANGLE 6 X 4 X .375	240.0	-	P	Feb 17, 12
ACS-640.375-3A	A36 STEEL ANGLE 6 X 4 X .375	480.0	-	O	
BCS-03.057-36A	A36 STEEL 3 X 5.7# I-BEAM	25.5	-	O	
BCS-03.057-36A	A36 STEEL 3 X 5.7# I-BEAM	48.0	-	O	
BCS-03.057-36A	A36 STEEL 3 X 5.7# I-BEAM	60.0	-	O	
BCS-03.057-36A	A36 STEEL 3 X 5.7# I-BEAM	120.0	-	O	
BCS-03.057-36A	A36 STEEL 3 X 5.7# I-BEAM	480.0	-	O	
BCS-04.095-36A	A36 GR. ABS-A I-BEAM S4"X 9.5"	240.0	-	O	
BCS-06.120-36A	A36 STEEL 6 X 12# WF BEAM	240.0	-	P	Feb 17, 12
BCS-06.250-36	A36 STRCL 6 X 25# H-BEAM	240.0	-	O	
BCS-08.200-36A	A36 W8 X 20# STEEL BEAM	480.0	-	O	
BCS-24.760-36A	A36 STEEL 24X 76# WF BEAM	228.0	-	O	
CSC-030.410-36	A36 C3 X 4.10# STEEL CHANNEL	240.0	-	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
CSC-030.500-36	A36 C3 X 5.00# STEEL CHANNEL	243.8	-	O	
CSC-030.600-3A	A36 C3 X 6.00# STEEL CHANNEL	240.0	-	O	
CSC-040.540-36	A36 C4 X 5.40# STEEL CHANNEL	241.5	-	O	
CSC-040.725-36	A36 C4 X 7.25# STEEL CHANNEL	242.5	-	O	
CSC-050.670-3A	A36 GR.A C5 X 6.70# STEEL CHNL	242.0	-	O	
CSC-050.670-3A	A36 GR.A C5 X 6.70# STEEL CHNL	240.0	-	O	
CSC-060.820-36	A36 C6 X 8.2# STEEL CHANNEL	244.0	-	O	
CSC-0601.05-36	A36 C6 X 10.5# STEEL CHANNEL	243.5	-	O	
CSC-0801.15-36	A36 C8 X 11.5# STEEL CHANNEL	242.0	-	O	
CSC-0801.15-36	A36 C8 X 11.5# STEEL CHANNEL	240.0	-	O	
CSC-1001.53-36	A36 C10 X 15.3# STEEL CHANNEL	120.0	-	O	
CSC-105.125-3P	1 X .500 X .125 GLV CHNL PAINT	242.0	-	O	
CSC-105.125-3P	1 X .500 X .125 GLV CHNL PAINT	240.0	-	O	
TCS-05.127-36A	A36 ABS-A TEE 5.00" X 12.7	122.0	-	O	
TCS-406.250-36	A36 ABS-A 4.00 X 6.00 X .250	240.0	-	O	
TIR-125.045AB6	3AL/2.5V 1.25 X .045 SEAMLESS	144.0	-	P	Feb 17, 12
STI-020-64A	TI-6AL-4V AB1 ANLD .020" SHEET	48.0	24.0	O	
STI-025-64A	TI-6AL-4V AB1 ANLD .025" SHEET	23.0	96.0	O	
PTI-1.000-64A	TITANIUM PLATE 1.000" 6AL-4V	5.5	6.9	O	
B88R-075.049-K	COPPER 5/8"(.75X.049)TYP.K TUB	720.0	-	O	
R360-0.313-HH	CDA 360 HH 0.313"DIA ROUND BAR	144.5	-	O	
R360-0.313-HH	CDA 360 HH 0.313"DIA ROUND BAR	72.0	-	O	
R360-0.500-HH	CDA 360 HH 0.500"DIA ROUND BAR	144.0	-	O	
R360-1.500-HH	CDA 360 HH 1.500"DIA ROUND BAR	144.0	-	O	
R360-2.500-HH	CDA 360 HH 2.500"DIA ROUND BAR	144.0	-	O	
R360-2.500-HH	CDA 360 HH 2.500"DIA ROUND BAR	120.9	-	O	
R464-0.688-H02	CDA 464 HH .6875"DIA ROUND BAR	12.0	-	O	
R464-0.688-H02	CDA 464 HH .6875"DIA ROUND BAR	72.0	-	O	
R464-0.750-H02	CDA 464 HH 0.750"DIA ROUND BAR	144.0	-	O	
R464-0.875-H02	CDA 464 HH 0.875"DIA ROUND BAR	144.0	-	O	
R464-1.000-H02	CDA 464 HH 1.000"DIA ROUND BAR	144.0	-	O	
R482-2.000-HT4	CDA 482 HT 2.00" DIA ROUND BAR	144.0	-	O	
R482-4.000-H02	CDA 482 HH 4.000"DIA ROUND BAR	120.0	-	O	
R482-4.000-H02	CDA 482 HH 4.000"DIA ROUND BAR	144.4	-	O	
H360-0.313-HH	360 HH 0.313"HEX	72.0	-	O	
330R-050.014-2	CDA 330 .500"OD X.014"RND TUBE	127.0	-	O	
F360-0500300-H	CDA360 HH .500"X 3.00"FLAT BAR	144.0	-	O	
R630-4.250	CDA 630 4.250" DIAMETER ROD	37.0	-	O	
R642-4.000	CDA 642 4.000"(M20 TEMPER)	23.0	-	O	
<b>WEST COAST</b>					
<b>2024 SHEET</b>					
S24-080-T3A	ALUM SHEET .080" 2024-T3 CLAD	47.8	144.0	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
S24-090-T3A	ALUM SHEET .090" 2024-T3 CLAD	47.8	144.0	O	
<b>2024 PLATE</b>					
P24-0.375-351	ALUM PLATE 2024T351 BARE .375"	48.5	144.5	O	
P24-1.750-351	ALUM PLATE 2024T351 BARE 1.75"	48.5	144.5	O	
P24-2.000-351	ALUM PLATE 2024T351 BARE 2.00"	48.5	144.5	O	
P24-2.250-351	ALUM PLATE 2.25" 2024T351 BARE	48.5	144.5	O	
P24-2.500-351	ALUM PLATE 2024T351 BARE 2.50"	48.5	144.5	O	
<b>2219 PLATE</b>					
P19-4.000-851	ALUMINUM PLATE 2219-T851 4.00"	60.5	144.5	O	
<b>5052 SHEETS</b>					
S52-063-H34	ALUMINUM SHEET 5052-H34 .063"	48.0	144.0	O	
<b>5052 SHEETS</b>					
P52-0.250-H32	ALUMINUM PLATE 5052-H32 .250"	36.0	96.0	O	
<b>5086 PIPE</b>					
86P-150.80-H32	5086-H32 1.50"SCH.80 DRWN-SMLS	240.0	-	O	
<b>5086 ANGLE</b>					
10133-1203-A86	5086-H111 1.25 X 1.25 X .125	300.0	-	O	
<b>5083/5086 ROD</b>					
R86-0.375-111	5083/5086-H111 .375"DIA ROD	144.0	-	O	
<b>5086 PLATE</b>					
P86-0.375-H116	ALUMINUM PLATE 5086-H116 .375"	60.0	144.0	O	
<b>6061 ANGLE</b>					
A61-4030.25-6S	6061-T6 4.00 X 3.00 X .250	300.0	-	O	
A61-4030.25-6S	6061-T6 4.00 X 3.00 X .250	240.0	-	O	
<b>6061 ROUND</b>					
R61-4.750-65EX	6061T6511 AL EXT RND 4.750"DIA	144.0	-	O	
R61-5.000-65EX	6061T6511 AL EXT RND 5.000"DIA	144.0	-	O	
<b>6061 SHEET</b>					
S61-032-T6	ALUMINUM SHEET 6061-T6 .032"	60.0	144.0	O	
S61-032-T6	ALUMINUM SHEET 6061-T6 .032"	48.0	144.0	O	
S61-040-T6	ALUMINUM SHEET 6061-T6 .040"	48.0	84.0	O	
S61-040-T6	ALUMINUM SHEET 6061-T6 .040"	48.0	96.0	O	
S61-040-T6	ALUMINUM SHEET 6061-T6 .040"	48.0	144.0	O	
S61-050-0	ALUMINUM SHEET 6061-0 .050"	48.0	144.0	O	
S61-050-T6	ALUMINUM SHEET 6061-T6 .050"	48.0	144.0	O	
S61-050-T6	ALUMINUM SHEET 6061-T6 .050"	48.0	96.0	O	
S61-063-T4	ALUMINUM SHEET 6061-T4 .063"	48.0	180.0	O	
S61-063-T6	ALUMINUM SHEET 6061-T6 .063"	48.0	96.0	O	
S61-063-T6	ALUMINUM SHEET 6061-T6 .063"	48.0	144.0	O	
S61-063-T6	ALUMINUM SHEET 6061-T6 .063"	60.0	144.0	O	
S61-063-T6	ALUMINUM SHEET 6061-T6 .063"	12.0	144.0	O	
S61-080-T6	ALUMINUM SHEET 6061-T6 .080"	8.0	102.0	O	
S61-080-T6	ALUMINUM SHEET 6061-T6 .080"	48.0	96.0	O	

PART #	PRODUCT DESCRIPTION	DIM 1	DIM 2	O=ON HAND P=ON ORDER	DELIVERY ETA
S61-080-T6	ALUMINUM SHEET 6061-T6 .080"	60.0	41.8	O	
S61-090-T6	ALUMINUM SHEET 6061-T6 .090"	60.0	144.0	O	
S61-090-T6	ALUMINUM SHEET 6061-T6 .090"	11.8	144.0	O	
S61-100-T4	ALUMINUM SHEET 6061-T4 .100"	48.0	144.0	O	
S61-125-T4	ALUMINUM SHEET 6061-T4 .125"	60.0	144.0	O	
S61-125-T4	ALUMINUM SHEET 6061-T4 .125"	48.0	144.0	O	
S61-125-T6	ALUMINUM SHEET 6061-T6 .125"	36.0	96.0	O	
S61-160-T6	ALUMINUM SHEET 6061-T6 .160"	48.0	144.0	O	
<b>6061 PLATE</b>					
P61-0.250-651	ALUMINUM PLATE 6061-T651 .250"	48.5	144.5	O	
P61-0.500-651	ALUMINUM PLATE 6061-T651 .500"	60.5	144.5	O	
P61-0.500-651	ALUMINUM PLATE 6061-T651 .500"	48.5	144.5	O	
P61-0.625-651	ALUMINUM PLATE 6061-T651 .625"	60.5	144.5	O	
P61-0.625-651	ALUMINUM PLATE 6061-T651 .625"	48.5	144.5	O	
P61-1.000-651	ALUMINUM PLATE 6061-T651 1.00"	48.5	144.5	O	
P61-1.000-651	ALUMINUM PLATE 6061-T651 1.00"	60.5	144.5	O	
P61-1.250-651	ALUMINUM PLATE 6061-T651 1.25"	48.5	89.8	O	
P61-1.250-651	ALUMINUM PLATE 6061-T651 1.25"	26.0	31.0	O	
P61-1.500-651	ALUMINUM PLATE 6061-T651 1.50"	48.5	144.5	O	
P61-1.750-651	ALUMINUM PLATE 6061-T651 1.75"	48.5	144.5	O	
P61-11.00-65F	6061-T652 11" FORGED AL PLATE	48.5	87.0	O	
<b>7050 PLATE</b>					
P50-1.750-451	ALUMINUM PLATE 7050T7451 1.75"	48.5	144.5	O	
P50-2.000-451	ALUMINUM PLATE 7050T7451 2.00"	48.5	144.5	O	
P50-2.250-451	ALUMINUM PLATE 7050T7451 2.25"	48.5	144.5	O	
P50-2.500-451	ALUMINUM PLATE 7050T7451 2.50"	48.5	144.5	O	
P50-3.000-451	ALUMINUM PLATE 7050T7451 3.00"	48.5	144.5	O	
<b>7075 PLATE</b>					
P75-0.250-651	ALUMINUM PLATE 7075-T651 .250"	49.2	150.0	O	
P75-0.250-651	ALUMINUM PLATE 7075-T651 .250"	48.5	144.5	O	
P75-0.375-651	ALUMINUM PLATE 7075-T651 .375"	48.5	144.5	O	
P75-0.500-651	ALUMINUM PLATE 7075-T651 .500"	48.5	144.5	O	
P75-2.000-651	ALUMINUM PLATE 7075-T651 2.00"	48.5	144.5	O	
P75-2.000-751	ALUM PLATE 7075-T7351 2.00"	48.1	136.5	O	
P75-5.000-651	ALUMINUM PLATE 7075-T651 5.00"	48.5	144.5	O	
P75-5.500-651	ALUMINUM PLATE 7075-T651 5.50"	48.5	144.5	O	
P75-6.000-651	ALUMINUM PLATE 7075-T651 6.00"	60.5	144.5	O	
<b>CAST PLATE</b>					
PTJ-0.250	ALUM CAST PLATE .250"	48.5	144.0	O	
PTJ-0.250	ALUM CAST PLATE .250"	48.5	144.5	O	
PTJ-0.625	ALUM CAST PLATE .625"	60.5	144.5	O	
PTJ-0.750	ALUM CAST PLATE .750"	60.5	144.5	O	
PTJ-0.750	ALUM CAST PLATE .750"	48.5	144.5	O	
PTJ-2.000	ALUM CAST PLATE 2.00"	48.5	144.5	O	